## LIST OF PUBLICATIONS ON SALE, ISSUED BY THE DEPARTMENT OF STATISTICS AND CENSUS, H.E.H. THE NIZAM'S GOVERNMENT.

(Conies can be had from the Director of Statistics, Huderabad-Deccan). Rs. p. Administration Report of the Statistics Department. 1st issue 1337 F. 0 1 O Da 2nd issue 1838 F. 2 0 O . . . . Ord issue (2 parts) 1339 F. 2 (a) 3. Do 0 (O.S.) .. 2 Do 4th issue do1340 F. 0 0 ٠. . . 2 Č0 1341 F. 5. 1)0 5th issue 0 O . . 1842 F. 130 6th issue do O O ú. . . 1343 F. 2 Do 7th issue do () O . . Sthissue (1 part) 1844 F. 1 Du 8. 9. Do 9th & 10th i-sues (combined) for 1345 & 1346 F. 7 0 0 (0.8.) Do 11th issue for 1347 F. .. 1 0 11 10. Do 12th issue for 1348 F. .. Urdu & English ... 7 0 11. 13th issue for 1349 F. ... 1 0 0 12. Do Do 14th issue for 1350 F. ... 1 0 0 13. . . (b)14. Statistical Year Book for 1344 F. (1935) (First Issue) 5 0 0 (O.S.) . . 1345 F. (1936) (Second issue) Dα 5 0 0 15. . . 1846 F. (1937) (Third issue) Do 5 0 0 16. . .  $\mathbf{D}_{\mathbf{0}}$ 1347 F. (1938) (Fourth issue) 5 0 0 17. . . Do 1348 F. (1989) (Fifth issue) 5 0 0 18. 1049 F. (1940) (Sixth issue) ŏ 0 (U.P.) 19. Da . . 1350 F. (1941) (Seventh issue) 5 0 0 (V.C.) 1)0 20. 21. Trade Statistics with a Review 1st issue 1290-1340 F. (1881-1931) 2 0 0 2nd issue 1341 F. (1932) a Do 3rd issue 1342 F. (1933) 2 0 0 23. Do 2 4th issue 1343 F. (1934) 0 0 Do 24. . . 2 0 0 (O.S.) Dο 5th issue 1344 F. (1935) 25. . . 2 6th issue 1345 F. (1936) 0 0 20. Do 2 7th issue 1346 F. (1937) 0 0 Do 27. Do 8th issue 1347 F. (1938) 2 0 Ω 28. 9th issue 1348 F. (1939) Urdu & 2 0 0 Do 29. 2 0 0  $\mathbf{D}_{\mathbf{0}}$ 10thissue 1349 F. (1940) English 30. 2 0 0 11th issue 1350 F. (1941) 31. Do 6 0 0 (O.S.) Diglott Calendar,1st issue (1288-1344 F.) 1879-1935 32. 3 0 0 (do) 33. 2nd issue (1839-1360 F.) 1930-1950 Retail and wholesale Prices, 1st issue (1300-1329 F.) 1890-1919... 1 0 0 34. 2nd issue (1330-1340 F.) 1921-1931 1 0 0 35. Do 3rd issue (1341-1350 F.) 1932-1941 36. Do District Gazetteers, Part II for 1330 F. for all the districts at (d)37... 15 Re. 1 each Do 2nd issue do 1331-1345 F. (Bilingual) for all 38. Districts at Rs. 2 each 30 0 0 0 0 (U.C.) do 30 39. Do 3rd issue 1346-1350 F. Statistical Abstract, 1st issue 1321-1330 F. (1912-1921) 5 8 0 (O.S.) (b)40.5 8 0 2nd issue 1331-1340 F. (1922-1931) 41. Do Cotton Manual for the Dominions 1844 F. (1935) Ist issue 0 0 42. 3 0 0 4:3. Do 1345-50 F. (1936-41) 2nd issue. 2 0 0 Each Census Report Part I & II for 1320 F. (1911) (English) (r) 44. . . 8 0 Do do1330 F. (1921) ( do ) (r) 45. ٠. 0' 0 1330 F. (1921) (Urdu) Do (only one part) (r) 46.

## H.E.H. the Nizam's Government.



## **AGRICULTURAL STATISTICS**

(Quinquennial)

Notes and Estimates of Area and Yield

of

Principal Crops in Hyderabad State

From 1345 to 1349 Fasli (1935-36 to 1939-40 A.D.)

by

Mazhar Husain, M.A., B.Sc., Director of Statistics and Census

Government Central Press Hyderabad-Deccan 1942

Price Rs. 3/-

Second Issue.

#### CONTENTS.

					PAGE.
I.	GENE	RAL.			
	A.	Actual and normal rainfall			1
	В.	Per acre yield of the principal crop	in each dis	strict	
		and neighbouring provinces			2-5
	C.	Seasons of sowing and harvesting of	f the crops	and	
		the tracts where they are mainly			6
	D.	Seasons of sowing and harvesting	_		7
2.	CLASS	ification of Area.			
	Α.	Total cultivated, fallow and irrigate	d areas.		8 -9
	B.				10-11
	C.	Area under non-food crops			12-13
		Kharif, Rabi, Baghat, Abi and Tabi	area		14
	E.				15
	$\mathbf{F}.$	Area under irrigation in acres			16
	G.	Gross area of irrigated crops accordi	ng to dist	ricts	18-19
	$\mathbf{H}$ .	Average net area sown			20
	J.	Acreage in each district under differe			22-29
	K.		s		30–37
	L.	Money value of main crops	• •		38 <b>–3</b> 9
	Μ.			l cul-	
		tivated area during the quinquent	ium		40-43
		Cereals and Pulses.			
3.	RICE.				
٠.					4. 50
	Α.	Short note on rice or paddy crop	• •	• •	44-50
	В.	Acreage	• •		51
	C.	Outturn			52
	Ð.	Yield per acre			53
	E.	District annawari condition of crop.			54
4	WHEA	•		• •	
	<u>A</u> .	Short note on the wheat crop	• •	• •	<b>55</b>
	В.	Acreage	• •	• •	-60
	Ç.				61
	<b>D</b> .			• •	62
	E.	District annawari condition of crop	• •		63
5.	JAWAH	B			
	A.				64-67
	, <b>B.</b>	Acreage			68
	C.	Outturn			<b>6</b> 9
	D.	Yield per acre	• •	• •	70
	Æ.	District annawari condition of crop	• •		71

						PAGE
6.	BAJR	<b>A.</b>				
	A.	Short note on the Bajra	a crop			72
	${f B}.$	Acreage		• •	• •	78
	C.	Acreage Outturn Vield per acre	• •	• •	• •	74
	D.	Yield per acre	• •	• •	• •	75
7.	BARL	EY.				
	A.			• •		76
	в.	Acreage Outturn		• •		77
	C.	Outturn	• •	• •		78
	D.	Yield per acre	• •	• •	• •	79
8.	RAGI	•				
		Short note on ragi crop		• •		80
	в.	Acreage	• •	• •	• •	81
9.	MAIZ	E.				
	Α.	Short note on maize co	ор	• •		82-83
	В.	Acreage	••	• •	• •	84
	C.	Acreage Outturn	• •	• •	• •	85
	$\mathbf{D}$ .	Yield per acre		• •	• •	86
10.	GRAI	м.				
	$\mathbf{A}.$	Short note on gram cr	ор		• •	87-88
				• •	• • •	89
	C.	Acreage Outturn		• •		90
	D.	Yield per acre	• •	• •	• •	91
11.	Отн	ER CEREALS AND PULSES	ACREAGE	<b>1</b>		92
		o	il seeds.			
12.	GRO	UNDNUT.				
	$\mathbf{A}$ .	Short note on ground	nut crop			94-100
	В.	Acreage	••		• •	101
	C.	Acreage Outturn Vield per acre				102
	1.0.	I ICIG PCI acre		• •	• •	108
	$\mathbf{E}.$	District annawari con	idition of	crop	• •	104
13.	CAS	TOR.				
	Α.	Short note on castor	$\mathbf{erop}$			105-113
	$\mathbf{B}$	Acreage Outturn Vield per acre	• •		• •	114
	<u>c</u> .	Outturn		• •	• •	115
				• •	• •	116 1 <b>17</b>
		. District annawari co	narcion	• •	• •	11.
14		SEED.	1			770 700
	A	. Short note on linseed	crop	• •	. • •	118–120 121
	Ë	. Acreage	••	• •	• •	121
	_	Acreage Outturn Yield per acre	• •	• •		7.00
	I. Tri	District annawari co	ndition of	f crop	• • •	704

15.	SEAS	AMUM.				PAGE
	A.	Short note on seasamu	m crop		1	25-126
	${f B}.$					127
	C.	Acreage Outturn Yield per acre			• •	128
	D.	Yield per acre				129
	${f E}.$	District annawari cond	iton of crop	• •	• •	130
16.	RAPE	E AND MUSTARD.	1			
10.	A.		maretond -		-	01 100
	$\hat{\mathbf{R}}$	A oregon	mustaru er	_		81-182
	Ğ.	Acreage	• •	• •	• •	133
•	D.	Outturn Yield per acre	• •	• •		184
	$\widetilde{\mathbf{E}}$ .	District annawari cond	ific n	• •	• •	135
· -	_			• •	• •	136
17.	_	T NOTE ON THE SAFFLOW		• •	1	87-138
18.		T NOTE ON NIGER SEED	• •	• •	• •	139
19.	Misc	ELLANEOUS OILSEEDS				
	A.	Acreage Outturn				140
	В.	Outturn	• •		• •	141
		Other ca	rops.			
20.	SHOR	RT NOTE ON CHILLIES CRO	. TD			142
21.				• •	• •	
		ES ACREAGE	• •	• •	- •	143
<b>22</b> .	SUGA	R-CANE.				
	Α.	Short note on sugar-car	ne crop		1	14-146
	в.	Acreage				147
	C.	Outturn			• •	148
	D.	Acreage Outturn Yield per acre	• •			149
	$\mathbf{E}$ .	District annawari cond	ition of crop		• •	150
23.	Сотт	on.				
	A.	Short note on cotton	• •		18	51-156
	В.	Acreage				157
	C.	Acreage Outturn Yield per acre		••	• •	158
	D.	Yield per acre			• •	159
	E.	District annawari cond		· · ·		160
24.	SANN	-HEMP ACRUAGE				161
25.	Това					
	Α.	Short note on Tobacco	crop		10	62-163
	B.	Acreage		• •		164
	C.	Outturn			••	165
	$\ddot{\sigma}$	Acreage Outturn Yield per acre				166
	Ē.	Yield per acre District annawari cond	lition of cro	<b>.</b> .	• •	167
26.		DER CROP ACREAGE				168
27.		TS AND VEGETABLES.	<del></del>			
-	Α.	Fruits and vegetables	acreage			170
		Short note on Citrus			17	11-174
	Č.	Short note on Bananas		• • •		75-176
	Ď.	Short note on mango	• •	• •		77–181

			Miscellaneous.		$\mathbf{P}_{lacklacklack}$
2	18. Liv	ESTOCK.			
	A	. Statement	of oxen as censused in I	940 (1849	F.) 182–185
	В.		buffaloes as censused i	n 1940 (18	49 F.) 186_180
	C.	Do	sheep and goats	do	190-191
	D.	Do	horses and ponies	do	192–193
	E.	$\mathbf{Do}$	miscellaneous livestoc	k do	194
	F.	Do	poultry	do	196_107
	G.	Do	agricultural implemen inery	ts & mach do	. 198–199
29	. Incu	DENCE OF LAT	ND REVENUE ASSESSMENT		200-201
80	Cost	OF PRODUCT	rion.		
	A.	The Imperi Report or	ial Council of Agricultu a the cost of production o	ral Resear f crops	ech 202– <b>2</b> 11
	В.	The cost of State (198	f production of crops in 38-84)	n Hyderal	oad 212-213
	C.	Particulars of	of the cost of production p Il holdings for three years or six selected localities	er a cre of a (1983-84 t	]] o
	D.	Particulars	of the average cost of proportant crops	duction pe	
31.	prine nal 2	est prices in t cipal crops 19 26th Septemb	he neighbouring provinces 039-40 (taken from Indian per 1940)	Trade Jour	- 215 - 216–217
<b>32</b> .	FIXED	DATES OF CE	ROP FORECASTS	•	. 218-219
		LIST OF	GRAPHS, CHARTS, ET		
				To ;	face Page.
1.			Nizam's Dominions		
2.	Graph (	of the Domin	ions rainfall from 1981-32	to 1940-41	1
3.	Classific	cation of tota	al area of Hyderabad Sta	te in 1989-	8-9
4.	Proport		ibution of total area 1	930-31 to	_
5.	Proporti	ion of total food and non	gross area cultivated and	d the area	8-9 <b>10</b> -11
6.	Area un	der Kharif, I	Rabi, etc., in Hyderabad S	tate	[12-13
7.	Proporti	ion of net are	a irrigated under different	sources	14 16
8.	Proporti	ion of total g	ross area cultivated and th	e portion	
9.			der various crops in 1939-	40	18 <b>-19</b> 2220

22-29

10. Area under different crops

		To face.	Page.
11.	(a) Rice—Proportionate distribution in India	$\mathbf{a}_{\mathbf{n}}\mathbf{d}$	44
	Hyderabad State (b) Rice—bars of production import and export	• •	17
12.	Rice—acreage outturn and per acre yield		44
13.	(a) Wheat—Proportionate distribution in India a	nd	
	Hyderabad state	••	55 55
14.	(b) Wheat—bars of production import and export Wheat acreage, outturn and per acre yield	••	55 55
15.	(a) Jawar—proportionate distribution in India a	nd	
-0.	Hyderabad State		64
	(b) Jawar—bars of production, import and expor	t	64
16.	Jawar-acreage, outturn and per acre yield		64
17.	Bajra— do		72
18.	Barley— do		76
19.	Maize— do		82
20.	Gram do	• •	87
21.	Ragi and other cereals and pulses—acreage		92
22.	(a) Groundnut—proportionate distribution in In-	dia	45.5
	and Hyderabad State	• •	94
	(b) Groundnut—bars of production, import and ex	port	94
23.	Groundnut—acreage, outturn and per acre yield		94
24.	(a) Castor—proportionate distribution in India a Hyderabad State	ind	105
	(b) Castor seed—bars of production, import and	export	105
25.	Castor-acreage, outturn and per acre yield		105
26.	Castor—estimate of acreage, production and constion, etc.	sump- 	114
27.	(a) Linseed—World production		118
	(b) Linseed—bars of production, import and exp	ort	118
28.	Linseed-acreage, outturn and per acre yield		118
<b>2</b> 9.			125
30.		rc yield	131
31.	Miscellaneous oilseeds do		140
<b>32</b> .	Spices do		142
<b>3</b> 3.	Sugar-cane do		144
34.	Cotton—World production		151
35.		Hyder-	151
86.			151
37			151
88			162
39			162
40	<u>-</u>		182
41			200

#### PREFACE.

This second issue of Agricultural Statistics, covering the quinquennium ending May 1940, embodies several new features.

The most important change introduced is in the very basis of estimating outturns. As in the rest of India all our figures of actual outturn also have, necessarily, to be based on the annawari estimates received from the Tahsil Offices. These, in turn, are, presumably, based on similar estimates made by numerous village officers. Consequently, if these village annawari estimates are, in the end, to be correctly interpreted in terms of actual yields, it is necessary to evaluate them in accordance with the measure which the village officers themselves have in mind a measure which they have inherited through generations upon generations.

Now, it is found that even in years of normal rainfall, the village officers do not report a normal crop as a 16 anna crop. Even while saying that the crop is good, their evaluation on the annawari basis, is generally an 8 to 10 anna crop.

And this generally low evaluation of the crop, interpreted on the basis of a 16 anna normal, naturally gave rise to very low figures for actual yields. In some cases, even the figures for actual exports, reported by the Railway and Customs Departments were found to be more than the figures of outturn calculated from the annawari estimates on the 16 anna-normal basis.

After much investigation, carried over a number of years, it is now assumed that our figures for actual yields would be more correct if we link our standard yields with a 12 anna normal instead of a 16 anna normal and this is the important change that has been introduced in all figures after those pertaining to 1345 in the present publication.

To illustrate by an actual example: The normal yield per acre of Maize being 300 lbs in a district, an eight anna crop-estimate prior to 1346 (1936-37) represented a yield of 150 lbs, while the same 8 anna estimate is now interpreted in this publication as an yield of 200 lbs, here in the light of criticisms which have been forthcoming in regard to these publications of the Statistics Department. The work of this department is essentially to formulate hypotheses based upon the data received from all over the Dominions. As time passes and the village and taluka data supplied by the Revenue Department becomes more and more reliable, these hypotheses too, will become more and more correct.

It is in order to emphasise this conditional accuracy, and to show that all figures published in this Volume are estimates and not actuals, that I have, in this issue, expressed the figures correct only to the nearest thousand wherever feasible.

The estimate of standard yield represents the average outturn on average soil in a year of average character. By order of the Government regular crop cutting experiments are undertaken by Revenue Officers annually on important Crops. The results of these experiments are reported to the Director of Statistics to form the basis after each quinquennium, of the provisional estimate of the yield per acre of principal crops in each district.

About Forest areas the Agricultural Statistics include in addition to the area under the control of the Forest Department the forest areas administered by district Revenue Officers.

A few of the other modifications embodied in this issue might also be mentioned. All figures have been compiled according to the agricultural year ending in the month of Thir (Fasli calendar) corresponding to the end of May. The relevant statistics relating to a particular crop are all grouped together. Each important crop section is preceded by a short note which sets forth succinctly the vernacular and botanical names, seasons and methods of cultivation, geographical distribution and other useful information which is not found compiled together in any other Government publication. Districtwise classification of area, evaluation of production, harvest and market prices, and several maps, charts and diagrams have also been added.


I acknowledge with thanks the help rendered by the Chief Marketing Officer, Dr. Amir Ali, who, apart from being responsible for some of the above modifications, also made available the date contained in the several Agricultural Marketing Survey Reports compiled by his Department.

Mr. Khawja Hamid Ahmed B.A., the crop statistician and Mr. Karimullah of my office have taken great pains in speeding up this publication.


MAZHAR HUSAIN, M.A., B.Sc.,

Director of Statistics and Census.

20-4-1351 Fasli.



NO: 2. AVERAGE RAINFALL



#### I. GENERAL.

No.-1 A.—ACTUAL AND NORMAL RAINFALL (IN INCHES) DURING THE PAST FIVE YEARS FROM AMARDAD TO THIR (JUNE TO MAY).

Serial No.	Districts	1935-36 1844-45 F.	1986-37 1345-46 F.	1987-38 1346-47 F.	1938-39 1347-48 F.	1989-40 1348-49 F.		Nor- mal 40 years
1	2 ,	_ '	4	5	6	7	8	9
1	Hyderabad Čity	30.90	35.18	24.24	27.22	23.88	28	30
2	Atraf-i-Balda	• •	• •		;	• •		••
3	Warangal	44.72	45.89	31.31	35.40	39.29	39	36
4	Karimnagar	43.85	51.26	31.87	43.73	28.13	40	33
5	Adilabad	47.62	54.33	43.06	56.67	33.16	47	39
6	Nizamabad	36.70	46.74	36.09	43.28	30.18	39	36
7	Medak	38.88	42.85	28.29	43.27	25.09	36	33
8	Baghat	28.41	31.88	23.04	28.57	22.80	27	29
9	Mahbub	37.46	28.73	22.89	31.31	28.45	80	26
10	nagar Nalgonda	27.03	34.25	20.92	23.61	38.05	29	27
	Telingana	38.08	42.20	29.68	38.23	30.72	36	32
11	Aurangabad	34.14	26.70	30.92	84.51	24.98	30	27
12	Bir	37.06	20.25	24.44	35.03	20.18	27	27
13	Nander	36.92	34.70	33.15	47.08	27.81	36 -	32
14	Parbhani	37.50	32.65	33.73	39.63	22.00	33	32
15	Gulbarga	32.74	21.47	21.68	32.10	25.07	27	27
16	Osmanabad	37.50	21.84	27.63	37.85	21.94	29	29
17	Raichur	27.56	20.55	20.34	22.83	27.09	24	22
18	Bidar	42.19	30.16	84.63	42.69	28.11	34	30
	Marathwara -	35.70	26.04	28.32	36.46	24.01	30	28
	Hyderabad State.	36.89	34.12	29.00	37.34	27.36	38	80
1.	All -India	42.39	46.24	43.71	44.11	40.76	43	42

No. 1-B.—STANDARD (NORMAL) YIELD IN POUNDS PER ACRE
NEIGHBOURING

(HYDERABAD NORMAL AS PROPOSED BY

\*Normals as supplied by the Agricultural

Serial No.	Districts	Rice (cleaned) Abi	Rice (elenned) Tabi	Wheat (Dry)	Barley*	Jawar Kharif	Jawar Rabi	Bujra
1	2	3	4	5	6	7	8	9
	Atraf-i-Balda Warangal Karimnagar Adilabad Nizamabad Medak Baghat Mahbubi agar Nalgenda Aurangabad Bir Nander Parbhani Gulbarga Osmanabad Raichur Bidar Hyderabad State.  Bombay Presy. C.P. and Berar. Madras Presy.			\$00 \$00 \$60 \$00 \$00 \$00 \$00 \$00	,	500 500 500 500 500 500 500 500		350 350 350 350 350 350 350 350 350 360 350 320 320 350 346 400
	Mysore State. Average for India.	1,008	· · ·	450 811	1.029	626		

# OF THE PRINCIPAL CROPS IN EACH DISTRICT AS COMPARED WITH PROVINCES

DR. HAROLD MANN, D.Sc., IN 1931)

Department. Hyderabad-Deccan.

Maize* (Dry)	Ragi or Lachna	Sawan Rala	Gram (chanu) (Dry)*	Tuar	Kulthi*	Mung*	, Masur*	Urad*	Let k 11 *	Sl. No
10	11	12	13	14	15	16	17	18	19	د ـــ
550 300 300 550 550 550 550 450 450 450 570 570	550 550 550 550 550 575 275 275 275 566 506		500 350 144 288 450 450 450 450 450 375 350 350 480 600 540 540	350 300  287 450 450 450 150 767 330 325 600 530 530	350 360 96 220 300 350 350 350 400 175 300 260	300 300 128 222 300 300 200 340 450 260 425 400 442 200 270	250  360 259 250  350  320 506	350 200  290 359 350 250 250 400 400 400 200 220	350  300 400 350 359  400  450 650	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
570	566		540	530	400	- <del></del>	500 ———	400	800	17
!						•••			· ·	
!	1,060	••	410	••	• •		• •		• •	
•• 1			534	••	• •			••	• •	
635	947		400	•• !	••	• •			••	
i	1.016		435	!	45					
933	972		685	815		•••		• •	•••	

# No. 1-B.—STANDARD (NORMAL) YIELD IN POUNDS PER ACRE NEIGHBOURING

(HYDERABAD NORMAL AS PROPOSED BY

\*Normals as supplied by the Agricultural

Serial No.	Districts		Linseed	Sesamun	Rape and Mustard	Groundnut (in pod)	Castor (seed)	Niger	Saf flower
1	2	1	20	21	22	23	24	25	26
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Atraf-i-Balda Warangal Karimnagar Adilabad Nizamabad Medak Baghat Mahbubnagar Nalgenda Aurangabad Bir Nander Parbhani Gulbarga Osmanabad Raichur Bidar Hyderabad State		250  250 250 250 200  300 300 300 300 300 300	250 224 224 200 224 224 224 200 400 400 40		1,000 1,100 1,000 1,000 1,000 1,000 1,100 1,000 1,000 1,000 1,000 1,000 1,000	250 300 300 250 250 200 300 300 200 200 200 200 20		
	Bombay Presy.		360	400	625	1,150			
	Madras Presy.	••	215	301		1,120	231		
	Mysore State	• •		411					
	Average for India	٠.	403	258	539	·			

# OF THE PRINCIPAL CROPS IN EACH DISTRICT AS COMPARED WITH PROVINCES—(concld).

Dr. HAROLD MANN, D.Sc., IN (1981).

Department, Hyderabad-Deccan.

Turmeric* (cured)	Ginger	Onion	Garlie	Dry chilles* (unirrigated)	Dry chillies (irrigated)	Sugar-cane (Cane)	Sugar cane (Cur)	Cotton (Lint)	Tobacco (Cured)	Sl. No.
27	28	. 29	30	31	32	33	34	35	36	1
3,000 3,000 3,000 1,250 1,250 1,250 1,250 3,000 1,350 1,350 1,350 1,900 1,900				450 450 450 450 350 350 350 350 540 540			6,000 4,500 4,500 6,000 6,000 6,000 4,500 4,500 4,500 4,500 4,500 4,500 4,500 4,500 4,500 4,500 4,500	80 80 70 70 75 70 100 80 75 80 80 70 80	750 1,100 1,100 750 750 750 750 750 750 750 750 750 7	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
1,900	••			540			7,000	75	750	17
•					;- ;-		4,907 6,950	77 102	791	
						• • !	3,390	102		
••	• • •			•••		•••	6,380	87	1,203	
• •		•••	••			••	3,639	44		
••		• •				• •	2,956	110	1,179	

## No. I-C.—SEASONS OF SOWING AND HARVESTING OF THE CROPS AND THE TRACTS WHERE THEY ARE MAINLY GROWN.

(N.B.- (1 CF IS TERMED KHARIF OR RABI ACCORDING TO THE TIME OF ITS HARVEST).

Seri-	Crops	SEASON	OF		Where mainly grown		
No.		Sowing	Harvesting				
1	2	3	4		5		
1	Rice Abi or Winter crop Tabi or Summer		Nov. to Dec. Apr. to May		Telingana District mainly.		
	crop. Wheat Rabi or Spring crop Jawar.		Feb. to Mar.		Marathwara District mainly.		
	Rabi	June. Sept. to Oct.	Nov. to Jan. Feb. to Mar.		Dominions; in deep red to light soils. do do black soils.		
<b>4</b> 5	Bajra (Kharif) Barley (Rabi)	June. Sept. to Oct.	Oct. to Nov. Feb. to Mar.		do do Shallow soils. Under irrigation where available.		
6	Maize (Kharif), Irrigated(Rabi)	June Nov. to Dec.	Aug. to Sept. Mar. to Apr.		Dominions. Karimnagar Dist. under irrigation.		
7 8	Gram (Rabi) Ragi (Kharif)	Sept. to Oct. June	Jan. to Feb. Oct.		Dominions in deep black soils Telingana in soils where slight irrigation is available.		
9 10 11	Tuar (Rabi) Mung (Kharif) Lentiles (Rabi)	June Sept. to Oct	Feb. to Mar. Sep. Feb. to Mar.		Dominions in black cotton soil. do do do do do		
12 13	Linseed Rabi or spring Sesamum	Sept	Jan. to Feb.		Marathwara in deep black soils.		
14	Kharif or Autum . Groundnut Kharif or autumn .	June	Sept. to Oct.		Telingana mostly.  Dominions.		
15	Castor Rabi or Spring	July to Aug	Feb. to Mar.		Telingana mostly in light and red soils with no stagnation.		
16	Rape & Mustard Rabi or Spring	Sept.	Jan.		Marathwara in deep black soils		
17	Safflower (Rabi)	Sept	Jan. to Feb.		do do lines in Jawar.		
18	Cotton (Kharif) Do (Rabi)	June . Sept	Nov. to Jan. Mar. to Apr.	•••	Dominions.  Black soil areas affected by N. E. Monsoon.		
19	Sugarcane (Salee) Do (adsalee)	Jan. to Feb June to July .	•	••	Dominions under irrigation Oct. next year : 18 months. crop		
20	Tobacco (Rabi)	Aug. (seed-bed) (Sept. trans-	Mar. to Apr.		Near villages throughout the Dominions. & as field crop in		
21	Chillies (Kharif & Rabi).	planting). Trans: July to Aug.	Feb. to Mar.		black cotton soils.  Deep black soil.		
22			. Feb. to Mar.	••	Under irrigation : Medium black.		
23		Sept. to Oct	. Feb. to Mar.	••	do de do do		
24	Garlic (Rabi)	Sept. to Oct	. Feb. to Mar.	••	do do do do		

## No. 1-D.—SEASONS OF SOWING AND HARVESTING.

## Telingana.

Srl. No.	Crops	Sowing season	Harvesting season
1	Kharif	27th Thir to 7th Shahrewar.	13th Azur to 23rd Dai.
		1st June to 13th July	18th October to 27th November.
2	Abi	11th Amardad to 4th Mehir. 16th June to 9th September.	13th Azur to 7th Bahman. 18th October to 10th December.
3	Rabi		13th Farwardi to 8th Ardibehisht. 14th February to
4	Tabi	30th Öctober 21st Bahman to 29th Isfandar. 24th December to 31st January.	12th March. 18th Khurdad to 27th Thir. 22nd April to 1st June.


## Marathwara.

5 Kharif	27th Thir to 24th Amardad. 1st June to 29th June.	30th Aban to 10th Dai. 5th September to 14th November.
6 Rabi	Dai. 11th September to 14th November.	4th Isfandar to 12th Farwardi. 6th January to 13th February.


No. 2-A.—GENERAL CLASSIFICATION

Seri- al No.	Districts	Total area	Area for which no return exists	Forest
1	2	3	4	5
1	Hyderabad City	34		
2	Atraf-i-Balda	1,598		112
8	Warangal	5,084		1,375
4	Karimnagar	3,662		613
5	Adilabad	4,668		2,079
6	Nizamabad	2,090	• •	216
7	Medak	., 1,781	!	18?
8	Baghat	. 266	;	29
9	Mahbubnagar	3,409		615
10	Nalgonda	. 3,871		269
11	Aurangabad	. 3,976		187
12	Bir	. 2,644		33
18	Nander	. 2,498		188
14	Parbhani	. 3,280		96
15	Gulbarga	4,464		152
16	Osmanabad	. 2,257		
17	Raichur	. 4,243		79
18	Bidar	. 3,107		10
	Total for 1939-40 .	. 52,927		6,185
	.,, 1988-89 .	. 52,927	4,298	6,399
	" 1937-38 .	. 52,927	7,666	6,399
	,, 1936-37 .	. 52,927	7,666	6,388
	,, 1935-36 .	.1 52,927	7,666	6,825

# CLASSIFICATION OF THE TOTAL AREA IN 1939\_40 TOTAL AREA OF HYDERABAD STATE 52926720 ACRES = 82698 Se MILES TOTAL POPULATION OF HYDERABAD STATE IN 1931 = 14436148



### PROPORTIONATE DISTRIBUTION OF TOTAL AREA



9

### OF AREA (FIGURES IN THOUSAND ACRES).

Not available for cultivation	Culturable waste other than fallows	Current fallows	Net area sown	Irrigated area (net)	Total gross area of crops irri- gated.	al
6	7	8	9	10	11	1
34			• •			1
292	132	<b>2</b> 66	791	56	87	2
1,143	200	754	1,613	179	240	3
1.249	174	111	1,514	208	236	4
854	156	180	1,399	72	91	5
916	160	85	713	104	161	6
561	247	98	698	102	130	7
34	19	65	119	10	17	8
807	375	165	1.447	133	185	9
849	512	241	2,001	167	198	10
821	158	208	2.601	61	88	11
237	191	220	1.964	34	51	12
336	58	57	1,914	61	: 86	13
491	41	208	2,443	55	84	14
1,034	340	360	2,577	61	88	15
208	99	122	1,828	52	66	16
588	187	494	2,895	34	53	17
704	230	243	1,921	38	49	18
11,158	3,274	3,877	28,433	1,427	1,910	
9,952	1,836	3,387	27,054	1,531	2,163	<del> </del>
5,237	2,509	4,744	26,372	1,598	2,185	1
5,284	1,970	3,732	27,941	1,560	2,139	
4,720	1,628	3,458	29,138	1,448	1,862	

No. 2-B.—AREA UNDER

(Figures in

Seri- al No.	Cr. ps	1935-36 1345 F.	1936-37 1346 F.	1937-38 1347 F.	
1	2	:	3	4	5
1	Rice	•••	1,064	1,135	962
2	Wheat	,	1,247	1.368	1,356
3	Barley	• •	36	14	13
4	Jawar	!	8,799	9,380	8,480
5	Bajra	!	2,198	2,354	2,108
6	Ragi	- • 1	307	311	71
7	Maize		675	673	651
8	Gram		1,272	1,230	1,255
9	Other Cereals and Pulses	• •	3,395	2,220	2,230
10	Sugar-cane		59	59	30
11	Other food crops		402	••	• •
12	Fruits and vegetables	٠.	705	682	506
	Total	٠.	20,159	19,426	17,662

FOOD CROPS. thousand acres).

		5 YEAR'S AVERAGE					
1938-39 1348 F.	1939-40 1349 F.	P.C. of 1931-1935 total gr ss 193 area sown			P.C. of total gross ar a rown	Seri- al No.	
6	7	8	9	10	11	1	
1.095	961	1,055	3.66	1.043	3.80	1	
1,250	1,159	1,260	4.37	1.276	4.51	2	
13	4	33	0.11	16	0.06	3	
9.115	10,411	9,227	32.06	9,237	32.67	4	
1,924	1,619	2,010	7.90	2,040	7.24	5	
17	25	560	1.98	185	0.51	6	
647	579	723	2.48	645	2.25	7	
1,252	945	1,186	4.20	1.193	4.21	, 8	
3,204	3,183	3,558	12.36	2,846	10.05	9	
31	45	41	0.14	45	0.16	10	
	• •	524	1.82	402	2.60	: 11	
490	694	494	1.71	615	2.17	12	
19.038	19,625	20,671	72.83	19,493	67.45	-	


No. 2-C.—AREA UNDER

(Figures in

Seri- al No.	Crops		1935-36 1345 F.	1936-37 1346 F.	1987-88 1847 F.
1	2	!	3	4.	5
1	Linseed		416	512	471
2	Sesamum	• •	588	588 560	
3	Rape and mustard		13	25	9
4	Groundnut	• •	1,059	1,063	1,438
5	Castor		834	818	520
6	Other oil seeds		562	569	595
7	Cotton	• •	3,698	3,288	3,563
8	Sunn	• •	69	50	51
9	Other fibres	• •		14	53
10	Indigo	• •	1	1	. 1
11	Tobacco	• • .	72	72	63
12	Fodder crops	• •	1,183	1,334	468
13	Condiments & spices	• •	763	721	537
14	Other non-food crops	• •	133	. 57	
	Total	• •	9,391	9,084	8,317

NO: 5.

# PROPORTION OF TOTAL GROSS AREA CULTIVATED AND THE AREA UNDER FOOD & NON-FOOD CROSS



NON-FOOD CROPS.

thousand acres).

Seri- al No.		TERAGE	5 YEARS' AV	,		
	P.C. of total gress area sown	1936-40	P.C. of total gross area sown	1931-1935	1939-40 1349 F.	1938-39 1348 F.
1	11	10	9	8	7	6
1	1.72	447	1.10	318	326	488
2	1.92	541	1.93	548	548	<b>4</b> 61
3	0.05	14	0.03	11	12	9
7	5.08	1,426	3.42	986	1.959	1.622
5	2.73	729	2.84	772	671	800
6	2.33	596	1.66	477	546	707
7	12.57	3,555	12.21	3,515	3,731	3,497
8	0.21	59	0.26	74	48	77
9	0.15	43	0.15	46	83	68
10		1		2	1	••
11	0.26	72	0.26	77	81	71
12	2.60	736	5.65	1,628	446	247
13	1.80	522	0.23	66	629	593
14	0.13	409	0.88	240	•	••
	31.77	9,350	30.63	8,760	9,280	8,640

No. 2-D.—KHARIF, RABI, BAGHAT, ABI AND TABI AREAS IN 1989-1940 (1849 FASLI).

(FIGURES IN THOUSAND ACRES).

14

					Gross c	ROPPED A	REA		
SI. No.	Districts	Total district area	Net area cropped	Kharif	Rabi	Baghat	Abi	Tabi	Total
1	2	3	4	5	6	7	8	9	10
1	Hyderabad City	34		••					
2	Atraf-i-Balda .	. 1.598	791	442	379	66	16	, 19	, 822
3	Warangal .	. 5,084	1,613	838	566	181	102	36	1,673
7	Karimnagar .	. 3,662	1,514	964	262	208	68	89	1,542
5	Adilabad .	. 4,668	1,399	959	299	90	66	5	1,419
6	Nizamabad .	. 1,781	713	330	234	92	88	27	770
7	Medak .	. 2.090	693	303	249	93	64	12	722
8	Baghat .	., 266	119	67	41	13	2	2	125
Ð	Mahbubnagar .	. 3,408	3 1,447	978	386	57	, <b>54</b>	29	1,499
10	Nalgonda .	. 3.87	2,001	. 937	881	63	94	56	2,031
	Telingana .	. 26,45	10.290	5,813	3,297	813	554	225	10,603
11	Aurangabad .	. 3,976	2,601	1,336	1,155	135	. 2		2,629
12	Bir .	. 2,64	1,964	. 1,028	917	27	. 8	••	1,980
13	Nander .	. 2,498	3 1.914	1,333	493	92	20	1	1,940
14	Parbhani	. 3,280	2,443	1,412	967	62	33		2,472
15	Gulbarga	4.46	2.577	891	1,624	50	36	4	2,605
16	Osmanabad	. 2,25	1,828	956	819	43	23		1,841
17	Raichur	4,24;	3 2,895	1,411	1,441	46	14	1	2,913
18	Bidar	3.10	1.921	1,062	781	50	38	7	1,932
	Marathwara	. 24,470	18,143	9,429	8,197	505	169	13	18,312
	Ryderabad Sta 1939-40	. 52.927	28,433	15,242	11,394	1,318	723	238	28,915
	1938-1939 .	. 52,927	27,941	15,199	9,424	1,169	878	70	26,740
	1937-1938 .	. 52,923	29,133	14,644	9,281	1,192	886	107	26,110
	1936-1937	. 52,92	27,941	15,546	10,351	1,413	787	186	28,283
	1985-1986	. 52,92	29,133	17,516	9,527	1,439	901	163	29,546

No. 2-E.—AREA CULTIVATED AND UNCULTIVATED IN 1939-1940 (1349 FASLI).

(FIGURES IN THOUSAND ACRES).

		Districts Total area		ATED EA	Uncultivated area		
erial No.	Districts			Net Current area fallows sown		Not available for culti- vation	Forest area
1	2	ಕಿ	4	5	6	7	s
1	Hyderabad City	31			• •	34	
2	Baghat	266	119	65	19	34	29
3	Atraf-i-Balda	1.593	791	266	132	292	112
4	Warangal	5,084	1,612	754	100	1,143	1.375
5	Karimnagar	3,662	1,514	111	174	1.249	614
6	Adilabad	4,668	1.399	180	156	854	2.078
7	Medak	1,781	693	98	247	561	182
8	Nizamabad	2,090	713	85	160	916	216
9	Mahbubnagar	3,408	1,447	165	375	807	61.
10	Nalgonda	3.871	2,001	241	512	848	26
	Telingana	26,458	10,289	1,965	1,975	6,738	5,490
11	Aurangabad	3.976	2,601	208	157	821	18
12	Bir	2.614	1,905	220	191	237	3:
13	Nander	2,498	1,915	57	53	336	13
14	Parbhani	3,280	2,443	208	42	491	9
15	Gulbarga	4,464	2,577	361	340	1,034	15
16	Osmanabad	2,257	1,828	122	- 99	208	
17	Raichur	4,243	2,895	493	187	589	7
18	Bidar	3,107	1,921	243	229	704	1
	Marathwara	26,469	18,144	1,912	1,299	4,419	69
	Hyderabad State 1939-1940	52,927	28,433	3,877	3,274	11,158	6,18
	1938-39	52,927	27,054	3,386	1,836	9,952	6,39
	1937-38	52,926	26,372	4,744	2,509	5,237	6,39
	1936-37	52,927	27,941	3,732	1,970	5,234	6,38
	1935-86	52,927	29,133	3,458	1,623	4,721	6,32


No. 2-F. AREA UNDER IRRIGATION IN ACRES, 1939-40 (1349 FASLI).

(FIGURES IN THOUSAND ACRES).

		}	:	Area irrigated							
SI. No.	Districts		Net area sown	By Govt.	Pri- vate	By Tanks	By Wells	By Other Sour- ces	Total net area irriga- ted	Total gross area irri- gated	P.C. of net area irrigated to total net area sown
1	2	i	3	4	5	6	7	8	9	10	11
1	Atraf-i-Balda		791			42	13	1	56	87	7.08
2	Warangal		1,613	9	4	150	16	1	179	240	11.09
3	Karimnagar		1,514	11	1	143	89	14	208	236	18.74
4	Adilabad		1,399	1		66	1	3	72	91	5.14
5	Nizamabad		713	46		52	3	2	104	161	14.58
6	Medak		693	20		66	11	5	102	130	14.72
7	Baghat		119		! . ••	7	3	1	10	17	8.40
8	Mahbubnagar		1,447	2		92	31	8	133	185	9.10
9	Nalgonda		2,001	17	i	108	37	5	167	198	8.34
10	Aurangabad		2,601				60	1	61	88	2.34
11	Bir		1,964			*5	29	7	34	51	1.73
12	Nander		1,914		1	47	9	4	61	86	2.36
13	Parbhani		2,443		i		55		51	84	2.08
14	Gulbarga		2,577			41	15	5	61	88	2.36
15	Osmanabad		1,828			••	50	2	52	66	2.84
16	Raichur		2,895	3	6	14	8	4	34	53	1.17
17	Bidar		1,921			7	30		38	49	1.97
	Hyderabad Stat	te.	28,433	111	12	840	410	54	1,427	1,910	5.02
	1938-39		27,054	125	11	923	448	23	1,530	2,163	5.65
	1937-38		26,372	142	12	815	576	48	1,593	2,185	6.04
	1936-37		27,941	91	18	922	507	22	1,560	2,139	5.58
	1935-36		29,133	83	34	930	461	40	1,448	1,862	4.97
	5 years' average 1936-40	·	27,787	110	17	886	480	374	1,512	2,050	5.44
	1931-1935		29,731	80	75	726	446	61	1,388	1,651	4.67


NO: 7.

# PROPORTION OF NET AREA IRRIGATED UNDER DIFFERENT SOURCES



No: 8.

### PROPORTION OF TOTAL GROSS AREA CULTIVATED AND THE PORTION IRRIGATED



No. 2-G.—GROSS AREA OF CROPS

al No.	Districts		Rice	Wheat	Barley	Jawar
1 ,	2		3	4	5	6
1	Atraf-i-Balda .	!	23,819	2,654	828	
2 ;	Warangal .		1,25,138	84	82	
3	Karimnagar .		99,277	1,298		
7	Adilabad .		45,895	:		
5	Nizamabad .		1,12,870	3,416		••
6	Medak .		75,451	3,225	88	
7	Baghat .	• ••	4.362	274	200	
8	Mahbubnagar .		75,4 <b>4</b> 0	1,225	10	
9	Nalgonda .		7,50,572	191	15 .	
	Telin	gana	7,12,324	12,367	1,223	•••
10	Aurangabad .	• •	1,128			••
11	Bir		2.321	•		
12	Nander		4,175		173	
13	Parbhani		13,736		350	••
14	Gulbarga		32,535	1	1,293	• •
15	Osmanabad		100	••		••
16	Raichur	••	12,648	• •	313	• •
17	Bidar	••		••	3	• •
•	Marath	· ·	15,229		355	•••
			81,872		2,487	• •
	Hyderabad Sta 1939-40 (1349 F		7,94,196	10 26~	י מידים	
	1938-39 (1348 F		9,60,694	12,367 8,844	3,710	• •
	1937-38 (1347 F		10,28.078	10,105	12,607	40.50
	1936-37 (1346 F		10,42.572	10,103	13,831 13,811	49,538
	1935-36 (1345 P		9,71,271	82,862	35,612	1,73,447

19
IRRIGATED DISTRICTWAR IN 1039-40 (1349 F.)

Maize	Other cereal and pulses	Sugareane	Other footpops	U tom	Other 1 fooderops	Total grossarea of Irrigated erop	Seri al No
~	8	ŷ	10	11	12	13	1
2.157	1,198	730	46.301		9.339	87,035	1
8,339	62	45	27.291		78,848	2,39,884	2
54.289		252	25,307		33.275	2.85,698	3
3,808	15	342	11.625		29,926	91.111	4
3,35S	2	13.217	24,986		3.424	1,60.973	5
5.908	97	1,438	12.364		31.558	1.30,124	6
42	132	23	10,923		∂64	16,620	7
1,218	688	3,381	41,604		61,423	1,85,019	. 8
1,684	34	66	26.252		18.945	1.97,759	9
80,803	2,228	19,503	2,26.358	•••	2,83,392	13,44.228	·
1,286		3,457	78.611	••	3,921	88,403	10
851		1,381	17.528		28.575	50.656	11
2,246		783	68,892		9,542	85.813	12
1,174		1,857	48,007		19.231	84,355	13
3,442	167	819	24,249	• •	25.999	88,504	14
1,418		5,28 <del>1</del>	23,724		34,814	65,653	15
2.132	131	4,162	20,806	••	12,784	52,666	16
2,599	5	7,435	16,446		7.563 ,	49,632	17
15.148	303	25,180	2,98,263	•••	1.42.429	5.65,682	
95,951 64,684 48.768 6.719 1,48,819	2.531 1,678 7,188 3,101 64,885	44,683 31,483 29,610 58,611 58,505	5.24,646 4.99,283 4,61,647 6,82,126 2,08,601		4,31,821 5,98,118 5,36,467 5,20,752 26,073	19,09,905 21,63,391 21,85,172 21,88,679 17,69,578	

No. 2-H.—AVERAGE NET AREA SOWN. 1935-36 to 1939-40 (1345-1349)
(Figures in Thousand Acres).

Seri- al	Districts	_	1935-36	1936-37	1937-38	1938-39	1939-40	5years'	average
No.	Districts		1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	Atraf-i-Balda .		1,052	965	785	646	791	1,142	848
2	Warangal .	•	1,538	1,791	1,704	1,711	1,613	1,678	1,671
3	Karimnagar .		1,606	1,530	1,412	1,562	1,514	1,577	1,525
4	Adilabad .		1,258	1,386	1,232	1,347	1,399	1,336	1,324
5	Nizamabad .		589	561	449	454	713	545	553
6	Medak .		530	599	529	566	693	687	583
7	Baghat		88	. 91	58	87	119	89	89
8	Mahbubnagar .		1,808	1,612	1,448	1,536	1,449	1,913	1,570
9	Nalgonda .		1,813	2,071	1,610	2,048	2,001	1,873	1,909
	Telingana .		10,282	10,606	9,227	9,957	10,290	10,840	10,072
10	, Aurangabad .	!	2,837	2,700	2,811	2,700	2,601	2,612	2,730
11	Bir	·-;	1,950	1,752	1,655	1,729	1,964	1,850	1,810
12	Nander	• •	1,726	1,793	1,798	1,660	1,914	1,725	1,778
13	Parbhani .	;	2,455	2,286	2,353	2,439	2,443	2,475	2,395
14	Gulbarga .	!	2,810	2,756	2,544	2,622	2,577	2,788	2,662
15	Osmanabad .	••	2,126	1,912	1,822	1,804	1,828	2,029	1,898
16	Raichur .	••,	2,825	2,397	2,335	2,474	2,895	2,826	2,585
17	Bidar	• •	2,122	1,739	1,826	1,669	1,921	2,153	1,856
	Marathwara .	•••	18,851	17,335	17,144	17,097	18,143	18,458	17,714
	Hyderabad State .	•••	29,133	27,941	26,371	27,054	28,433	29,098	27,786

NO: 9.


## PROPORTION OF AREA UNDER VARIOUS CROPS

TOTAL AREA SOWN (GROSS) 28915 ACRES

AREA UNDER FOOD CROPS 19623 ACRES

AREA UNDER NON-FOOD CROPS 9292 ACRES

(FIGURES IN THOUSANDS OF ACRES)



OTHER FOOD CROPS ARE MINOR FOOD GRAWS CONDIMENTS AND MISCELLANEOUS FOOD CROPS. OTHER NON-FOOD CROPS ARE OIL-SEEDS OTHER THAN ABOVE FIBRES, OTHER THAN COTTON, DYES, DRUGS, NORCOTICS & MISCELLANEOUS NON\_FOOD CROPS.


#### S. MAHMOOD

NO: 10.

### AREA UNDER DIFFERENT CROPS

1340 TO 1349 F (1930\_31 70 1939-40)

#### LAKHS OF ACRES



No. 2-J.—AREA IN EACH DISTRICT UNDER DIFFERENT
ACCORDING TO AGRICULTURAL

eri- al No.	Crops		:	Atraf-i- Balda	Warangal	Karim- nagar
1 .	2 .		·	3	4	5
1	Food grain	ι <b>s.</b>		34.180	138,345	106,630
2	Wheat			2,654	84	1.298
	Barley			828	82	
4	Jawar			194.261	651,577	523.771
<b>5</b>	Bajra		••.	139.869	72,230	975
6	Ragi and Lach	na	!	11,977	623	
7	Maize	• •	;	21,573	83,391	162,892
8	Gram			41,008	17,895	24,187
9	Other foodgrain	ns and puls	es	114,916	168,285	202,476
		Total	1	561,266	1.132,012	1,022,229
10	Oilseeds.	••	}	9,262	702	
11	Sesamum			13,465	67.807	146,337
12	Rape and mus	tard		2,362	257	222
13	Groundnuts			<b>'24.818</b>	213.941	67,574
14	Cocoanut			••		
15	Castor			38,852	58,016	29,354
16	Others		٠.	20,232	22,112	34,137
	, g.,,	Total		108,991	357,835	277,624
17	Sugar. Condiments			26,232	42,528	37,590
18	Sugar-cane			739	45	252
19	Other sugars			•		
		Total		26,971	42,578	37,842

CROPS 1939—1940. (1349 F.) STATISTICS OF INDIA STATEMENT NO. (4)

Seri al No.	Nalgonda	Mahbub- nagar	Baghat	Medak	Nizam- abad	Adila- bad
1	11	10	9	8	7	6
1	150,572	83,091	4,414	76,116	115,294	70,670
2	191	1,225	274	3,225	3,416	10,138
3	15	10	200	88	• •	
4	467,971	469,859	43,482	254,981	271,316	550,407
5	332,212	83,923	1,502	366	117	1,627
6	343	6,878	1,324	974	22	146
7	16,838	12,177	421	59,077	33,581	38,084
8	15,691	36,200	1,075	26,686	12,370	27,595
9	283,364	268,481	28,879	150,039	146,311	205,099
i	1,267,197	967,844	81,571	571,552	582,427	903,766
10	15	2,388	343	1,398	6,761	29,569
11	24,895	25,451	1,572	26,088	20,408	75,246
12	15	1,543	56	52	15	584
13	219,092	246,298	162	12,860	22,847	5,690
14	(	61				• •
15	337,261	125,271	8,585	25,906	2,224	6,225
16	14,245	14,274	2,132	4,063	10,087	11,458
	595,528	415,220	12,850	70,367	62,342	128,772
17	17,777	59,042	4,390	18,726	29,324	21,647
18	66	3,381	28	1,438	18,217	342
19					• •	
1	17,843	62,423	4,413	20,164	42,541	21,989

No. 2-J.—AREA IN EACH DISTRICT UNDER DIFFERENT ACCORDING TO AGRICULTURAL

Seri- al No.	Cro	ps		Aurang- abad	<b>B</b> ir	Nander
1	2			12	13	14
	Food grain	ns.	•			
1	Rice	• •	- • ;	2,394	7,565	21,097
2	Wheat	• •		303,509	146,841	101,580
3	Barley			••		173
4	Jawar	• •	<b></b> ,	767,934	690,635	580,705
5	Bajra			<b>'343,318</b> .	179.602	19,442
6	Ragi and Lach	na				
7	Maize		;	12.857	8,510	22,456
8	Gram			67,193	97,542	92,809
9	Other food-gra	ins and puls	ses <sub>:</sub>	163,241	99.516	155,154
	•	Total	!	1,660,446	1,229,711	993,416
10	Linseed Oils	eeds.		98,373	94,170	38,968
11	! Sesamum	• •		50,402	5,955	13,257
12	Rape and mus	tard	1	1,020	1,058	2,384
13	Groundnut			96,720	123,603	35,889
14	' Cocoanut			• •		
	Castor			5,901	1,460	11,797
	Others	• •		77,497	56,373	36,343
	CLLCID	Total	••	329,913	282,619	122,456
17	Sug Condiments				<u> </u>	
		• •	• •	34,741	24,368	75,801
18	Sugar-cane	• •	• •	3,457	1,881	785
19	Other sugars		• •			
		Total		38,198	25,749	76,586

CROPS 1939-1940 (1349 F.)—(contd). STATISTICS OF INDIA STATEMENT NO. 4

Gulbarga	Osman- abad	Raichur	Bidar	Total for the Domi- nions	Seri- al No.
16	17	18	19	20	1
40.174	23,407	14.632	39.756	960.816	7
77.965	124.365	121.157	30,044	1.158.944	2
1,293	313	ន	355	3.710	ន
1,392,663	767,505	1,088,509	930.979	10.410.533	4
92,247	54.682	160.857	112.950	1,619,002	5
1.675	• •	1.312	46	25,320	6
34.421	14.176	21.318	25.986	579,496	~
92.668	87,727	123.910	97,077	944.857	8
257,123	128,108	338,003	198,644	3,182,954	9
1.990,229	1,200.283	1,869,731	1,435.837	18.893.954	
73.608	57.441	4,701	26.945	526,214	10
19,919	14,274	23.269	5,656	548,290	11
278	808	••	674	12,059	12
212,985	292,843	242.040	107.832	1.959.486	13
• •	·	••	• •	• •	14
5,305	2,871	10,674	4,304	670,993	15
44,924	81,478	53,541	42,746	546,303	16
357,019	449,715	334,225	188,157	4,263,345	•
50,881	30,548	20,306	50,954	627,946	17
819	5,284	4,162	7,435	44,683	18
• •	• •	••			19
51,700	35,832	24,468	58,389	672,629	
	16  40.174 77.965 1.293 1.392.663 92.247 1.675 34.421 92.668 257,123 1.990,229 73.608 19,919 278 212,985 5,305 44,924 357,019 50,881 819	Gulbarga       abad         16       17         40.174       23.407         77.965       124.365         1.293       313         1.392.663       767.505         92.247       54.682         1.675          34.421       14.176         92.668       87,727         257,123       128,108         1.990,229       1,200.283         73.608       57.441         19,919       14,274         278       808         212,985       292,843             5,305       2,871         44,924       81,478         357,019       449,715         50,881       30,548         819       5,284	Gulbarga         abad         Raichur           16         17         18           40.174         23.407         14.632           77.965         124.365         121.187           1.293         313         3           1,392.663         767.505         1,088,509           92,247         54.682         160,857           1.675         .         1,312           34.421         14.176         21.318           92.668         87,727         123.910           257,123         128,108         338.003           1.990,229         1,200.283         1,869,731           73.608         57.441         4,701           19,919         14,274         23.269           278         808         .           212,985         292.843         242.040           .         .         .           5,305         2,871         10.674           44,924         81,478         53,541           357,019         449,715         334,225           50,881         30,548         20,306           819         5,284         4,162	Gulbarga         abad         Raichur         Bidar           16         17         18         19           40.174         23.407         14.632         39.756           77.965         124.365         121.187         30.044           1.293         313         3         355           1.392.663         767.505         1,088.509         930.979           92,247         54.682         160.857         112.950           1.675         .         1.312         46           34.421         14.176         21.318         25.986           92.668         87,727         123.910         97.077           257,128         128,108         338.003         198.644           1.990,229         1,200.283         1,869,731         1,485.837           73.608         57.441         4,701         26.945           19,919         14,274         23.269         5,656           278         808         .         674           212,985         292.843         242.040         107.832           .         .         .         .           5,305         2,871         10.674         4,804 <t< td=""><td>Gulbarga         abad         Raichur         Bidar         the Dominions           16         17         18         19         20           40.174         23.407         14.632         39.756         980.816           77.965         124.365         121.187         30.044         1.158.944           1.293         313         3         355         3.710           1.392.663         767.505         1,088.509         930.979         10.410.533           92.247         54.682         160.857         112.950         1,619.002           1.675         .         1.312         46         25.320           34.421         14.176         21.318         25.986         579,496           92.668         87,727         123.910         97.077         944.857           257,123         128,108         338.003         198.644         3,182,954           1.990,229         1,200.283         1,869.731         1,485.837         18.893.954           73.608         57.441         4,701         26.945         526.214           19,919         14,274         23.269         5,656         548,290           278         808         .         674&lt;</td></t<>	Gulbarga         abad         Raichur         Bidar         the Dominions           16         17         18         19         20           40.174         23.407         14.632         39.756         980.816           77.965         124.365         121.187         30.044         1.158.944           1.293         313         3         355         3.710           1.392.663         767.505         1,088.509         930.979         10.410.533           92.247         54.682         160.857         112.950         1,619.002           1.675         .         1.312         46         25.320           34.421         14.176         21.318         25.986         579,496           92.668         87,727         123.910         97.077         944.857           257,123         128,108         338.003         198.644         3,182,954           1.990,229         1,200.283         1,869.731         1,485.837         18.893.954           73.608         57.441         4,701         26.945         526.214           19,919         14,274         23.269         5,656         548,290           278         808         .         674<

No. 2-J.—AREA IN EACH DISTRICT UNDER DIFFERENT ACCORDING TO AGRICULTURAL

Serial No.	Crops	Atraf-i- Balda	Warangal	Karim- nagar
1	2	3	4	5
	Fibres.			
20	Cotton	9,768	17,111	95,759
21	Jute (Sann)	. 901	720	1,518
22	Others as ambada	1,105	776	31
:	Total	11.774	18,607	97,308
28	Dyeing and tanning materials Indigo		••	•••
24	Others	• • • •	• • •	• •
,	Total  Drugs and Narcotics.			
25	Opium	• ••	••	••
26	Coffee	• ;		
27	Tea	•, ••	• •	
28	Cinchona	•. ••	• •	• •
29	Indian hemp	.;	• •	• •
30	Tobacco	2,077	8,585	3,846
31	Others	. 7	9	
	Total .	2,084	8,594	3,846
32 33	Miscellaneous. Fodder crops Fruits and vegetables	67.163	65,906	57,685
	including root crops .	. 43,301	47,291	45,307
34	(a) Food	•;		• •
	(b) Non-food .	-	3	••
	Total .	. 110,464	113,200	102,992
35	Grand total .	. 821,550	1,672,821	1,541,836
36	Area sown more than once	30,940	60,352	27,649
37	Net area sown during the year (1935-36)	790,610	1,612,469	1,514,187

CROPS 1939-1940 (1349 F.) (contd.). STATISTICS OF INDIA STATEMENT NO. 4

<b>A</b> dilab <b>a</b> d	Nizam- abad	Medak	Baghat	Mahbub- nagar	Nalgonda	Seri al No.
6	7	8	9	10	. 11	1
267.722	10.971	1,593	26	4.450	20,689	20
2,190	124	157	515	4,111	683	21
1,582	227	913	198	352	560	22
271,494	21,322	2,668	739	8,913	21,932	-
		• •		206		23
				• •		24
	••	••	•••	206		
	• •	• •	• •	• •		; <b>2</b> 5
• •	• •	i •• .		••		26
• •		• •	• •	• •	• •	27
• •	1			• •		28
	t , •• ,					29
2,621	2.042	1,631	320	6,248	. 11.087	30
4	57	22		39	69	31
2,625	2,099	1,653	320	6,287	11,156	
38,279	24.915	22.827	12.250	2,381	71,674	ຸ່ <b>3</b> 2
51,625	44.686	32,364	12,923	41,634	46,252	33
			40	i 		34
					• •	(a) (b)
89,904	69.106	55,218	25,213	44,015	117,926	-1
1.418,550	770,332	721.590	125,106	1,498,908	2.031,577	35
19,175	57,034	28,505	6,379	52,805	30,807	86
1,399,375	713,298	693,085	. 118,727	1,446,603	2,000,770	37

NO. 2-J.—AREA IN EACH DISTRICT UNDER DIFFERENT ACCORDING TO AGRICULTURAL

Serial No.	Crops	Aurang- abad	Bir	Nander
1	2	12	13	14
20	Fibres.	466,428	409,191	632,337
21	Jute (Sann)	3.617	683	6,577
22	Others as ambada	4,868	8,549	11,649
	Total	474,913	418,428	
23	Dyeing and tanning materials Indigo	•••	• •	100
24	Others			. <b>.</b> .
	Total			100
25	Drugs and Narcotics. Opium			
26	Coffee	• •		· •
27	'Tea	• •		:
28	Cinchona	• •		
29	Indian hemp	• •	,	• •
30	Tobacco	2.141	1,081	7,976
31	Others	138	593	29
	Total	2.279	1,674	8,005
32	Miscellaneous. Fodder crops	4,470	4,207	19,621
33	Fruits and vegetables including root crops	118,611	17,528	68,892
34	(a) Food			١
	(b) Non-food	• •		. 8
	Total	123,081	21,735	88,521
35	Grand total	2,628,830	1,979,911	1,939,647
36		27,506	16,488	25,232
37	Net area sown during the year (1935-36)	2,601,324	1,963,428	1,914,415

CROPS 1939-40 (1349 F.)—(concld). STATISTICS OF INDIA STATEMENT NO. 4

Parbhani	Gulbarga	Osnar bada	Raichur	Bidar	Total for the Domi- nites	Seri- al No.
15	16	17	ıs	19	20	7
710,340	167,004	98.987	686.589	189.0.45	8.T80.::10	20
8,863	4,404	1,291	1.204	10.653	47.594	21
8,969	5,005	28,766	5.98⊱	3.476	58.075	22
727,672	176.471	128.954	644,082	200.804	3.861,579	
			532	•••	829	20
						24
• •	• •		532		829	
		•••				25
• •		••				26
						27
• •	• •	• •		• •	• •	28
• •	• •	• •	• •		• •	29
2.421	5,908	3.175	12,170	7.896	81,125	£0
54	277	489	101	134	2,022	, 31
2,475	6,185	3,664	12,271	7,940	83,157	İ
9,225	9.118	4.266	7,540	24.676	446,203	32
48,007	14,249	23,724	20,806	16,446	693,646	33
• •		• •	• •		43	34
238	• •	••			246	(a)
57,470	28,367	27,990	28.346	41.122	1.140,138	
2.472,397	2,604.971	1,841,488	2.913,596	1,932,249	28,915,309	35
28,987	27,595	18,625	18,345	11,505	482.429	36
2,443,410	2,577,476	1,827,813	2,895,251	1,920,744	28,432,880	37

30 No. 2-K.—TOTAL YIELD (IN TONS) OF

eri- al	Crop	s	:	Atraf-i- Balda	Warangal	Karim- nagar
1	2		<u>-</u>	3	4	5
1	Rice		i	11,859	51,410	31,528
2	Wheat	• •		242	8	118
3	Barley			110	11	• •
4	Jawar			30,524	117,547	67,468
5	Bajra			7.336	4,519	65
6	Ragi and Lach	na			· · · !	
7	Maize	••		3,691	14,738	24,604
8	Gram			6,888	2,158	4,348
9	Other foodgrai	ns and pu	lses			
		Total		60,150	190.391	128,131
10	Linseed			693	61	
11	Sesamum	• •	٠.	667	5,021	7,925
12	Rape and mus	stard		151	16	14
13	Groundnut			7,033	82,994	17,752
14	Cocoanut					
15	Castor	• •		2,859	4,997	1,708
16	Others	• •		876	551	984
	į	Total		12,279	93,640	28,383
17	Condiments					
18	Sugar-cane	• •	• •	1,853	67	348
19	Other sugars					••
		Total		1,853	67	348

31 VARIOUS CROPS FOR THE YEAR 1939-40 (1349 FASLI).

Seri al No.	Nalgonda	Mahbub- nagar	, Baghat	Medak	Nizam- abad	Adila- bad
1	11	10	9	8	7	6
1	69,489	31,996	1,505	25,405	44,635	21,917
2	16	103	9	271	273	1,364
3	2	1	41	15		
4	78,759	72,759	6,068	39.823	48,929	98,499
5	21,228	6,425	85	35	4	87
6		••		•• :	• •	• •
7	3,231	2.992	241	9,306	6,054	6,451
8	2,859	6,183	190	4,091	2,745	3,939
9	• •			• •	• •	
	175,084	120,459	8.139	78,946	102,640	132,257
10	1	142	26	103	536	2,560
11	1,227	1,437	54	1,357	974	6,477
12	1	84	3	3	1	. 36
13	69.933	87,146	23	3,130	6,858	1,654
14	••		1			
15	24.679	11,015	574	1,564	156	541
16	1,180	786	173	99	933	205
	97,021	100,610	853	6,256	9,458	11,473
17					• •	
18	94	4.427	20	2,567	32,814	464
19	• • • •	• •	; ;			
	94	4.427	20	2,567	32,814	464

32 No. 2-K.—TOTAL YIELD (IN TONS) OF

eri- al No.	Cro	ps		Aurang- abad	Bir	Nander		
:	2			12	13	14		
1	Rice			644	1,136	6,763		
2	Wheat		• • •	38,509	22,148	12,633		
3	Barley	• •	;	•••		26		
4	Jawar	• •	٠.,	148,614	112,636	106,545		
5	Bajra			18,331	13,283	1,047		
3	Ragi and Lac	hna		• •	••	• •		
7	. Maize	• •	••:	2,279	1.346	3,527		
8	Gram	de d	12.294	12.818	12,343			
9	Other food-gr	ains and pu	l pulses:			• •		
		Total	٠٠,	220,671	163,367	142,884		
10	Linseed	• •	٠٠,	11,891	8.031	2,509		
11	Sesamum	• •		5,257	374	750		
12	Rape and mu	ıstard		<b>51</b> ;	52	67		
13	Groundnut	• •		27,361	21.397	14,736		
14	Cocoanut	••		;				
15	Castor		- •	880	82	752		
16	Others		;	2,117	604	411		
		Total		47,007	30,540	19,225		
17	Condiments	• •				• •		
18	3   Sugar-cane		٠.	5,643	2.379	1,536		
19	Other sugars			••				
	•	Total		5,643	2,379	1,536		

33
VARIOUS CROPS FOR THE YEAR 1989-40 (1340 FASLI).—(contd.)

Parbhani	Gulbarga	Osman- abad	Raichur	Bidar	Total for the Domi- nions	Seri al No.
15	16	17	18	19	20	1
6,411	8,274	4.440	4.440 3,354		328,621	1
29.243	7,356	15.778	11.582	2,569	142.222	2
5 <del>1</del>	205	38		64	567	3
150.46±	214,406	118,842	161,040	132,490	1,705.413	4
1,549	6.036	2.619	11.874	16.641	111,164	5
	!	• •				6
2,077	5.199	2,177	3,009	5,218	96,140	7
13,785	15,985	12,146	19,920	16,344	148,536	8
						9
203,583	257,461	156,040	210,779	181,681	2,532.668	
8.232	7,314	5,120	445	2,989	50,653	10
1,044	1,671	1,888	1,450	347	87.920	11
37	18	81		38	653	12
9,728	63,985	63,604	100,480	25,254	603.063	13
!	•• ;	• •		• •		14
,155	281	154	567	247	50,628	15
569	<b>856</b>	5.569	1.388	2,394	19,695	16
19.727	74,125	76,416	104,330	31.269	762.612	
· · · · · · ·	•• ;	• •		!		17
2,734	1,175	7.320	6,611	21,425	91,472	18
	!			• ••	!	19
2,734	1,175	7,820	6,611	21,425	91,472	
<u>;</u>			i			

3

No. 2-K.—TOTALYIELD (IN TONS) OF VARIOUS

34

Srl. No.	Crops	•	Atraf-i- Balda	Warangal	Karim- nagar
1	2	,	3	4.	5
20	Cotton	••;	864	2,640	10,492
21	Jute (Sann)		• •		• •
22	Others as ambada	• • :		••	• •
	Total	٠٠,	864	2,640	10,492
23	Indigo			• •	••
24	Others				
	Total				• •
25	Opium		• •		• •
26	Coffee		• •		
27	Tea		• •		
28	Cinchona		• •		• •
29	Indian hemp		••		• •
80	Tobecco		486	3,660	945
81	Others				• •
	Total		486	3,660	948
82 33	Fodder crops Fruits and vegetables				*
	including root crops	٠.	• •		• •
84	(a) Food		• •		• •
	(b) Non-food		• •	••	
35	Grand total		75,682	29,398	168,292
36 37	Area sown more than one Net area sown during	ce		••	
٠.	the year (1935-36)	• •	• •		.•.•

CROPS FOR THE YEAR 1989-40 (1849 FASLI).—(contd.)

Adila- bad	Nizam- abad	Medak	Baghat	Mahbub- nagar	Nalgonda	Seri- al No.
6	7	8	9	10	11	1
<b>32.408</b>	1,348	129	2	<i>55</i> 8	2.569	20
	• •	• •		••	• •	21
••	• •	• •			t , ••	22
52.408	1.348	129	2	558	2.869	:
	• •			• •	• •	23
• •	• •	• •	· •	• •		24
				• •		· •
	• •					25
1	• •	• •		• •	••	26
	• •	. ••		• •		27
!	• •	• •				28
	••	• •	• •	• •	• •	29
636	<b>5</b> 13	407	69	1,598	2,765	80
	• •				• •	31
636	513	407	69	1.598	2,765	
				• •	* •	32
			• •	• •		33
	• •			• •	••	84
]					• •	35
197,288	146,773	88,305	9,083	227,652	277,833	i
				• •	<i>b</i> =	36
	••	• •		43		37

36

No. 2-K.--TOTAL YIELD (IN TONS) OF VARIOUS

Srl. No.	Crops		Aurang- abad	Bir	Nander
1	2		<u> 1</u>	13	1-4
20	Cotton	• • •	80,549	56.984	118,562
21	Jute (Sann)	:	!	• •	• •
22	Others as ambada	٠.,			••
į	Total		80,549	56,984	118,562
28	Indigo		• •		p 4
24	Others	٠.,	••		
	Total		• •		* *
25	<b>O</b> pium	• • • •	• •		<b>*</b> *
26	Coffee	:		•• ;	
27	Ten				• •
28	Cinchona				• •
29	Indian hemp				
30	Tobacco		572	230	2.650
31	Others			• •	
	Total		572	230	2,650
32 33	Fodder crops				
33	Fruits and vegetables including root crops	!			• •
34	(a) Food	; •• <sub>1</sub>		- •	••
,	(b) Non-food				
35	Grand total		354.442	258,500	284,857
36 37	Area sown more than once			• •	
-37	Net area sown during the year (1935-36)				

37
CROPS FOR THE YEAR 1989-10 (1349 FASLI).—(concld.)

Parbhani	Gulbarga	Osman- abad	Raichur	Bidar	Total for the Domi- nions	Seri al No.
15	16	17	18	19	20	1
117,503	21,384	14.331	72,668	29,192	582,433	50
		• •	• •	• •	• •	21
••		• •	• •			22
117.503	21.334	14.331	72.66%	29,192	582,430	
	• •	••				28
	• •	• •				- 24
••	• •	•••		••	•••	1
		• •				25
• •	, ••					26
	• •	• •				27
		• •	. • •	. • •		28
	••					281
323	1.737	889	2.846	1.566	22,090	30
	• •	• •			• •	81
523	1,737	889	2.846	1,566	22,090	•
					• •	32
	· · ·		:		; ••	33
• •	,			: • •		34
• •						35
344,070	355,832	254,996	397,234	265.133	3,991,270	•
						.: ¦ 36
	•• ;				!	. 37

No. 2-L. ESTIMATED MONEY VALUE

			· · · · · ·	Quantity thous	of pro	duce in tons	····		t rates per anuary)	r unit
Serial No.	Crops		1939- 40 1349 F.	1938- 39 1348 F.	1937- 38 1347 F.	1936- 37 1346 F.	1935- 36 1345 F.	1939-40 1349 F.	1938-39 1348 F.	1937-38 1347 F
1	2		3	4	5	6	7	8	9	10
1	Rice		262	348	368	418	336	18–12	16–10	16–14
2	Wheat		133	172	200	200	140	19 6	16-8	19-14
3	Barley									
4	Jawar		1,225	1,309	1,309	1,571		12-4	10 ~4	
5	Bajra		115	107	124	127	133	11-15	9- 2	9- 9
6	Ragi	'			• •			1		•••
7	Maize		105	104	108	110	114	10-9	8-13	
8	Grani	}	198	195	198	200	207	17-11	16- 3	
9	Other foodgrains and	· ·		-						
-	pulses									
10	Total for foodgrains,	i						į	:	
	etc		2,037	2,236	2,307	2,626	2,029		!	
11	Linseed	;	40	40	41	44	33	6-9	4-6	5- 1
12	Sesamum	٠.;	29	29	40	41	<b>' 3</b> 5	19-2	16-0	17-12
13	Rape and mustard	}	••			• •				
14	Groundnut .		100	537	476	316	287	' 15-8	10-8	11-12
15	Castor		30	45	40	66	, 57	510	4-4	4-6
16	Other oilseeds			22	24		18			
17	Total oilseeds	!	608	673	623	485	431	:	1	
18	Chillies							:		
19	Other condiments and spices	l į				;		-		;
20	Sugarcane (Gur)		75	64	60	129	99	8-7	8-3	4-1
21	Cotton (in bales)	٠	503	505	570	499	569	24-12	18-12	19-1
$\tilde{2}\tilde{2}$	Sann				1		;	1		10-1
23	Other fibres .	- 1		1	;	1		1	1	::
24	Total			1	:	; ::		•	1 ::	
25	Indigo			1		:		}	1	
26	Tobacco		14	15	17	17	1 16	16- 2	15- 5	16- 2
27	Fodder crops			1	1				1	10.
28	Fruits and vegetables						1	1		1
29	Misc. foodcrops,									
30	Misc. non-foodcrops	••	••							•••
	Total	٠.	••	••						•••
	Grand Total ,			•••		}	·	· <u>·</u>	·	

NOTE.—Prices of subsidiary produce not included.

OF MAIN CROPS GROWN IN THE DOMINIONS.

	fandar s. Ans.			Tot	Total value of produce in lakhs of Rupees					•
1936-37 1346 F.	1935-36 1345 F.	U'ni	it	1939- 40 1349 F.	1938 39 1348 F.	38	1996- 97 1346 F.	1935- 36 1345 F.	average 1936-40 1345-49 F.	ż
11	12	13		14	15	16	17	18	19	7
1 <b>5–1</b> 3 16–13	11-15	Palls of 120 s	eers.	458 240	540 255	580 371	617 313	484 155	536 25.7	1 9 5
9- 3	8- 2	do	do	1,401	1,251	1,091	1,347	681	1.184	4
9- 11	8-11	do	do	131	98	110	115	108	112	5
8-9	8- 9	do	do	104	 გე	92	88	91		6 7
14- 1	10-10	do	ďο	161	288	279	261	205	239	8
••	••	do	do	• •		• •	••	••	• •	9
	••			2,496	2,518	2,524	2,741	1,874	2.432	10
4-10	4- 7	Mds. of 40 sec		74	49	58	56	42	56	11
19- 9	20- 2	Palla of 120 se	ers.	23	44	67	75	66	53	12 13
18- 0	 16– 8	do	do	472	526	523	532	442	299	14
4-10	3- 9	Md.=40 seers	•	131	54	49	85	57	75	15
• •	••								• • • • •	16
••	••			699	673	697	749	607	745	17 18
••	••			•••		••	••		••	19
••	•••••			• •	• •	••	• •	••	••	
4-8 20-11	6-11 19-13	Md. =40 seem	do	177 622	147 468	164 563	156 516	201 569	169 547	20 21
20-11	19-10	uo-	<b>Q</b> O	••	•••	•••		•••	041	22
• •	• •			• •	• •	• •	• •	• •		23
• •	••			799	715	727	672	765	736	24
16- 4	15-14	do	do	 65	64	·· 75	 85	76	73	25 26
10- 4	10-14	uo	uo							27
••	••			٠٠,	• •	• •		• •		28
• •	••			• •	••	• •	• •	• •	• •	29
	••				•••				••	30
,,	••				••		••	••	• •	
	••			4,060	3,970	4,023	4,247	3,321	3,924	

 $$40$$_{\hbox{No. 2-M.}}$$\_{\mbox{PERCENTAGE}}$$  AREA OF DIFFERENT CROPS FOR THE

Seri- al No.	Districts		Rice	Wheat	Barley	,		Ragi & Lach- na		Gram
1	2		3	4	5	6	7	. 8	9	10
1	Atraf-i-Balda		0.11	0.02	0.01	0.51	0.50	0.14	0.08	0.22
2	Warangal		0.65	• •	• •	1.74	0.49	0.02	0.51	0.11
3	Karimnagar		0.62	• •		1.53	0.01	0.01	0.55	0.17
4	Adilabad	٠.	0.25	0.05	••	1.71	0.07		0.13	0.12
5	Nizamabad	٠.	0.48	. 0.01		0.56		0.01	0.14	0.03
6	Medak	• •	0.34	0.01		0.60	0.07	0.01	0.16	0.14
7	Bagha	٠٠;	0.02			0.08	0.01	0.01	0.01	0.01
8	Mahbubnagar		0.27	0.01	0.01	1.58	0.61	0.19	0.04	0.19
9	Nalgonda		0.47			1.36	1.28	0.02	0.06	0.09
10	Aurangabad	• •	0.01	1.21		2.86	1.18		0.05	0.43
11	Bir		0.03	0.50	0.01	2.09	0.53		0.08	0.30
12	Nander	$\cdot \cdot  $	0.11	0.55	••	1.89	0.11		0.08	0.83
13	Parbhani		0.08	0.80		2.65	0.16		0.08	0.38
14	Gulbarga		0.10	0.37	0.01	4.54	0.68	0.05	0.09	0.44
15	Osmanabad	!	0.08	0.50	••	3.00	0.27		0.05	0.45
16	Raichur	• •	0.05	0.35		3.40	0.65	0.05	0.08	0.41
17	Bidar	: †••	0.11	0.13	0.01	2.59	0.59	0.01	0.11	0.38
	Hyderabad Sta	te	3.80	4.51	0.06	32.67	7.24	0.51	2.28	4.21

41
TOTAL CULTIVATED AREA DURING THE QUINQUENNIUM.

,	,								,
Other food- grains& pulses	Total food grains	Lin- seed	Sesa- mum	Rape & must- ard	Gro- und nut	Castor	Other oilseeds	Total oilseeds	Seri- al No.
			1			! -			
11	12	13	14	13	16	17	18	19	1
0.44	2.02	0.03	0.03	• •	0.06	0.13	0.05	0.32	1
0.67	4.19	• •	0.24	• •	0.53	0.22	0.12	1.12	2
0.67	3.57		0.64	••	0.11	0.16	0.13	1.03	3
0.57	2.91	0.10	0.24	• •	0.03	0.03	0.04	0.43	4
0.35	1.58	0.03	0.08	••	0.03	0.01	0.02	0.17	5
0.33	1.66	0.01	0.06	••	0.03	0.09	0.01	0.21	ó
0.07	0.20	! . ••			• •	0.02	0.01	0.04	7
0.86	3.75		0.08	• •	0.70	0.57	0.01	1.39	8
0.77	4.05	·	0.09	•	0.48	1.33	0.02	1.92	9
0.40	6.15	0.30	0.09	0.01	0.26	40.0	0.37	1.05	10
0.57	1.03	0.31	0.03	0.01	0.32	0.01	0.22	0.89	11
0.51	3. <i>5</i> 8	0.13	0.04	0.01	0.07	0.04	0.11	0.40	12
0.92	5.08	0.22	0.03		0.08	0.01	0.13	0.46	: 13
0.77	7.06	0.26	0.10	••	0.64	0.02	0.39	1.41	14
0.41	4.79	0.19	0.03	. 0.01 .	0.74	0.01	0.33	1.31	15
1.05	6.07	0.01	0.07	••	0.61	0.05	0.16	0.90	16
0.71	4.63	0.14	0.03	0.01	0.37	0.01	0.16	0.73	17
10.05	65.34	1.72	1.92	0.05	5.08	2.73	2.33	13.83	,
				<del></del>	<del></del>				-

42
No.2-M.—PERCENTAGE AREA OF DIFFERENT CROPS OF THE

Seri- al No.	Districts	Condi-: ments		ments	of col. 20 to	Cotton		Other as am- bada	
1	2	20	21	22	· 23	24	25	26	27
1	Atraf-i-Balda	0.15			0.15	0.05	0.01		0.06
2	Warangal	0.16	• •		0.16	0.06	0.02		0.08
3	<b>K</b> arimnagar	0.15	• •		0.15	0.24	0.03	••	0.27
4	Adilabad	0.09			0.09	1.00	0.01		1.01
5	Nizamabad	0.11	0.03	• •	0.14	0.05		• •	0.05
6	Medak	0.09	0.01		0.10	0.01			0.01
~	Baghat	0.01			0.01				
8	Mahbubnagar	0.25	• •		0.25	0.03	0.01		0.04
9 ;	Nalgonda	0.08	• •		0.08	0.08			0.09
10	Aurangabad	0.12	0.01	! ! ••	0.13	2.09	0.02	0.01	2.13
11	Bir	0.11	0.01		0.12	1.17	0.01	0.01	1.19
12	Nander	0.09	••		0.09	1.88	0.02	0.03	1.92
13	Parbhani	0.23	0.01		0.24	2.50	0.03	0.02	2.54
14	Gulbarga	0.22	••		0.22	0.56	0.01	0.01	0.58
15	Osmanabad	0.07	0.02		0.09	0.33	0.01	0.04	0.37
16	Raichur	0.11	0.01		0.12	1.78	0.01	0.01	1.79
17	Bidar	0.17	0.04	i   ••	0.21	0.74	0.03	0.01	0.78
4-2	Hyderabad St	ate 2.29	0.16	••	2.45	12.57	0.21	0.15	12.93

TOTAL CULTIVATED AREA DURING THE QUINQUENNIUM. (concld.

43

Fod- der erops	Fruits and vege- tables includ- ing root erops	Misc. food erops	Mise non- food ero- ps			Area sown more than once	Net area sown during the year	al
29	30	31	32	33	34	35	36	1
0.33	0.15	0.17	v.v3	0.53	3.(19	0.10	2.99	1
0.34	0.17	0.01	0.01	0.50	6.03	0.19	5.90	2
0.33	0.15	0.02	0.01	0.50	5.53	0.15	5.38	3
0.16	0.13	0.01	0.01	0.33	4.75	0.07	4.67	4
0.08	0.09	0.01	0.01	0.19	2.14	0.19	1.95	3
0.08	0.10	0.01	0.01	0.19	2.17	0.11	2.06	6
0.03	0.04	0.01	• •	0.09	0.33	0.02	0.31	7
0.08	0.14	0.01	0.01	0.24	5.70	0.15	5.51	8
0.56	0.12	0.01	••	0.70	6.80	0.14	6.74	9
0.04	0.22	0.01		0.29	9.76	0.13	9.64	10
0.06	0.11	0.01	0.01	0.20	6.47	0.08	6.39	11
0.12	0.12	0.03	0.01	0.28	6.38	0.10	6.28	12
0.06	0.16	0.01	10.0	0.24	8.58	0.13	8.45	13
0.06	0.08	0.03	0.01	0.19	9.48	0.09	9.39	14
0.04	0.13	0.03	0.01	0.21	6.77	0.07	6 70	15
0.09	0.14	60,03	0.01	0,29	9.21	0.08	9.13	16
0.15	0.09	0.01	0.01	0.26	6.65	0.09	6.55	17
2.60	2.17	0.28	0.13	5.18	100.0	1.90	98.10	-) 
	der crops  29  0.33  0.34  0.33  0.16  0.08  0.08  0.08  0.06  0.04  0.06  0.04  0.09  0.15	Fod- and der vege- tables including root crops	Fodder vege- tables food including root crops  29 30 31  0.33 0.15 0.17  0.34 0.17 0.01  0.33 0.15 0.02  0.16 0.13 0.01  0.08 0.09 0.01  0.08 0.10 0.01  0.08 0.14 0.01  0.08 0.14 0.01  0.056 0.12 0.01  0.056 0.12 0.01  0.056 0.12 0.01  0.056 0.12 0.01  0.056 0.12 0.01  0.056 0.12 0.01  0.056 0.12 0.01  0.056 0.12 0.01  0.056 0.12 0.01  0.056 0.12 0.01  0.056 0.13 0.03  0.06 0.16 0.01  0.07 0.08 0.03  0.09 0.14 0.03  0.09 0.14 0.03  0.09 0.14 0.03  0.09 0.14 0.03	Fodder vegetables food food including root crops  29 30 31 32  0.33 0.15 0.17 0.08  0.34 0.17 0.01 0.01  0.33 0.15 0.02 0.01  0.16 0.13 0.01 0.01  0.08 0.09 0.01 0.01  0.08 0.10 0.01 0.01  0.08 0.14 0.01 0.01  0.08 0.14 0.01 0.01  0.06 0.12 0.01  0.06 0.11 0.01 0.01  0.12 0.12 0.03 0.01  0.06 0.16 0.01 0.01  0.06 0.16 0.01 0.01  0.06 0.16 0.01 0.01  0.06 0.18 0.03 0.01  0.06 0.08 0.03 0.01  0.09 0.14 0.03 0.01  0.09 0.14 0.03 0.01  0.09 0.14 0.03 0.01  0.09 0.14 0.03 0.01  0.09 0.14 0.03 0.01  0.09 0.14 0.03 0.01	Fodder vege- Misc. non- of col. food including root crops  29 30 31 32 33  0.33 0.15 0.17 0.08 0.53 0.34 0.17 0.01 0.01 0.50 0.33 0.15 0.02 0.01 0.50 0.16 0.13 0.01 0.01 0.01 0.33 0.08 0.09 0.01 0.01 0.01 0.19 0.08 0.10 0.01 0.01 0.01 0.19 0.08 0.14 0.01 0.01 0.01 0.24 0.56 0.12 0.01 0.01 0.01 0.24 0.56 0.12 0.01 0.01 0.02 0.04 0.22 0.01 0.01 0.29 0.06 0.11 0.01 0.01 0.29 0.06 0.12 0.03 0.01 0.28 0.06 0.16 0.01 0.01 0.28 0.06 0.16 0.01 0.01 0.29 0.06 0.18 0.03 0.01 0.29 0.04 0.18 0.03 0.01 0.29 0.09 0.14 0.03 0.01 0.29 0.09 0.14 0.03 0.01 0.29 0.09 0.14 0.03 0.01 0.29	Fodder vege- Misc. non- food of col. Total of col. Total including root. crops of cr	Fodder crops tables food includerops tables food food crops ing root crops	Fodder crops tables food crops including root crops and crops by tables including root crops and crops in tables including root crops area sown sown.  29 30 31 32 33 34 35 36  0.33 0.15 0.17 0.08 0.53 3.09 0.10 2.39  0.34 0.17 0.01 0.01 0.50 6.05 0.19 5.90  0.33 0.15 0.02 0.01 0.50 6.05 0.19 5.90  0.33 0.15 0.02 0.01 0.50 5.53 0.15 5.38  0.16 0.13 0.01 0.01 0.33 4.75 0.07 4.67  0.08 0.09 0.01 0.01 0.19 2.14 0.19 1.95  0.08 0.10 0.01 0.01 0.19 2.17 0.11 2.06  0.03 0.04 0.01 0.09 0.38 0.02 0.31  0.05 0.14 0.01 0.01 0.24 5.70 0.15 5.54  0.56 0.12 0.01 0.70 6.80 0.14 6.74  0.04 0.22 0.01 0.70 6.80 0.14 6.74  0.06 0.11 0.01 0.01 0.29 9.76 0.13 9.64  0.06 0.12 0.03 0.01 0.28 6.38 0.10 6.28  0.06 0.16 0.01 0.01 0.01 0.24 8.58 0.13 8.45  0.06 0.16 0.01 0.01 0.01 0.24 8.58 0.13 8.45  0.06 0.18 0.03 0.01 0.29 9.21 0.08 9.38  0.04 0.18 0.03 0.01 0.29 9.21 0.08 9.18  0.09 0.14 0.03 0.01 0.29 9.21 0.08 9.18  0.15 0.09 0.01 0.01 0.29 9.21 0.08 9.18

No.-3A.-A Short Note on rice or Paddy (Oryza Sativa).

Hindustani. Dhan (Paddy i.e., grain with husk). Chawal, (Rie. i.e., cargin without husk), Paral (Straw).

Maraihi.—Bhat (Paddy), Tandul (Rice,) Pendha (Straw).

Telug.t.—Wadlu (Paddy), Biyam (Rice), Varigaddi (Straw).

Kanarese.—Bhatta (Paddy), Akki (Rice), Bhatted, (Straw).

In 1939-40 area=861,916 acres or 837 lbs. per acre when the crop was 71 per cent. of the normal.

Hyderabad has 1.6 per cent. of the rice acreage of the whole of India and amongst rice growing Provinces it ranks 11th in India. With regards to irrigated crop of

rice Hyderabad State stands sixth amongst Indian Provinces and States and it has 76 per cent. of the total irrigated area of the State. Rice which stands 6th among all the crops grown in Hyderabad State has 3.8 per cent. of total cultivated area and is chiefly confined to the Telingana and the better rainfall area of the State (84 per cent. of acreage in Telingana).

In the Warangal, Karimnagar and Nalgonda districts, rice is generally transplanted and in Nizamabad. Medak and Marathwara broadcast sowing of seeds or sprouts is also practised. In very rare cases rice is sown with a drill. In Medak for tabi rice especially seedlings for transplanted rice are grown in a specially prepared seedbed and manured with ordinary farm yard manure. The estimated area of transplanted rice is 20 per cent. of the Telingana rice area. Abi, the autumn or monsoon rice is sown in the end of June and ripens in November and December. The tabi or summer rice is sown in December watered from time to time and ripens in March and April. The proportion between abi and tabi is 4.5 to 1. Harvesting of crop takes a month, so rice comes in the market from January to May.

Rice freely responds to manuring. For successful rice cultivation a good and constant supply of water is

RICE

PROPORTIONATE DISTRIBUTION IN INDIA & HYDERABAD

13.49 E.(1939.40)

RICE PRODUCTION IN INDIA RICE PRODUCTION IN HYDERABAD
73,199 961

FIGURES IN THOUSANDS OF ACRES

ASSAM

5352

SENGAL

12,295

MADRAS

9884

E.PL SERM

SANGAL

18.

MADRAS

9884

SANGAL

18.

MADRAS

9884

SANGAL

18.

MARAMANAR

19.

MARAMANAR


MARAMANAR

MARAMANAR

19.


MARAMANAR

MARAMAN



RICE

# ACREAGE , OUTTURN & PER ACRE YIELDS



essential. This can be best secured by having level plots with proper embankments. This levelling is brought about by a very skilful and elaborate process of terracing according to the contour of the land. This prevents scouring and enables the small plots to hold evenly fair depths of water all over the field. Rice requires half an inch of rainfall daily for 90 days or 45 inches of water altogether. Rice prefers a damp climate. Crop is seldom successful where the mean temperature during the four months of growing season is less than 75° F.

There are many varieties of rice. Some are early, ripening in from 90 to 120 days or 3 to 4 months and some are late, ripening in from 120 to 180 days or  $4\frac{1}{2}$  to 6 months. Early varieties give generally a coarser grain and occupy uplands which are not capable of retaining very much water. Late varieties generally finer grain and usually occupy the low-lying well manured fields.

Trade names of the various types of rice of commercial importance in the Dominions are:—

	Quality	Trade Names	or	Early (E) or Late (L)	Districts
1.	Fine	(a) Pichori .	. A	Ĺ	Medak, Niamabad, Atraf-i-Balda.
		(b) Ambarbu	. A	${f L}$	Medak and Bidar.
2.	Medium	(a) Kashi Pichori or Nanakram	A	L	Medakand Nizamabad Atraf-i-Balda and other places.
		(b) Khichdi or No. 24 or Khichdi Sambhal or Sambhal (of	1	L	. Atraf-i-Baida, Waranga!.
	•	Jangaon) or	A	L	Nalgonda.
		Khichdi Sannal		$\widetilde{\mathbf{L}}$	Warangal
		(c) Chitmuttial	. <b>A</b>	L	Medium small grains giving good flavour but grown not on a large scale in Nir- mal scale.

Quality	Trade Names	Abi (A) or Tabi (T)	Early (E)or Late (L)	Districts
	(d) Pala Sannal	A	E	Warangal & Karim- nagar.
	(e) Pocha Sannal or Bareek	$\mathbf{A}$	$\mathbf{E}$	Nizamabad & Karim nagar
3. Coarse	(a) Nizam Gaod	A	L & E	Mahbubnagar, Nizam abad. Karimnagar and Atraf-i-Balda.
	(b) Teksannal	A	L&E	Medak, Mahbubnagar and Atraf-i-Balda.
	(c) Mota	A.T.	E	Warangal.
	(d) Konamani	A.T.	E	Warangal, Atraf-i- Balda & Khammam
	(e) Ramsagar	<b>A.T.</b>	E	Warangal, Atraf-i- Balda & Khammam
	(f) Daka Gudal or Arkati.	A.T.	E	Nizamabad.
	(g) Kusma	A.T.	E	Warangal, Khamman and Hyderabad.
	(h) Masral	A.T.	E	All over.
4. Very Coarse	(a) Gaorani or Kaladhan.	A.T.	E	Marathwara (usually dry rice).
	(b) Gutkal	<b>A.T.</b>	E	Medak and Nalgonda
	(c) Garkal	A.T.	E	Nizamabad.
	(d) Deshi Mota	<b>A.T.</b>	E	Hyderabad.

The quantitative distribution of various qualities of rice in different districts of H.E.H. the Nizaw's Dominions is shown below:—

#### (Figures in tons).

Sl.		Average production	CLASSIFICATION OF RICE					
No.	o. Districts of t		Fine	Fine Medium		Very clarse		
1	2	3	4	5	13	~		
1	Atraf-l-Balda .	. 10.500		2,400	6.200	2,200*		
2	Medak .	. 20,400	5.000	6.200	7,290	2,100		
3	Mahbubnagar	25.100		6,000	15,690	4.100		
4	Naigonda .	40,500	• •	16,600	19,000	5,000		
5	Nizamabad .	. 49.900	2.000	20.500	21.500	6,000		
6	Warangal .	58,800	• •	29,200	23,800	5.300		
7	Adilabad .	15,600	••	4,500	8.200	3,000		
8	Karimnagar .	58.800	• •	29,500	22,190	7,300		
9	Aurangabad .	500	• •		300	200		
10	Bir .	2,900		1	1,500	1,500		
11	Parbhani .	3.700			2,000	1,800		
12	Nander .	7,900			4,000	3,900		
13	Gulbarga .	6.900		1	4,500	2.500		
14	Raichur .	2,600		1	1,500	1,100		
15	Osmanabad .	4,000			2.000	2,000		
16	Bidar .	7,100		7	3,600	3,500		
	Dominion tota	1 3,15,800	7,000	1.14,900	1,42,400	51,500		
	Percentages .	. 100	2.2	36.3	46.0	15.5		

<sup>\*</sup> Ending 1935

Rice is not a bread grain for bread making. As a food crop rice is not equal either to jawar or bajra, as the grain is starchy and some what deficient in fat proteids. These deficiencies give it however excellent keeping quality in hot, humid climate. As a fodder crop also it is far inferior to jawar both in the quantity and quality of the straw which it yields and as a result the cattle in districts devoted to rice growing are usually very inferior.

The seed rate of rice is 100 lbs. of paddy per acre.

The average outturn of rice per acre comes to about 1,000 lbs. of grain and 1,600 lbs. of straw which means a proportion of grain to straw of about 1 to 1.6.

If grown as dry crop the outturn of rice per acre is 800 4bs.

15 women are required to reap an acre of paddy in one day. The wage given is  $2\frac{1}{2}$  seers of paddy per women which for 15 women comes to Rs. 1-14-0 per acre. 16 bull ocks are required to thresh one acre of paddy produce in one day and four to six labourers are required to look after the threshing. Labour gets 3 seers of paddy a day.

Winnowing is done by 4 to 5 labourers for one acre produce in one day. The average cost of reaping threshing winnowing comes to Rs. 2-14-0 per acre, i.e., 10 per cent. of the value of the grain.

From 100 lbs. of paddy the following will be the products:

$\mathbf{Rice}$	• •		60	lbs.
Husk			24	do
Broken 1	rice	• •	6	$\mathbf{do}$
Bran		• •	7	$\mathbf{do}$
Chaff and	d dirt	• •	3	$\mathbf{do}$
	Total	-	100	lbs.

The district war percentage of the area grown under rice in Hyderabad State and the serial order according to its importance and the percentage of net area cropped in the district is.

Srl. No.	Districts	P.C.	Order	P.C. of net crop- ed area	Srl. No.	Districts	P.(.	Order	P.C. oft rep-ed area
1	Atraf-i- Balda.	3	9	3	9	Auranga- bad.	0.1	16	0.07
2	Warangal	18	2	11	10	Bir	. 1	15	0.60
3	Karimnagar	19	1	12	11	Nander	. 9	12	1.06
4	Adilabad	6	7	5	12	Parbhani	. 1	13	0.70
5	Medak	7	G	10	13	Gulbarga	. 3	8	1.00
6	Nizamabad	13	3	26	14	Osmanabad	2	11	1.00
7	Mahbubnagar	9	5	5	15	Raichur	1	14	0.50
8	Nalgonda	13	4	7	16	Bidar	2	10	1.00

The estimated daily consumption of rice in Hyderabad and Secunderabad alone is 3.000 pallas (of 240 lbs. each). Rice consumed in Hyderabad per head of population per year is 57.8 lbs.

The import and export of rice in 1939-40 of Hyderabad State shows the possibilities of expansion of its acreage in the State and it is as follows:—

		Quantity in tons	Value in Rs.
Import	••	101,072	1.05,95,000
Export	• •	1.107	72,000

The percentage of import into Hyderabad State from the Indian Provinces are Madras 69.8, Bombay 26.6, Punjab 2, C.P. 1.4, U.P. 0.2. Khichdi variety is largely imported from Madras and Kusma variety of Bezwada is imported into Gulbarga for the manufacture of Murmura (Parched rice).

The imported (a) fine rices are yellow coloured Amritsar, Dharadum No. 1. Basmati or Daharadum No. 2.

- (b) Medium rices are No. 24. Dilli Bhogal, Maharaj Bhogal or zeera Sannal.
- (c) Coarse rices are Ramsagar and Konamani.

  The Chief markets in Hyderabad State are:
- (a) for paddy—Warangal, Peddapalli, Jangaon, Bhongir, and Khamam:
- (b) for rice—Nizamabad, Sadasivpet, Jogipet, Mahbubnagar, Hyderabad and Secunderabad.

No. 3-B. RICE ACREAGE.

#### (FIGURES IN THOUSANDS).

SI. No.	Districts		1935-36 1345 F.	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years'	averag- 1936-40
1	2		. 3	4	5	6	7	8	9
1	Atraf-i-Balda		39	34	25	26	34	35	31
2	Warangal		153	179	168	240	138	83	176
3	Karimnagar		193	226	199	160	107	186	177
4	Adilabad		74	74	69	75	71	62	78
5	Nizamabad	••	150	160	122	117	115	71	138
6	Medak		82	133	70	105	76	140	98
7	Baghat	••	• •	7	6	5	4	• •	4
8	Mahbubnagar	••	89 :	76	50	73	83	96	74
9	Nalgonda	••	107	112	122	138	151	137	126
	Telingana	•-	887	1,001	831	939	779	910	887
10	Aurangabad	••	12	2	3	3	2	2	4
11	Bir	••	14	2	5	7	8	12	7
12	Nander	••	24	23	22	23	21	23	22
13	Parbhani	••	21	22	23	18	33	17	23
14	Gulbarga	••	48	15	15	31	40	32	30
15	Osmanabad		25	20	25	24	23	21	28
16	Raichur	••	16	13	12	21	15	13	15
17	Bidar	••	27	37	26	29	40	25	3 <b>2</b>
	Marathwara		177	134	131	156	182	145	156
	Hyderabad State		1,064	1,135	962	1,095	961	1,055	1,048
	All-India		81,841	72,295	72,568	72,943	73,199	83,206	74,569
	P.C. of Hyderabad to India	• • •	1.30	1.57	1.33	1.51	1.31	0.38	1.40
	Position of Hydera among Indian Provinces	bad o-	11	11	11	11	11	9	11

52

#### No. 3-C.—RICE (CLEANED) OUTTURN (IN TONS).

(FIGURES IN THOUSANDS).

Sì.	Districts		1935-36			1938-39		5 years	
io.	Districts		1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	2	•	3	4	5	6	7	8	9
1	Atraf-i-Balda	••	12	9	7	9	11	11	10
2	Warangal	٠٠,	44	63	54	113	51	58	65
3	Karimnagar		75	97	90	54	32	59	69
4	Adilabad	٠٠,	19	. 27	26	19	22	16	23
5	Nizamabad		42	62	51	40	45	<i>5</i> 0	48
6	Medak	••	32	51	25	38	25	22	34
7	Baghat	••		2	2	2	. 2		2
8	· Mahbubnagar		26	25	18	35	32	25	27
9	Nalgonda		40	43	55	64	70	41	5-
	Telingana	•••	290	379	328	374	290	340	33
10	Aurangabad		1	1	1	1	1		
11	Bir	!	4		2	2	1	3	
12	Nander		8	9	9	8	-	8	
13	Parbhani		5	7	8	5	6	4	
14	Gulbarga	• •	13	5	4	10	8	7	
15	Osmanabad		5	2	6	5	5	4	
16	Raichur		3	3	2	7	3	3	
17	Bidar		7	12	9	9	8	7	
	Marathwara	••	46	39	40	47	39	36	4
	Hyderabad State	• •	336	418	368	421	329	318	37
	All-India	٠.	23,213	27,828	26,702	23,818	25,364	31,492	5,38
	P.C. of Hyderabac to India	ı 	1.4	1.50	1.37	1.76	1.29	1.01	1.7
	Position of Hydera among Indian Pr vinces		11	11	11	11	11	9	

53
No. 8-D.—YIELD PER ACRE OF RICE (CLEANED) IN LBS.

Srl. No.	Districts		1935-36 1345 F.	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years' 1931-35	average 1936-40
1	2	;	3	4.	5	6	7	8	9
1	Atraf-i-Balda		675	582	667	809	665	673	680
2	Warangal		634	787	720	898	832	713	774
3	Karimnagar	••	870	966	1,014	754	662	691	853
4	Adilabad	••	577	818	837	556	695	570	69T
5	Nizamabad	• •	626	872	945	776	89u	792	822
6	Medak		870	630	793	799	747	715	763
7	Baghat			632	655	761	764		703
8	Mahbubnagar		660	746	788	1,077	863	602 ,	827
9	Nalgonda		843	851	1,007	1,040	1,033	656	955
10	Aurangabad		822	768	685	769	603	674	598
11	Bir	•••	715	324	776	653	337	560 j	561
12	Nander	••	706	850	864	784	718	763	764
13	Parbhani		540	684	742	607	442	506	603
14	Gulbarga	••	511	722	587	756	461	426	647
15	Osmanabad	•••	448	232	517	474	426	434	399
16	Raichur	••,	489	574	447	727	513	437	550
17	Bidar		565	732	767	710	471	546	649
	Hyderabad State		706	825	856	822	837	666	809
	Bombay Presidency	/;	958	857	975	893	761	998	889
	C.P. and Berar		588	702	610	671	552	661	625
	Madras Presidency	••	1,084	1,086	1,071	933	1,012	1,030	1,037
	Average India		732	862	824	731	776	848	785

(Calculated from annawari estimate and standard yields).

No. 3-E.—RICE. DISTRICT ANNAWARI CONDITION OF CROP.


Seri- al No.	Districts	1935-36 1345 F.	1936-37 1346 F.		1938-39 1348 F.	1939-40 1349 F.
1	2	3	4	5	6	7
1	Atraf-i-Balda	9	7	7	8	8
2	Warangal	12	9	8	9	8
ខ	Karimnagar	12	10	12	٠ 8	7
4	Adilabad	12	11	12	8	10
5	Nizamabad	8	7	10	8	9
6	Medak	11	8	8	8	7
7	Baghat		7	7	8	8
8	Mahbubnagar	9	7	8	11	8
9	Nalgonda	12	9	10	10	10
10	Aurangabad	12	9	8	9	7
11	Bir	12	4	9	8	4
12	Nander	11	10	10	9	9
13	Parbhani	12	12	12	10	8
14	Gulbarga	10	11	9	11	8
15	Osmanabad	9	4	8	7	6
16	Raichur	10	9	7	11	8
17	Bidar	8	9	9	9	6
	Hyderabad State	11	8	10	9	8

# WHEAT


# PROPORTIONATE DISTRIBUTION IN INDIA & HYDERABAD

1349 F.(1939.40)

WHEAT PRODUCTION IN INDIA WHEAT PRODUCTION IN HYDERABAD



### ACREAGE , OUTTURN & PER ACRE YIELDS



#### No. 4.—WHEAT.

No. 4-A. A short note on Wheat (Triticum sativum).

Hindustani.—Gahoon (Grain), Parral (Straw).

Marathi.—Gahu (Grain), Bhus (Straw).

Telugu.— Godhumalu (Grain)

Kanarese.—Godhi (Grain), Hothi (Straw).

In 1939-40 Area=1,158.944 acres or 275 lbs. per acre outturn=142,284 tons.

when the crop was 71 per cent. of the normal.

Hyderabad has 3.6 per cent. of total wheat area of India and amongst wheat growing Provinces it ranks ninth in India. With regards to irrigated crop of wheat Hyderabad State stands low among Indian Provinces and States.

Wheat occupies the 4th place among the chief cultivated crops of the state, having over 11 lakhs of acres or about 4.5 per cent. of the net cropped area of the State to its credit. The chief wheat growing tract in Hyderabad State is Marathwara. In Telingana, if it is grown at all it is mostly red wheat irrigated.

Wheat is always and entirely a Rabi or Spring crop sown generally from September to November and is harvested from February to March. It is the bread cereal of moderately dry temperate climates. At present this crop is not grown much in regions of warm humid climate, principally because of wheat diseases which thrive under those conditions. It thrives in regions having a rain fall between 10 and 30 inches per annum. Wheats of the more humid areas are generally soft and starchy, while those of less humid areas usually are hard.

Wheat is successfully grown on silts, silt loams and clay loams, usually of high fertility, fine texture and with large

humus content.

As a dry crop it grows best on deep black soil such as is found along the Godavary River. When the crop is irrigated, lighter soil is more suitable with a substratum of murrum 2 or 3 feet from the surface to ensure good drainage. The irrigated wheat of the Deccan is grown on this kind of land. Irrigated wheat is grown alone and rotated

with ordinary garden crops. Dry crop wheat is sometimes sown alone and sometimes mixed with saffiower, linseed or gram. Dry wheat is generally rotated with cotton and jawar in the cotton districts and with linseed and gram along the Godavary.

The usual trade classification into hard and soft white wheats and hard and soft red wheats applies also the Hyderabad wheats. The hard whites (Bakshi) have a higher percentage of gluten which gives them a flinty translucent appearance; the soft whites are starchy and opaque. The hard red wheats of the Karnatic are the best of the kind. Hard red are the largest grown dry variety of Marathwara. The spelt wheat (Jod Gahoon) variety is classed as a hard red, while the common hard red is the dry crop wheats of Marathwara. The soft red and soft white is limited in the area, by their great liability to rust and spelt which is practically rust-proof is by far the most common of the irrigated wheats of the Deccan and Karnatic.

Dandpuri is a semi soft variety found in the moisture tracts of the State. Bakshi is the hard white wheat so also is the Hansia. Pusa 4 wheat is a recent introduction. Good work is done in the Agricultural Department to find out the best types.

The seed rate is 55 to 66 lbs. per acre.

The normal average outturn of wheat for Hyderabad State grown dry comes to about 575 lbs. of grains and about 1,000 lbs. of straw (and irrigated 1,250 lbs. of grain) per acre. Thus the proportion of grain to straw is 1 to 1.6.

Wheat straw is a poor fodder and the straw of spelt wheat is almost inedible.

The district percentage of the area grown under wheat in Hyderabad State and the serial order according to its importance districtwari is:—

Srl. No.	Districts		P.C.	Order
1 !	Atraf-i-Balda	[	0.6	10
2	Warangal		0.004	15
3	Karimnagar		0.05	14
4	Adilabad		1.0	9
5	Medak		0.3	11
6	Nizamabad		0.09	13
7	Mahbubnagar		0.1	12
_8	Nalgonda			• •

SI. No.	Districts	•	P. C.	Order	
9	Aurangabad		29.0	1	
10	Bir		11.0	4	
11	Nander		15.0	3	
12 ;	Parbhani		18.0	2	
13	Gulbarga		6.0	7	
14	Osmanabad		9.0	5	
15	Raichur		7.0	6	
16	Bidar		3.0	8	

The import and export of wheat in and from Hyderabad State in 1939-40 show the possibilities of expansion of its acreage in the State and are as follows.—

	Quantity- in tons.	Value in Rs.
Import Export	11,750 $4,429$	13,69,000 5,15,000

# Districtwise varietal distribution of WHEAT (with trade and scientific particulars)

#### H.E.H. the Nizam's Dominions.

Trade Name	Scientific class	Predominating characteristics	Local synonyms	Districts where grown mostly
1. Sharbati	Triticum vulgare	Soft yellowish- white or white grown dry.	Hyderabad-Sharbati Aurangabad-Potia Jalna-Pissi Aurangabad-Pusa ro or Bodka.	Parbhani, Aurang- abad, Bir, Nander, Osmanabad and Nizamabad.
2. Bansi	T. Durum	Semi hard, golden yellow or amber and elongated grown dry.	Hyderabad. Bidar —Bansi Osmana- bad, Aurangabad.	Bidar, Bir, Aurang- abad, Gulbarga, Parbhani, Nander, Osmanabad, Medak Raichur and Adila- bad
	T, Philosum	do	Bir Bakshi Parbhani or Nander Bunkshi	Aurangabad, Bir, Parbhani, Nander, Bidar and Osmanabad.
8. Peela No. 1	T. Durum	Semi-hard, yellow or amber mixed with 10 per cent. to 15 per cent. red (Begad) grown dry generally and irrigated in some places.	Hyderabad-Peela No. 1 Aurangabad-Peela Bir-Peela Osmanabad Bir and \Daudpuri Parbhani Parbhani and Nander-Bagad Parbhani-No. 1.	Aurangabad, Bir. Parbhani, Nander and Osman- abad.
Peela No. 2	đo	Semi hard yellow or amber mixed with 25 to 30 per cent. red (Begad and Gajra) grown dry generally and irrigated in some Places.	Hyderabad-Peela No. 2 Osmanabad and Aurangabad- Kathia or Jalalia or Kattal Nander, Bir and Osmanabad Gajra Parbhani and Nander-Begad.	Aurangabad, Osmanabad, Nander, Bir and Parbhani.
4. Lal (Red)	đo	Hard and red Grown dry.	Lal or Gaorani Dominions Kowdya or Peddagodumalu- Nizamabad.	Distributed in general all over the Do- minions but parti- cularly in Marath- wara. In Telingans (Nizamabad) and Karnatic (Raichur) and Gulbarga.
5. Jod Gahoon (spelt wheat).	T. Dicoc- cum.	Hard , red, slender and elongated. irrigated.	Marathwara-Khapli Jod Telingana-Mikvalu Jod or Gahoon Karnatie-Kuapli Godhi,	Grown throughout the Dominions mostly Bidar, Parbhani, Medak, Osmanabad, Aura- ngabad, Bir and Raichur.

59

# OUTTURN AND PROPORTION OF DIFFERENT WHEATS IN THE DISTRICTS OF H.E.H. THE NIZAM'S DOMINIONS (in tons).

S1.	· [		1935	Semi-ha	RD AMBER	COLOUR	HARD RED COLOUR		SOFT WHITE COLOUR
No.	Districts	:	Outturn in tons ,	Bansi and Bakshi	Peela No. 1	Peela No. 2.	Red or Gaorani	Jod	Shar- bati Potia or Pissi
1	2	!	8	4	5	6	, 7	8_	9
1	Atraf-i-Balda		588	••			588	••	;
2	Warangal		3	•••	••	••	3	••	
8	Karimnagar		65	••	••		65	• •	
4	Adilabad		2,902	••	••	• •	2,902	• •	
5	Medak		185	••	• •	••	185	••	<u> </u>
6	Nizamabad		67	•••	••	••	67		
7	Mahbubnagar		287	· . ••	••	••	287		
8	Nalgonda	••	••	••	••	: ' ••			
9	Aurangabad	•••	45,828	5,728	•••	17,186			22,914
10	Bir	••	21,905	4,380	6,580	8,755	2,190	• •	
11	Nander		30,915	3,092	6,184	6,184	15,455	••	
12	Parbhani		29,356	1,486	7,340	5,872	14,676		
13	Gulbarga		5,311	:		• •	5,046	265	
14	Osmanabad		12,665	2,583	3,799	4,222	2,111		1
15	Raichur		2,169	108	•		1,958	108	
16	Bidar	••	3,602	180	••		3,242	180	
	Total	••	155,848	17,489	23,903	42,219	48,770	553	22,914
	Percentage	į	100	11.3	15.4	27.1	31.3	0.4	14.1

### No. 4-B.—WHEAT ACREAGE.

#### (FIGURES IN THOUSANDS).

sı.	Districts		1935-36	1936-37	1937-38	1938-39	1939 <b>-1</b> 0	5 years'	average
No.			1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	. 2		3	4	5	6	7	8	9
1	Atraf-i-Balda	••	13	2	2	2	3	7	4
2	Warangal	:	••	••	••		• •		••
3	Karimnagar		1	1	••	••	1	1	1
4	Adilabad	إ	18	18	14	13	10	16	14
5	Nizamabad		2	2	2	2	3	1	2
6	Medak		1	3	3	. 3	3	3	3
7	Baghat	· · j	••	••	! !		· • •	••	••
8	Mahbubnagar		3	3	2	2	1	2	2
9	Nalgonda		••	• • •	• • •	• •			••
	Telingana	• •	38	23	23	22	18	30	26
10	Aurangabad		319	329	415	351	304	369	344
11	Bir	$\cdot \cdot  $	134	178	124	125	146	. 143	141
12	Nander	إ	186	188	170	131	102	185	155
18	Parbhani		224	210	222	247	231	221	227
14	Gulbarga		87	125	122	113	78	71	105
15	Osmanabad		137	160	143	137	124	112	140
16	Raichur		83	112	98	90	121	89	101
17	Bidar		. 39	41	39	34	30	40	37
	Marathwara	• • • <u>•</u>	1,209	1,285	1,333	1,228	1,063	1,230	1,250
	Hyderabad State	٠. إ	1,247	1,368	1,856	1,250	1,159	1,260	1,276
	All-India	٠.	33,639	33,215	35,640	35,291	34,014	33,907	34,360
	P.C. of Hyderabad in India		3.71	4.12	3.80	3.54	3.40	3.71	3.71
	Position of Hyder- abad among India Provinces	n.	9	8	9	9	10	8	9

#### No. 4-C.—WHEAT OUTTURN (IN TONS)

#### (FIGURES IN THOUSANDS).

SI. No.	Districts		1935-36 1345 F.	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years. 1931-35	average 1936-40
1	2		3	4	5	в	7	8	9
1	Atraf-i-Balda		1	••	* *	• •	••	1	
2	Warangal	••		••		••	••		••
3	Karimnagar		• •	••			••		• •
4	Adilabad		2	2	2	2	2	2	2
5	Nizamabad	٠.		••	1				
6	Medak		••	••			••	• •	••
7	Baghat			••		••	• •		
8	. Mahbubnagar		• •	••	••				
9	Nalgonda		••	••	••			••	
	Telingana	••	3	2	3	2	2	3	3
10	Aurangabad		42	51	74	61	ვი	51	58
11	Bir		18	32	21	18	22	. 19	22
12	Nander	• ;	19	32	29	17	12	27	22
13	Parbhani		28	40	39	37	29	29	34
14	Gulbarga		6	10	8	7	7	4	7
15	Osmanabad		15	25	' 15	18	16	. 12	18
16	Raichur		6	11	7	8	12	6	9
17	Bidar	٠.	3	5	4	3	2	2	. 4
	: Marathwara		137	105	197	169	140	151	169
	Hyderabad State		140	207	200	171	142	154	172
	All-India	••	9.434	9,752	10,764	9,934	10,752	9,377	10,127
	P.C. of Hyderabac to India	1	1.48	2.12	1.86	1.72	1.82	1.64	1.69
	Position of Hyder- abad among Indi Provinces	ian	13	12	12	12	12	12	12

No. 4-D.—YIELD PER ACRE OF WHEAT IN LBS.

Sl. No.	Districts		1935-86 1345 F.	1936-37 1346 F.	1937- 38 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years' 1931-35	average 1936-40
1	. 2		3	<b>.</b> 4	5	. 6	7	8	, 9
1	Atraf-i-Balda		180	253	187	268	211	167	220
2	Warangal		160	••		. ••	••	••	•••
3	Karimnagar		232	327	315	294	<b>2</b> 05	219	275
4	Adilabad		197	267	363	222	301	253	270
5	Nizamabad		134	251	216	183	181	178	193
6	Medak		86	122			188	163	186
7	Baghat			97	183		80	200	149
8	Mahbubnagar		137	263	257	223	189	135	214
9	Nalgonda		10.	200	1		100	100	
_		••	291	246	300	387	287	308	342
10	Aurangabad	•							
11	Bir		295	401	389	331	<b>339</b> .	299	351
12	Nander	•••	229	384	379	292	303	327	317
13	Parbhani		276	426	390	133	283	289	302
14	Gulbarga		145	180	143	133	. 214	129	163
15	Osmanabad		255	344	232	293	309	249	287
16	Raichur		166	214	156	196	214	142	189
17	Bidar		192	258	259	213	208	178	226
	Hyderabad State		251	343	331	308	275	273	302
	Bombay Presidence	y	417	391	374	406	400	431	398
	C.P. and Berar		424	428	449	446	432	450	436
	Madras Presidency			••	• •				••
	Average India	!	628	658	677	631	708	663	660

(Calculated from annawari Estimates and Standard yields).

NO. 4-E.—WHEAT-DISTRICT ANNAWARI CONDITION OF CROP.

Sl. No.	Districts		1935-36 1345 F.	1936-37 1846 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1849 <b>F</b> .
1	2	i	3	4	5	6	7
1	Atraf-i-Balda	• •	11	10	8	11	8
2	Warangal		8	••	• •		
3	Karimnagar	٠.	11	12	9	10	7
4	Adilabad	٠.	9	8	11	7	9
5	Nizamabad		7	10	8	7	7
6	Medak		4	5	6	6	8
7	Baghat	•		4	7	9	8
8	Mahbubnagar .	• •	10	11	10	10	8
9	Nalgonda .				• • (	•• ;	
10	Aurangabad	··i	11	9	11	10	9
11	Bir	. • •	11	10	10	9	9
12	Nander .	-	12	12	11	9 }	9
13	Parbhani .		12	12	12	10	9
14	Gulbarga .		8	7	6	5	9
15	Osmanabad .	-	10 !	10	7	9	9
16	Raichur .	-	8 .	5	6	8	9
17	Bidar .	-!	9 ;	9	9	8	8
	Hyderabad State	 ,	10	10	9	9	9

#### No. 5.—JAWAR.

No. 5-A—A short note on Jawar or great Millet(Andropogon sorghum).

Hindustani.-Jawar (Grain) Kadbi (straw).

Marathi.— Jondhola (Grain) Kadba (Straw).

Telugu.— Jonnalu (Grain) Choppa (Straw).

Kanarese. - Jola (Grain) Kanki (Straw).

In 1939-40  $\frac{\text{area}=7,533,762 \text{ acres}}{\text{outturn}=1,224,982 \text{ tons}}$  or 364 lbs. per acre, when the crop was 73 per cent, of the normal.

Hyderabad has 29.38 per cent. of total jawar area of India and amongst jawar growing provinces it ranks first in India with regards acreage and third with regards outturn.

Jawar is the most important cereal and at the same time the largest and most widely grown crop of Hyderabad State. It stands first among all the crops grown in Hyderabad State having over 75 lakhs of acres or about 31 per cent. of 3rd of the total net cropped area of the State to its credit. As a food crop it is better than rice. as the grain contains more proteids while it also has more starch than wheat. The grain is chiefly eaten as a bread stuff in unleavened cakes. Jawar is equally important as a fodder and it is perhaps no exaggeration to say that of all the plants grown in the world for the production of fodder, it probably stands first in being capable under a great variety of conditions producing a very large quantity of palatable fodder in a minimum of time and under fairly dry conditions.


The distribution of the crop is regulated by the amount and distribution of rainfall, but the depth and character of the soil play an equally important part. In the parts of the Deccan where the soils are shallow it gives place to Bajra. It is essentially a crop of deep and heavier soils, while the best results are obtained in centres with an average rainfall of from 25 to 40 inches.


JAWAR

PROPORTIONATE DISTRIBUTION IN INDIA & HYDERABAD

1349 F.(1939.40)


JAWAR PRODUCTION IN INDIA JAWAR PRODUCTION IN HYDERABAD
33389 10418





JAWAR

# ACREAGE, OUTTURN & PER ACRE YIELDS



Agriculturally speaking, three main divisions of the crop may be made: (a) the early sown or Kharif varieties, red, yellow, and white, (b) the late sown or rabi varieties—all white and (c) the irrigated hot-season crop grown for fodder alone.

Various pulses, oilseeds and fibre plants are generally grown mixed with kharif jawar. The best jawar is grown on black soil in rotation with cotton, but the crop does particularly well also on the deep alluvial soils. Telingana is the chief area for kharif jawar. The kharif is generally sown in June as soon as the land is sufficiently moistened. The crop matures in four to four and a half months but when grown for fodder alone it is cut in 3 months or with certain varieties (e.g. Sundhia) in even less time. jawar is also extensively grown and occupies nearly half of the total area under the crop. Its success depends upon a deep moisture-retaining soil and sufficient late Marathwara and Karnatic are the chief centres rainfall. Rabi jawar is generally sown with drill in of rabi jawar. September or October and is harvested in February or Rabi jawar in Marathwara and Karnatic has usually subordinate to it safflower in rows, or linseed either in rows or sprinkled. The best hot season jawai sown between November and February and require irrigation. They are generally cut for fodder before they reach maturity, and fed at once to the cattle in the hot weather. The yield of fodder jawar is 9,000 lbs. per acre of green fodder.

If the seed of any variety is sown thickly in good well-manured soil in a favourable season, the stalks will grow tall and thin and produce small heads of grain. When a good market for Kadbi exists the seed is thickly sown and large yield of the excellent fodder is obtained. The best varieties of jawar are—(a) Rabi=Raichur white. Chitapur white, Sholapuri, Mantha, Chapti, Badri, Dagdi, Maldandi, (b) Kharif=Local Yellow, Kharif white, Berari or Mahori, Thaingni, Dhendi and Ramkhel. Kharif yellow and kahrif red are the best fodder varieties. The places noted for jawar in Hyderabad State are Parenda (Osmanabad) and Chitapur (Gulbarga).

The average yield of jawar per acre comes to about 670 lbs. for the Kharif dry or unirrigated crop and 540 of

the Rabi dry crop. The average yield of fodder per acre in addition to the grain comes to about 1,700 lbs. green and 1,200 lbs. dry fodder, and the normal proportion of grain to fodder is about 1 to 2.5.

The district percentage of the area grown under jawar in the Hyderabad State and the serial order is:—

Districts	P. C.	Order	Districts	P. C.	Order
Atraf-i-Balda	1	15	Aurangabad .	.: 9	4
Warangal	5	11	Bir .	. 6	9
Karimangar	4	12	Nander .	. 6	, 7
Adilabad	6	8	Parbhani .	. 9	; , 5
Medak	. 2	14	Gulbarga .	. 15	1
Nizamabad	1	16	Osmanabad .	. 9	, ន
Mahbubnagar .	. 5	10	Raichur .	. 11	2
Nalgonda	. 3	13	Bidar .	.  8	6

The import and export of Jawar in and from Hyderabad State in 1939-40 show a favourable condition of the State with regards to this crop.

Q	uantit	y in tons	Value in Rs.
Import		5,500	4,97,000
Export		30,214	27,39,000

The districtwar distribution of the varieties in the State are:

## Kharif varieties:-

- (1) Kharif Yellow ... Nander, Medak, Atraf-i-Balda Warangal, Nalgonda, Mahbubnagar, Nizamabad, and Karimnagar,
- (2) Kharif white

  ..Nander, Medak, Atraf-i-Balda
  Warangal, Nalgonda, Mahbubnagar, Nizamabad, and Karimnagar.

... Nander. (3, Berari Nander (4) Mahori ... Nander and Warangal. (5) Thaingni (6) Dhendi .. Karimnagar. .. Warangal. (7) Ramkhel (8) Pachcha Jonna-Medak and Atraf-i-Balda. Rabi Varieties :-.. Raichur, Gulbarga, Bir, Nander (1)Rabi white Adilahao and Medak. ... Osmanabad, Bir and Gulbarga. (2) Sholapuri .. Parbhani. (3) Mantha Chapti .. Bidar, Bir and Osmanabad. (4) Bedri .. ()smanabad. Bir. Aurangabad (5) Dagdi Parbhani.Raichur and Gulbarga .. Bidar, Bir, Osmanabad, Raichur 161 Maldandi and Gulbarga. .. Bidar, Bir and Osmanabad. (7) Rabi Red ... Bir and Nander. (8) Rabi Yellow (9) Thaingni . Bir. (10) Berari .. Nander. ..Osmanabad. (11) Motichure Fodder Jawar Varieties :-

- (1) Kharif Yellow ... Telingana.
- (2) Kharif Red do
- (3) Nilva, Shalu and .. Aurangabad. Flavali

## No. 5.-B.-JAWAR ACREAGE.

(Figures in thousands).

Seri-		·	1935-36	1936-37	1937-38	1938-09	1939-40		average
al No.	Districts	1	1345 F.	1346 1'.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	2	,	3	4	•	6	7	8	9
1	Atraf-i-Balda		180	128	107	116	194	122	145
2	Warangal		423	452	470	467	651	451	492
3	Karimnagar		329	363	329	625	523	363	434
4	Adilabad		472	447	456	499	550	550	487
5	Nizamabad		138	128	98	118	271	140	150
6	Medak		118	155	133	176	255	141	167
7	Baghat		••	20	22	13	43		19
8	Mahbubnagar		445	411	389	517	469	458	446
9	Nalgonda	• • ;	354	393	283	398	467	302	379
	Telingana	••;	2,459	2,497	2,289	2,929	3,423	2,527	2,719
10	Aurangabad	٠٠,	819	858	819	787	768	813	810
11	Bir	٠-١	472	710	542	542	690	551	591
12	Nander		512	548	535	496	580	552	534
13	Parbhani		732	780	747	717	772	787	750
14	Gulbarga		1,189	1,437	1,203	1,204	1,392	1,426	1,285
15	Osmanabad		962	963	766	795	767	879	85]
16	Raichur	••	955	924	888	961	1,088	1,019	968
17	Bidar		699	663	691	684	931	673	784
	Marathwara		6,340	6,883	6,191	6,186	6,988	6,700	6,518
	Hyderabad State		8,799	9,380	8,480	9,115	10,411	9,227	9,237
	All-India		82,825	37,220	33,489	33,812	33,389	34,218	34,147
	P. C. of Hyderabad to all-India	••	26.60	25.20	25.32	26.95	31.18	26.96	27.05
	Position of Hyder- abad among India Provinces	ın	1	2	1	1	2	1	•

No. 5-C.-JAWAR OUTTURN (IN TONS).

(Figures in thousands).

Seri- al No.	Districts		1935-36 1345 F.	1936-37 1346 F.	1997-88 1347 F.	1938-39 1348 F.	1909-40 1349 F.	5 years 1931-35	average 1930-40
I	2		3	4	5	E	7	8	9
1	Atraf-i-Balda		20	20	16	24	31	13	22
2	Warangal		38	70	+39	7:3	118	50	78
3	Karimnagar		37	69	55	76	67	<b>?</b> ;4	39
4	Adilabad		72	52	51	72	95	65	81
5	Nizamabad		15	18	12	15	49	18	21
6	Medak	••	15	21	19	25	40	17	24
7	Baghat		••	2	:3	2	6	• •	3
>	· Mahbu magar		40	56	53	65	73	51	58
9	Naigenia		41	61	მხ	52	79	<b>30</b> 1	56
	Telingana	••	278	390	346	407	<b>5</b> 01	276	397
10	Aurangabad	••	139	148	142	102	149	188	142
11	Bir		74	129	78	97	11:5	80	98
12	Nander	<b>.</b>	SU	112	113	74	106	82	97
13	Parbhani		112	173	136	125	130	112	138
14	Gulbarga		103	215	156	169	214	184	172
15	Osmanabad		73	179 ,	113	104	119	104	118
16	Raichur	٠.	158	110	107	173	161	107	142
17	Bidar		83	134	116	111	132	80	115
	Marathwara	••	822	1,200	963	983	1,144	882	1,022
,	Hyderabad State		1,100	1,590	1,308	1,392	1,705	1.158	1,419
	All-India	••	6,159	7,098	6,506	6,463	6,502	6,047	6,546
	P. C. of Hyderaba to India	d	17.86	22.40	20.10	21.53	26.22	19.14	21.68
,	Position of Hyder- abad among Indi Provinces	an	2	2	1	2	1	2	2

70 No. 5-D.—YIELD PER ACRE OF JAWAR IN LBS.

, , ,		٠	1935-36	1936-37	1937-38	1938-39	1939-40	5 years'	
eri- al Vo-	Districts		1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	2		3	4	5	6	7	8	9
1	Atraf-i-Balda		254	348	\$31		3 <b>52</b>	285	349
2	Warangal		199	345	329	350	404	251	325
3 '	Karimnagar	٠.,	248	368	376	275	<b>28</b> \$	207	311
4.	Adilabad		343	410	399	327	400	280	376
5	Nizamabad		251	323	272	318	404	217	31-
6	Medak		284	302	313	266	350	266	390
7	Baghat		• •	280	277	326	312		29
8	Mahbubnagar		203	307	303	295	. 347	247	29
9	Nalgenda		258	246	301	293	377	219	31
10	Aurangabad		381	386	388	377	433	376	39
11	Bir		351	405	321	401	465	323	36
	Nander		349	458	473	333	`  <b>4</b> 11	333	40
13	Parbhani		341	496	407	392	437	319	4)
14	Gulbarga		195	336	291	314	345	284	29
15	Osmanabad		171	415	336	292	347	267	31
16	Raichur		135	267	269	. 404	331	228	2
17	Bidar		304	458	375	362	319	269	30
	: Hyderabad State		280	381	346	345	364	280	3
	Bombay Presiden	ey .	449	362	334	382	326	468	3
	C. P. & Berar		448	488	559	480	543	499	5
	Madras Presidenc	у	610	579	2 53	577	615	61	5
	Average: India		420	42	7 43	5 429	436	3 423	3 4

(Calculated from annaxari estimates and standard yield).

No. 5-E.—JAWAR—DISTRICT ANNAWARI CONDITION OF CROP.

Srl. No.	Dis <b>tr</b> icts		1935-36 1845 F.	1926-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1989+40 1249 F.
1	. 2		3	4	5	6	-
1	Atraf-l-Balda		8	8	8	11	3
2	Warangal		ថ	3	3	Š	10
ಚ	Karlmangar		:#	9	អ្ន	~	7
4	Adilabac		12	10	10	ĩ	10
5	Nizmabad		8	7	8	$\mathbf{s}$	10
ら	Medak		9	7	5	в	8
:	Baghat			7	$\mathbf{e}^{-i}$	$\mathbf{s}$	8
8	Mahbubuagar		7	7	6 :	7	8
9	Nalgonda		8	7	7 i	7,	ģ
10	Aurangabad		12	9	8	10	10
11	Bir	٠.	11	10	9	10 <sup>i</sup>	9
12	Nander		10	10	11	8	10
13	Parbhani		11	12	9	9 :	11
14	Gulbarga		3	8 .	8	8	8
15	Osmanabad	• •	8	10	-	7 }	8
16	Raichur	••'	12	7	6	10	8
17	Bidar		9	11	10	9	8
	Hyderabad Sta	ate [	9 '	9 '	8	8	9

#### No. 6.—BAJRA.

No. 6-A-A short note on Bajra or spiked millet or Bulrush (millet Pennisetum typhoideum).

Hindustani—Bajra (Grain), Kadbi (Straw).

Marathi— Bajri (Grain), Sarmad (Straw).

Telugu— Cumbu, Sajjalu (Grain).

Kanaresc— Sajji (Grain), Kanki (Straw).

In 1939-40 area=1,619,002 acres or (140) hs. of grain per acre when the crop was (40) per cent. of the normal.

Bajra stands third in importance as a cultivated crop occupying over (16) lakhs of acres or about (7.2) per cent. of the net cropped area in Hyderabad State. Amongst bajra growing Provinces it ranks fifth in India. Hyderabad has 12.8 per cent. of the total bajra area of India. It is the staple crop in a large tract and is the chief food (bread) of large classes of people, but it is grown only where it gives better results than jawar. It is always a kharif crop and a light soil millet, while jawar is chiefly sown on heavier soils both in kharif and rabi. The crop does best when the climate is moderately dry and when the monsoon rains come in light downpours with plenty of sunshine between showers. There are two varietics of bajra grown, i.e., Desi and Cawnpori.

Bajra as a nutritious food stands very high containing about 10 per cent. of proteids and 70 per cent. of starch and compares very favourably with jawar as a food, but its straw makes fodder much poorer than jawar straw.


Bajra is practically always a mixed crop sown with pulse mixtures. As stated above it is always a kharif crop grown dry and sown at the advent of S. W. monsoon i.e., June and harvested in September and October.

The normal average outturn comes to 400 lbs. of grain per acre. The proportion of grain to straw is generall the same as jawar being about 1 to 2.5.

The import of bajra being insignificant it is not separately recorded. The export in 1939-40 (1349 F.) was 12,572 tons worth Rs. 10,27,000.

NO: 17. BAJRA

# ACREAGE, OUTTURN & PER ACRE YIELDS



No. 6-B.-BAJRA ACREAGE.

## (Figures in thousands).

eri-			1935-36	1926-27	1987-85	1935-39	1939- to	•	
al No.	Districts		1345 F.	1346 F.	1347 F.	1548 F.	15.45 F.	1931-35	average 1936-40
1	2		#	ı	.;	6	7	8	9
1	Atraf-i-Balda	••	150	145	139	197	140	148	143
2	Warangal	••	163	160	149	145	72	163	139
3	Karimnagar		8	4	4	5	1	4	3
4	Adilabad	••	25	23	21	22	2	43	18
5	Nizamabad	••	••	3	• •				••
6	Medak	••;	83	31	30	27		28	24
7	Baghat	••	••	1	I	2	2		1
8	Mahbubnagar	}	241	238	243	59	84	30	173
9	Nalgonda		347	440	271	376	332	111	353
	Telingana		962	1.045	858	773	633	860	854
10	Aurangabad	}	348	341	339	307	345	246	335
11	Bir		142	143	143	142	180	138	150
12	Nander		20	. 77	. 22	19	10	24	32
13	Parbhani		46	75	, 4:)	i 40	28	, 48	46
14	Gulbarga		207	201	243	230	92	182	195
15	Osmanabad	•••	84	84	1 <b>79</b>	75	55	80	; , 75
16	Raichur	••,	201	201	199	167	161	247	186
17	Bidar		185	184	182	170	113	185	167
	Marathwara		1,236	1,309	1.250	1,151	986	1,150	1,186
	Hyderabad Sta	te .	2.198	2,354	2,108	1,924	1,619	2,010	2,040
	All-India	••	16,911	16,103	16.242	17,216	17.369	17,623	16,768
	P. C. of Hyderaba to all-India	ad 	12.99	14.62	12.97	11.17	9.32	11.40	12.16
	Position of Hyder abad among Inc provinces	:- lian	5	4	4	5	5	4	5

74

## No. 6-C.—BAJRA OUTTURN (IN TONS).

(Figures in thousands).

geri-	701.14		1936-37		1938-39		5 years'	
al No.	Districts	1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	2	3	. 4	5	6	7	8	9
1	Atraf-i-Balda .	. 8	8	7	7	7	Not available	7
2	Warangal .	. 11	10	9	9	5	,,	9
3	Karimnagar .	. 1	••	••	••	••	, ,,	••
4	Adilabad .	. 1	. 1	1	1	••	,,,	1
5	Nizamabad .		•• ;		••	••	,,	••
6	Medak	. 2	2	2	1	••	,,	1
~	Baghat		••	• •	••	••	,,	• •
8	Mahbubnagar .	. 13	12	13 .	4	6	٠,	10
9	Nalgonda .	., 24	29	18	24	21	.,	23
	Telingana .	. 60	62	50	46	39		51
10	Aurangabad .	. 19	18	17	16	18		18
11	Bir	.: 11	10	10	10	13		11
12	Nander	.  1	4	1	1,	1		3
13	Parbhani .	.; 3	3	3	3	2		3
14	Gulbarga .	. 12	13	15	14	6		12
15	Osmanabad .	. 4	4	4	4	3		4
16	Raichur .	., 13	13	13	10	12		12
17	Bidar	. 10	10	10	9	7		9
	Marathwara .	., 78	77	73	67	62		72
	Hyderabad State .	. 133	139	123	113	101	••	123
	All-India .	. 2,681	2,433	2,625	2,466	2,455	•••	2,532
	P. C. of Hyderabad to all-India	4.96	5.71	4.68	4.58	4.10	••	4.85
	Position of Hyder- abad among Indian Provinces	. 6	6	6	6	6	••	

75
No. 6-D.—BAJRA YIELD PER ACRE IN LBS.

Seri- al	Districts		1935-36	1936-37	1937-38	1935-39	1939-40	5 years	
No.			1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-85	1936-1
1	2		3	4	3	ម	7	8	9
1	Atraf-i-Balda		118	116	116	117	117		117
2	Warangal	• • [	155	146	141	142	140	• •	145
3	Karimnagar		371	185	185	158	150		210
4	Adilabad		129	122	122	140	120		127
5	Nizamabad		119	108	236	63	82		:22
6	Medak	1	133	132	luš	113	212	• •	140
7	Baghat		• •	131	132	125	127		[442]
8	Mahbubnagar		116	113	123	167	172		135
9	Nalgonda		155	145	145	145	143		147
	Telingana'		139	132	132	139	141		137
10	Aurangabad		122	118	114	118	120		118
11	Bir		166	163	163	164	165		164
12	Nander		121	122	122	119	121		121
13	Parbhani		125	137	137	141	150	• •	138
14	Gulbarga		133	143	143	137	147	••	141
15	Osmanabad		114	105	105	109	107		105
16	Raichur		144	143	143	187	165		146
17	Bidar		125	119	119	120	132		123
	Marathwara		132	132	131	131	139	•••	133
	Hyderabad State		135	132	131	134	140	••	134
	Bombay Presidence	ey .	312	256	284	264	255	• •	274
	C. P. & Berar		453	491	576	592	469	••	516
	Madras Presidency	r	591	577	577	530	568	* •	568
	Average India		355	339	341	318	316		334

(Calculated from annawari and standard yield).

#### No. 7.—BARLEY.

No. 7-A—A short note on Barley (Hordeum Vulgare).

Hindustani-Jau (grain) Parel (straw).

Marathi Satu, Jay (grain).

Telugu— Yavalu, Mullewaloo (grain).

Kanarese- Javegodhi (grain).

Barley is not extensively grown in Hyderabad State. Its cultivation is round about the city of Hyderabad and places of military cantonments. It is grown as rabi irrigated crops and like irrigated wheat is often a second crop in garden lands and takes its place in rotation among the numerous garden crops grown. 3 to 4 irrigations are given. Barley is generally grown alone, occasionally there is a sprinkling of rape or mustard. Barley is essentially a light land crop. The sandy loams are particularly suitable. Barley is sown usually in October Seed-rate is 100 lbs. per acre. The crop mature in about The crop is harvested at the end of four months. January, threshed and prepared for market in the same way as wheat. Barley is extensively used as horse food and not for brewing and distilling. It is practically exempt from disease and probably on this account is grown in preference to wheat, the latter crop being often seriously damaged by rust. A full average yield of barley amounts to 1,160 to 1,200 lbs. of grain per acre and about a ton of straw. The straw is more nutritious than that of wheat.

The variety cultivated is six rowed barley (Hordeum hexastichum). Ten women are required to cut an acre of barley in a day. Threshing and winnowing require 8 to 10 labourers for an acre.

(a) Cost of reaping 10 women at Rs. 0-3-0 per head ... 1 14

(b) Threshing and winnowing: 9 labourers
Rs. 0-4-0 per head .. 2 4


4 2 0

0

Average produce is 1,200 hs. at Rs. 3 per maund=Rs. 44 and thus the harvesting charges are about 8 per cent. of the value of produce.

NO: 18. BARLEY

## ACREAGE, OUTTURN & PER ACRE YIELDS



No. 7-B. BARLLY ACREAGE.

77

	Districts		1935-36	1936-37	1937-95	1938-00	1939-40	5 year	average
No.	!		1345 F.	1346 F.	1317 F.	1348 F.	1349 F.	1931-35	1936-40
1	2	j	3	4	3	ij	7	δ	y
1	Atraf-i-Balda	•••	3,180	3,383		,.	828	3.231	1,478
2	Warangal		341		••	62	\$2	251	108
3	Karimnagar		205		• •			295	43
4	Adilabad		163	15	12	12		159	4(
5	Nizamahad		529	152	19	501	••	449	( 360
6	Medak		<b>3</b> 11	541	\!a1	7113	\$8	656	601
7	Baghat			231	667	895	2(4)		299
8	Mahbubnagar	••	6.528	2.355	186	20 1	10	2,672	1,86
9	Nalgonda		171	12	••		15	311	40
	Telingana		11,928	7,025	1.574	2,209	1,223	8,264	4,832
10	Aurangabad		2,781			• •	••	2.310	556
11	Bir	$\cdot \cdot  $	8.976	235	306	293	••	10,212	1,965
12	Nander		2,831	922	768	754	173	2.405	1,090
13	Parbhani		1,856	ยรร	547	447	350	1.988	715
14	Gulbarga	$\cdot \cdot  $	2,840	1,056	3,666	3,207	1,293	2.755	2,412
15	Osmanabad		602	474	548	616	313	275	511
16	Raichur		123	••	••	303	, 3	560	86
17	Bidar		9,67 <i>5</i>	3,724	5,626	4,778	855	4,155	8,512
	Marathwara		23,684	6,786	10.861	10,398	2,487	25,160	10,848
	Hyderabad State	٠.[	35,612	13,811	12,625	12,607	3,710	33,424	15,675
	All-India		61,25,000	64,64,000	62,45,000	6,12,800	60,33,000	65,17,000	61,99,000
	P.C. of Hyderaba to India	ad	0.58	0.21	0.20	0.21	0.06	0.51	0.25
	Position of Hyde abad among Indian Province	i	7	9	11	9	11	7	11

Note.—What is noted as Barley in this statement is really the real barley plus the " spelt wheat ".

No. 7-C.—BARLEY OUTTURN (IN TONS).

78

1.	Districts	1935-36	1936-37	1937-38	1938-39	1939-40.		avera
io.		1345 F.	1346 F.	1347 F.	1348 F.	1349 F	1931-35	1936-40
1	, <u>2</u>	3	4	5	6	7	8	9
1	Atraf-i-Balda	625	368	••	:	110	Not available	221
2	Warangal	18	••	••	15	11	, ,,	. 9
3	Karimnagar	11	••	••	• •	••	,,	2
4	Adilahad	10	2	2	2	••	,,,	3
5	Nizamabad	136	25		••	••	٠,	. 32
6	Medak	137	123	140	130	. 13	,,	109
7	Baghat		22	. 3	, 69	41	••••	27
8	Mahbubnagar	847	431	22	36	1	,,	. 268
9	Nalgonda	; 5	1		••	22 ;	51	. 3
	Telingana	1,789	972	167	252	180		672
10	Aurangabad	500		••	••	•••		100
1	Bir	531	22	29	28			122
2	Nander	213	. 138	15	121	26	••	123
8	Parbhani	187	61	73	75	54		90
4	Gulbarga	329	237	845	810	205	••	485
5	Osmanabad	66	65	, 75	70	38		62
6	Raichur	11		i	• ••	••	••	2
7	Bidar	918	414	599	35	64	• •	412
1	Marathwara	2,755	967	1,736	1,139	387	••	1,396
	Hyderabad State .	4,544	1,939	1,903	1,391	567	••	2,068
1	Ali-India	23,30,000	23,13,000	20,88,000	18,54,000	19,85,000	••	21,14,000
	P.C. of Hyderabad to all -India	0.19	0.08	0.09	0.07	0.08	••	0.09
	Position of Hyder- abad among Indian Provinces	, 8	11	11	11	11	• •	11

## No. 8-RAGI.

No.8-A-A short note on Ragi or Nagli (Eleusine coracana).

Hindustani-Ragi (grain) Ghass (straw).

Marathi- Nagli, Nachni (grain).

Telugu- Taidalu, Raghulu (grain).

Kanarese-Ragi (grain).

In  $1939-40 = \frac{\text{area} = 25,320 \text{ acres}}{\text{outturn} = 3,391 \text{ tons}}$  or (300) lbs. of grain per acre when the crop was (67) per cent. of normal.

Amongst ragi growing Provinces Hyderabad ranks 4th in India. Ragi occupies ninth place among the chief cultivated crops of the State, having over (25) thousands of acres or about (0.09) per cent. of the net cropped area of the State to its credit.

The chief ragi growing tract in Hyderabad State is Karnatic and then Telingana. Heavy crops are produced on alluvial soils of Telingana and Karnatic. Ragi is entirely a rain crop in Hyderabad State and is generally grown in districts of heavy rainfall on land which is too light for rice or too steep to be converted into terraced rice fields. It thrives well on such land with a well distributed fall of 30 to 35 inches and even a heavier rainfall suits the crop admirably.

Ragi is sometimes drilled but generally grown unmixed and from transplanted seedlings. It is grown once in 3 or 4 years in the same field. It is rotated by sesamum and niger. A fair average crop will yield 699 to 1,016 lbs. of grain (Irrigated 1,400 lbs. and dry 900 lbs.). Ragi straw is of poor nutritive value as fodder. Ragi will keep good if stored in underground pits for a very long time.

No. 8-B. RAGI ACREAGE.

SI. No.	Districts		1935-36 1345 F.		1937- 38 1347 F.		1939-40 1349 F.		average 1936-40
1	2		3	4	5	G	7	s	9
1	Atraf-i-Balda	•••	85,451	98,758	4,258		11.977	185,512	50,109
2	Warangal		11,560	11,500	975	204	623	59,854	4,960
8	Karimnagar		262	<b>û</b> 22	453			5,900	2,579
4	Adilabad	• •			155		1.6	3,251	150
5	Nizamabad	٠.	7,7.5	7,023	6,583		22	11,064	5,259
6	Medai:		3,441	6,945	8.775	• •	974	82.171	3,756
7	Paghat		499	4,102	2,421	• •	1,324		1,086
ន	Mahbabna <sub>ë</sub>	:	126,465	109,518	15,424	7,564	6,575	157,352	53,310
9	Nalgonáa -		7,292	9,170	5,176	1,546	243	2,223	4,765
	Telingana	••	242,017	254,438	39.815	9,614	22,287	489,062	113,634
10	Aurangabad					• •		. !	
11	Bir		••	• •	• •	••		2,437	
12	Nander		<b>60</b>	175		••	•••	5,647	117
13	Parbhani			;	••	• •	••	1,312	
14	Gulbarga	••;	31,192	21,789	18,223	2,362	1,675	34,114	15,048
15	Osmanabad	••;	79	77	437		•• ;	1,751	74
16	Raichur	!	100,08	30,000	12,002	4,820	1,312	13,622	15,807
17	Bidar		2,775	4,188	1,521	••	46	11,950	2,082
,	Marathwara	•••	65,607	56,229	31.el5	7,182	3,033	71,163	82,618
1	Hyderabad State		307,624	310,667	71,428	16,796	25,320	560,525	146,247
;	All-India				Not	availabl e		i	
ļ	P.C. of Hyderabad to all-India.					d.			**************************************
	Position of Hyder- abad among India Provinces.	an			-	d·,			

#### No. 9.—MAIZE.

No. 9-A-A short note on Maize or Indian Corn (Zea Maus).

Hindustani—Makkai, Bhutta (Grain) Kadbi (straw).

Marathi— Maka (Grain).

Telugu— Mokkajonna (Grain).

Kanarese- Mekhijol. Goinjol (Grain).

In  $1939-40 = \frac{\text{area} = 579,496 \text{ acres}}{\text{Outturn} = 96,140 \text{ tons}}$  or 377 lbs. of grain per acre when the crop was 63 per cent of normal.

Hyderabad has 9.89 per cent. of the total maize crop area of India and amongst maize growing Provinces it ranks 4th in India. With regards to irrigated crop of maize, Hyderabad State stands 4th among the Indian Provinces and States.

Maize crop occupies the tenth place among the chief cultivated crops of the State, having over (6) lakhs of acres or about (2.2) per cent. of the net cropped area of the State to its credit.


In Deccan it is mostly grown for green cobs and early fodder though the grain in some cases is allowed to ripen. The green cobs are readily sold in towns for roasting.

In parts of Medak district it is grown either as a rain or as a late irrigated crop. The varieties grown are local small (3 months crop) local large (4 months crop) and the local forgreen cobs. The kharif or rain crop is most extensively cultivated and is usually followed by a rabi crop of wheat or gram. Maize with sufficient rainfall does best on the rich brown soils. Rice lands' retentive of moisture either by position or by depth and density also suit the crop. It is usually sown alone as its quick habit of growth does not make it a good companion for subordinate mixtures.

Maize gives on an average yield of 563 lbs. (when dry crop) and 1,040 lbs. (when irrigated crop) of grain. As a fodder maize probably stands only second to jawar amongst the fodder crops of the world and it may even be doubted whether it is not in many cases considerably its superior. It produces almost as much good fodder

NO: 19. MAIZE

ACREAGE, OUTTURN & PER ACRE YIELDS



per acre as jawar, i.e., 10,000 of green fodder per acre. It can be sown at any time of the year and in any type of soil suitable to jawar provided irrigation is given during hot weather and one or two waterings in cold weather. It grows rapidly. It requires little water considering the yield of fodder which it gives. It can be safely grown over a large range of country than its rival, the jawar and it can be fed at any stage of its growth far more safely than is the case with jawar. Taking all these factors into consideration it can safely be said that maize is not only an excellent fodder crop in ordinary times but is probably the best emergency fodder crop to grow when the rain fails, as is often the case in south-western parts of the State and when famine is imminent.

No. 9-B.—MAIZE ACREAGE.

(FIGURES IN THOUSANDS).

Sl. No.	Districts		1935-36 1345 F.	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years' 1931-35	average 1936-40
1	2		3	4	3	6	7	8	9
1	Atraf-i-Balda	•••	25	22	22	20	22	30	22
2	Warangal	••	158	161	165	160	83	169	145
3	Karimnagar	• •	162	159	154	149	163	144	158
4	Adilabad	٠.	36	38	37	35	38	40	37
5	Nizamabad	••	51	51	35	31	34	40	40
6	Medak	٠.	34	39	44	54	59	62	46
7	Baghat	.,	• •	. 4	1	1	••	••	. 1
8	Mahbubnagar		11	20	10	9	12	20	12
9	Nalgonda		18	16	16	16	17	25	17
	Telinganu	••'	495	510	484	475	428	530	478
10	Aurangabad		14	23	13	14	13	15	15
11	Bir		9	18	; ;	ន	9	7	10
12	Nander	• • •	25	23	21	21	22	33	23
18	Parbhani	••	28	26	22	21	12	27	22
14	Gulbarga	٠.	22	23	23	27	34	23	26
15	Osmanabad		17	16	15	17	14	17	16
16	Raichur		29	18	29	25	21	31	24
17	Bidar	٠.	36	16	; 37	39	26	40	31
	Marathwara		180	163	167	172	151	193	167
	Hyderabad State		673	673	651	647	579	723	645
	All-India		6,613	6,391	6,276	6,330	6,380	6,905	6,398
	P.C. of Hyderabad all-India Position of Hyder	:	10.21	10.31	; 10.37	9.76	9.78	10.47	10.08
	abad among Ind Provinces		4	4	4	4	4	4	4

No. 9-C. MAIZE OUTTURN (IN TONS).
(FIGURES IN THOUSANDS).

Srl. No.	Districts	1935-36 1345 F.	1956-37 1316 F.	<u> 1937-35</u> 1347 Г.	1908-39 1348 F.	163 <sup>-</sup> -40 1349 F.	5 vears 1931-35	
1	2	Ð	ŀ	5	<b>6</b>	7	٥	9
1	Atraf-i-Balda	. 4	4	1	:;	1	Not	1
2	Warangal	90	20	::0	25	•.5	rellible	26
3	Karimnagar	21	21	21	2:)	25	••	24
4	Adilabad	41	4,	t,	6	î	••	G
5	Nizamabad	9	<b>!</b> *	13	ti	45	• •	7
6	Medak	5	15	7	34	51	••	7
7	Baghat		ī	• •	••		••	, .
8	Mahbubnagar	2	1	1	2	.;	• •	2
9	Nalgenda	3	3		3	::	• •	3
	Telingana	83	83	81	80	72	• •	79
10	Aurangabad	:3	4 (	2	<b>3</b> .	2	••	3
11	Bir	1	3	1	1	1	••	1
12	Nander	4	4	3	3 .	1	••	4
13	Parbhani	5	5		4 1	2		4
14	Gulbarga	4	£ '		4	3		4
15	Osmanabad	3	2 ;	2	3	2 ,	•• [	3
16	Raichur	4	2	4	3 1	3 ;	• •	3
17	Bidar	7	3	7	8	5	•• •	6
	Marathwara	31	27	27	29	24	• •	28
	Hyderabad State	114	110	108	109	96		107
	All-India	2,232	1,946	2,117	1.874	2,223	••	1,839
	P.C. of Hyderabad to all-India	5.10	5.65	5.10	5.81	4.31	• •	5.81
P. della del	Position of Hyder- abad among Indian Provinces	ŏ	5	5	5	5	• •	5


86 `

No. 0-D.-MAIZE YIELD PER ACRE IN LBS.

eri- al No.	Dist:icts				1937-38 1347 F.	1938-39 1348 F.		5 years' 1931-35	
1	2		3	4	5	6	7	8	9
1	Atraf-i-Bald <b>a</b>	••;	359	372	368	391	376	Not available	373
2	Warangal		422	400	400	395	395	available	402
8	Karimnagar		344	344	344	340	338	••	842
4	Adilabad		885	855	855	369	379		369
<b>5</b>	Nizamabad	• • •	898	886	386	409	403		895
6	Medak		310	873	373	356	352	• ••	353
7	Baghat			366	366	425	430	••	. 317
8	Mahbubnagar		339	326	326	489	550		396
9	Nalgonda		367	40()	400	431	429	••	405
	Telingana		376	372	370	376	377		375
10	Aurangabad		469	406	+406	410	397	••	418
11	Bir		377	318	318	340	357	••	342
12	Nander		335	353	397	855	351	• •	€ 58
13	Parbhani		363	390	389	394	. 386		384
14	Gulbarga		406	392	392	341	338	••	374
15	Osmanabad		378	345	345	347	343		352
16	Raichur		292	291	291	312	316		300
17	Bidar	•	472	436	436	456	449	• •	448
	Marathwara		384	373	372	379	376	<del> </del>	377
	Hyderabad State		378	373	373	377	377	1	376
	Bombay Presiden	ey .	950	659	669	977	554		762
	C. P. and Berar		. 1,259	1,192	1,252	1,120	1,236		1,222
	Madras Presidenc	у.		-	-	-	-	-	966
	Average India		757	683	755	663	782	·	728

NO: 20 GRAM

## · ACREAGE, OUTTURN & PER ACRE YIELDS



#### No. 10.--Gram.

No. 10-A—A Short note on Gram or Bengal Gram or Chick Pea (Cicer Arictimum).

Hindustani— Chana (grain)
Marathi— Chana, harbara (grain)
Telugu— Shanagalu (grain)
Kanarese— Kadli (grain)

In 1939-40 area=944,857 acres or 354 lbs. of grain

per acre when the crop was 59 per cent of the normal.

Hyderabad has 7.5 per cent. of the total gram area of India and amongst gram growing Provinces it ranks fourth in India.

Gram occupies fifth place among the chief cultivated crops of the State having over (9) lakhs of acres or about (4.2) per cent. of the net cropped area of the State to its credit.

Gram is grown all over the State as a rabi crop. It is grown in three ways: (a) as a dry crop in deep black soils of Marathwara and Karnatic and in tank beds of Telingana. When usually it is the sole crop of the year for rabi season, (b) rarely as a dry second crop usually after rice in rice beds but occasionally an ordinary dry crop land after a kharif crop of maize; (c) as an irrigated crop liberally manured and regularly watered (2 to 3 waterings are required only).

Dry crop gram does best on deep retentive black, such as the wheat lands along the river sides.

The crop is generally sown in October and ripens in February. 400 to 500 lbs. for dry crop and 1,000 to 1,200 lbs. for irrigated crop per acre may be considered a fair average yield.

The gram crop does well on alluvial soil of rice beds when such are clay loams. These are naturally fairly retentive of moisture and on account of their favourable position usually hold sufficient moisture to mature the crop properly. The gram plant is useful in a variety of ways. It is used green as a vegetable—both foliage and grain. The foliage is often sun-dried and stored and used when required as a green vegetable. The ripe grain is used for Dal or is eaten parched or made into sweetmeats. It is also the commonest food for horses and is an excellent food for fattening sheep. A useful by-product is occasionally secured from the leaves of the growing plant termed Amb. This is the acid excretion of the leaves (consisting almost entirely of malic acid with a little oxalic acid) and is collected by spreading a wet cloth over the foliage and wringing out the absorbed substance—the Amb.

Besides this the crop is valuable in more than one ways. It is a valuable rotation crop on dry and irrigated lands. It is restorative like other leguminous crops. A good crop is dense and shades the ground and therefore suppresses weeds. On dry black soil it may be called a fallow crop in that the rotation it takes the place which would otherwise be bare fallow. There are four varieties of gram which differ obviously in the colour of the seed (a) black, (b) red, (c) yellow, (d) white.

The first three are generally grown indiscriminately together. White or Kabuli is grown on a small scale in Osmanabad and Bir districts.

The chief pest of gram is the gram pod caterpillar, which bites through the green pods and attacks the seeds. No remedy is fully effective.

The export is small; the import of gram was 2,893 tons valued at Rs. 384,000 in 1939-40.

89

## No. 10-B.--GRAM ACREAGE.

## (FIGURES IN THOUSANDS.

SI. No.	Districts		1935-36 1945 F.	1936-57 1346 F.	11:01-05 1047 F.	1605-89 1815-77	11 7 1-40 111 - 1 P.	1 (ars) 1 (17.5)	verage 1936-10
1	2		3	4	5	e,	•	>	5t
1	Atraf-i-Balda		78	71	67	1:7	11	77)	61
2	Warangal		30	Sei	<b>+1</b>	£ړ\$	!7	29	31
;;	Karimnagar		.7.5	5-;	5· ·	52	21	<b>3</b> 3	15
4	Adilabad		<b>(4)</b>	351	36	£	27	85	35
3	Nizamabad		1.	8	7	***	12	11	10
6	Medak		45	13	41	1.4	27	<b>1</b> 1	¥G.
7	Baglia <sup>4</sup>			8	1	1	1		1
8	Malibubnagar		36	57	55	ă'n	36	65	53
9	Nalgonila		31	2°	3c	26	16	25	26
	Telingana		980	555	:,2:	:325	201	332	305
10	'Aurangatad	•••	141	:01	130	150	57	102	122
11	Bir	•••	90	52	72	75	98	87	84
12	Nander	•••	31	34	90	94	93	94	82
13	Parbham		128	126	100	109	84	107	109
14	Gulbarga		141	141	121	127	<b>5:3</b>	1 44	124
15	Osmanabad	1	126	138	150	141	88	105	129
16	Raichur		106	102	133	121	124	110	117
17	Bidar	<b>.</b> . ,	110	112	115	107	97	106	108
	Marathwara	٠.	933	895	931	924	744	855	885
,	Hyderabad State	!	1,272	1,230	1,255	1,252	945	1,186	1,190
	All-India	••	16,687	17,626	15,742	12,963	13,004	16,766	15,204
	P.C. of Hyderabad to all-India	••'	7.62	6.97	7.96	9.66	7. 6	7.07	7.82
	Position of Hyder- abad among Indi Provinces		4	4	4	4	4	5	4

#### No. 10-C.—GRAM OUTTURN (IN TONS).

(FIGURES IN THOUSANDS).

Si. No.	Districts		19 <b>35-56</b> 19 <b>45 F.</b>	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-46 1349 F.	5 years'	1986-40
:	2		ð	4	5	Ģ	7	ន	9
1	Atraf-i-Balda		16	12	10	11	7	*N.A.	10
2	Warangal		8	4	5	5	2	. 11	4
3	Karimnagar		8	10	. 9	9	, 5	· ' ••	8
4	Adilabad		5	5	. 5	4	1	•	ā
5	Nizamabad		1	1	, 1	2	3	, ,,	2
6	Medak		6	7	6	7	1	,,	6
7	Baghat			- •	,	· · ·		· • •	• •
8	i Mahbubnagar		9	10	10	10	6	••	9
9	Nalgonda		4	. 4	4	4	2		4
	Telingana		50	53	50	52	33	>1	48
10	Aurangabad		24	18	26	26	12		21
11	Bir		12	11	10	10	13		12
12	Nander		13	13	12	13	12		18
13	Parbhani		23	22	17	17	14		19
14	Gulbarga		24	24	21	22	16		21
15	Osmanabad		17	20	21	20	12		18
16	Raichur		15	15	20	19	20		17
17	Bidar		19	19	19	18	17		18
	Marathwara		147	142	146	145	116	••	139
	Hyderabad State	!	197	195	196	197	149		187
	All-India	;	3,840	4,115	3,525	3,002	3,294		8,555
	P.C. ci Hyderabad		5.13	4.74	5.56	6.56	4.52	••	5.26
	Position of Hyder, abad among Indi Provinces		4	. 4	1	4	4		4

<sup>\*</sup>N.A.=Not available.

91
No. 10-D.—YIELD PER ACRE OF GRAM IN LBS.

	Districts		1935-36	1926-27	1937-38	1985-09	1900-40	5 years'	average
			1345 F.	1346 F.	1547 F.	1240 F.	1340 F.	1'-31-25	19.6-40
1	2		3	4	3		The statement of the st	5	5
1	Atraf-i-Balda		407	388	388	265	376	Not available	389
2	Warangal	••	296	282	282	251	277	• •	254
3	Karimnagar	• •	404	396	366	800	402	• •	39 <b>8</b>
4	Adilabad	••	235	299	200	767	619	• •	312
5	Nizamabad	••	413	415	415	425	406	• •	435
6	Medak	• •	344	346	8-1-1	247	813	•.	345
7	Baghat	• •	••	358	857	374	306	• •	297
8	Mahbubnagar		389	376	376	856	882		882
9	Nalgenda	••	331	317	317	820	386		326
	Telingana	• •	370	357	352	357	859		359
10	Aurangabad		383	, 388	388	367	469	;	891
11	Bir		322	<b>E</b> 02	204	201	204		305
12	Nander		331	3(.9	369	368	297		810
13	Parbhani		406	362	392	380	368		388
14	Gulbarga		393	388	258	3! 2	086	•••	389
15	Osmanabad		312	320	320	310	310		315
16	Raichur		326	334	324	348	360		340
17	Bidar		391	376	376	369	377	••	378
	Marathwara		362	357	354	353	356	,	356
	Hyderalad State		364	356	354	354	357	••	357
	Bombay Presidence	y .	364	304	316	343	272	,	338
	C.P. and Berar		424	414	419	574	443	••	415
	Madras Presidency	٠	 448	378	431	483	489	••	446
	Average India		515	523	501	489	567		519


No. 11. OTHER CEREAL AND PULSES ACREAGE (FIGURES IN THOUSANDS).

SI.	Districts		1933-36	1936-37	1937-38		1939-40		' average
No.			1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	3		3	4	วั	6	7	8	9
1	Atraf-i-Balda		74	160	193	78	115	208	124
2	Warangal		141	190	101	350	168	160	190
3	Karimnagar	••	235	168	179	159	203	174	189
7.	Adilabad	٠.,	94	153	123	236	205	103	162
5	Nizamabad		99	74	71	79	146	92	94
6	Medak		71	83	, 80	105	150	184	98
7	Baghat	••	<b>រ</b>	15	, 5	44	29	6	20
8	Mahbubnagar	••	280	176	191	303	269	373	244
9	Nalgonda	••	154	164	54	431	283	132	217
	Telingana		1,153	1,184	997	1,785	1,568	1,432	1,338
10	Aurangabad		185	102	42	68	163	110	112
11	Bir		224	204	118	163	100	191	162
12	Nander		126	107	148	190	155	73	145
13	Parbhani		361	126	198	342	275	351	260
14	Gulbarga		384	100	167	180	257	338	218
15	Osmanabad		158	103	103	85	128	142	115
16	Raichur		436	191	254	269	338	554	306
17	Bidar	••	372	103	203	122	199	372	200
	Marathwara		2,247	1,036	1,283	1,419	1,615	2,131	1,518
	Hyderabad State		3,390	2,220	2;230	3,204	3,183	3,563	2,856
	All-India P.C. of Hyderabad	•-			Not	available			
	to all-India			:		фo			
	Position of Hyder- abad among India Provinces	an				do			

NO: 21.

### RAGI, OTHER CEREALS & PÜLSES ACREAGE OUTTURN & PER ACRE YIELDS





#### OIL SEEDS.

OIL SEEDS.—Of the oil-seeds noted below many supply edible salts, a few supply medical oils, while others supply Lubricants and other oils required in different kinds of industries. Most oil cakes are useful as cettle food while some of them can be used as concentrated manures.

Name of oil	Usii of		Remark,
seed	Oil	Cake	The India II 7
1. Groundnut .	. Used in conserv and is found useful in scap-making.		Kernels in the rod are enten rus, or rus- sted. Straw makes good sattle bood
2. Castor .	. For medicinal use for Lubrication and in hard soap.		
3. Lit.seed .	. Used in cookery paints and varnishes.	Cattle for d and mairre	
4. Sesamuni .	.: Used in cookery	<b>d</b> o	
5. Rape and Mustard.	Used in cookery	Manure	Seeds ground are eaten as condiments and used medicinally.
6. Safflower	Used in cookery and is said to be useful for oil paints.	Cattle food and manure	Flowers of some variety of safflower were supplying dyeing materials.
7. Niger	Used in cookery	do	Seeds are used in clustry
8. Coconut	Used in cookery, hair oil, soap, Lubricant	Human food and cattle food.	
9. Cotton seed	'Used in cookery Soap	Cattle food,	

#### No. 12-GROUNDNUT.

No. 12-A—A short note on Groundnut or Peanut or Earthnut or monkey nut (arachis hypogoea).

Hindustani.—Moong-phalli; Vilaiti -Moong.

Marathi.—Bhoimung.

Telugu.—Verushenagalu.

Kanarese.—Bhaimag, Nenegadli.

In 1939-40 area=1,959,486 acres or 704 lbs. of pods per acre when the crop was 69 per cent. of the normal,

Hyderabad has 15.7 per cent. of the total groundnut area of India and amongst groundnut growing Provinces it ranks third in India. Groundnut occupies the seventh place among the chief cultivated crops of the State having over 16 lakhs of acres or about 5 per cent. of the net cropped area of the State to its credit.

It is the fruit of a tropical to subtropical annual plant. It is of south American origin and introduced into India in the sixteenth century. The chief countries where it is grown now are India. China, West Africa and United States of America. The nuts are used for human food. as food for live-stock or crushed for oil and oilcake. plant thrives best on a well-drained light medium soil or rich, sandy loams well supplied with lime, in areas free from forest during the period of growth which lasts about five months and having an annual rainfall of 30 to 50 inches so distributed as to provide dry weather during the ripening and harvesting of the crop when adequate sunshine is needed. An insufficient rainfall during the earlier months of growth can be counteracted by irrigation, as is done for the summer crop in Madras.

The groundnut can be grown both as dry and irrigated crop. In Hyderabad State it is exclusively a dry crop. It is a kharif crop and is sown with the first fall of rain, i.e., May to June. Early varieties are harvested in September and October and late ones from November to January. The seed-rate is 60 lbs. of kernal per acre.


The groundnut is a hardy plant and easy to grow it needs little cultivation beyond weeding—two or three

#### GROUNDNUT

#### PROPORTIONATE DISTRIBUTION IN INDIA & HYDERABAD


1349 F. (1939-40)


GROUNDHUT PRODUCTION IN INDIA GROUNDHUT PRODUCTION IN HYD:



GROUNDNUT

#### ACREAGE, OUTTURN & PER ACRE YIELDS





hoeings before the nuts from usually suffice—and it requires little manure except when grown for several consecutive years on comparatively heavy soil. It is often grown in a three-year rotation with a cereal and cotton or in a two-year rotation with one of these.

After the soil has been pulverised to a depth of 4 to 5 inches the nuts are sown, sometimes in thier shells about 1 to 2 inches deep and 3 to 4 inches a part with 24 to 36 inches between the rows. Usually nuts from the previous crop are used, but a periodical renewal of the seed stock is desirable to maintain the yield and strengthen resistance to attacks of insects and diseases. The habit of growth depends upon the variety of seed planted. many varieties of groundnut fall into two main divisions. the erect or bunch and the trailing types. Plants of erect varieties have a bushy growth and reach a height of 12 to 18 inches, the pods clustering round the "Bunched stems." Plants of the railing varieties creep along the ground and soon cover it, the pods forming all along the "running" Whatever the variety, the flower withers after fertilization, its stalk elongates and turns earthward burying its point about 3 inches in the soil where the overv develops into a pod or shell \( \frac{3}{4} \) to 1\( \frac{1}{5} \) inches long, grevish white or light buff in colour and containing one to five. but usually two or three ovoid kernals each of which is covered with a thin skin varying in colour according to its variety from cinnamon shade to blood red. sizes and weights of the shells and kernels differ in each variety, but on the average the shells are about one-third of the weight of the kernels. The average yield per acre is about 900 lbs. of nats, in the shell, but a good yield may reach 1.500 to 2.000 lbs. of nuts in the shell and one to two tons of haulms which may be used for feeding stock.

Groundauts of the erect varieties, being easier to harvest are more suited to heavier soils, whilst the trailing varieties give the highest yields on light soils. The varieties of the erect type have pods in bunches, are easier and earlier to harvest. They are—Virginia Bunch, Spanish, pea-nut or Ghungroo, Valencia, Natal, Small Japan and Phillipine Pink (Hyderabad grows Spanish Peanut and Small Japan).

The varieties of the trailing type are—Bombay bold, Coromandal. West African Virginia Runner, Phillipine White. Mauritius. Khandesh Ranchi, Big Japan and Desi (Hyderabad grows Bombay bold, Khandesh Ranchi, Big Japan and Desi).

No other crop has assumed such a degree of importance in the economy of agriculture in Hyderabad State during the last fifteen years as groundnut. Since 1924 (1333 F.) the acreage under the crop has advanced so much that the percentage increase in 1988 (1347 F.) was well over 500 per cent. Is its expansion at the expense of any other crop and what are the factors which influenced it? analysis of the agriculture returns show that since 1922 (1331 F.), the jawar area has shrunk by well over a million acres and that of castor by half a million acres. Jawar as money crop is relatively unimportant. owing to foreign competition, has steadily lost its position in the world, the outgo of the seed from India has of late diminished. Thus, both the crops which grow as kharif appear to have yielded ground to groundnut. quently, the area under groundnut in Hyderabad, which fifteen years ago represented only 5 per cent. of India's acreage, is now 15.7 per cent. and occupies third place groundnut vielding Provinces among the Madras and Bombay leading with 48 and 26 percent. respectively. Another factor which helped the expansion of groundnut cultivation is the increasing demand for this raw material from countries which had been re-arming and consuming food supplies during the past From groundnut is manufactured vegetable ghee, a good vegetable substitute for butter. For this reason, not only Hyderabad but also some other parts of India attached more importance to groundnut production. centage increase of Madras area under this crop in the year under review was 54.2" on the average of the preceding five years; that of Bombay 41.3; Hyderabad 35.7 and Central Provinces and Berar 30.3. There has likewise been a rise in the outturn in all these areas, the percentage increase in 1938 (1347 F.) over the average of preceding five years being 67.6 in Hyderabad 38.6 per cent. in Madras 34.1 in Central Provinces and Berar and 21.5 in Bombay.

The chart illustrates the advancement of groundnut cultivation during the past ten years.

Groundnut is both a kharif and rabi crop. It is rotated with castor and jawar in the dry regions and it can be rotated with rice in the irrigated tracts. Until recently,

Telingana paid little attention to groundnut. As late as 1335 F. (1925-26) the total area under groundnut was not more than 3,000 acres in Adilabad, Medak, Nizamabad and Mahbubnagar. Subsequently, not only did these districts rapidly extend the area but the other districts also took the groundnut cultivation. Thus in 1938 (1347 F.) the area in Telingana districts was 627,538 acres or 43.6 per cent. of the total area. In each and every district of the State there is a trend towards an increase in acreage every year. The subjoined map shows the distribution of the crop.

From the above it is evident that Hyderabad commanded in 1938 (1347 F.) 1,437,509 acres as compared with 1.736,000 acres in U.S.A. and 1,730,000 acres in French West Africa (Senegal). Hyderabad's area represented 8 per cent. and that of India 40 per cent. of the total groundnut area.

The yield of Hyderabad in 1938 (1347 F.) was 476.471 tons and is comparable with 580 thousand tons in the U.S.A. and 461 thousand tons in Senegal (French West Africa) and represents 6 per cent. of the world's harvest.

Oil Pressing.—The percentage of oil in the kerne! comes to 42 to 50. The oil content percentage of the different types of groundnuts grown in these Dominion) ranges between 45.70 in Spanish and 50.13 in small Spanish, Bombay bold grown in Parbhani, Nander, Osmanabad and Gulbarga is known to contain from 45.29 to 50.6 per cent. Coromandal (Mozambique) in Raichur from 45.78 to 49.91; Big Japan in Himayatsagar Farm 47.84. The percentage of oil contents of groundnut grown in West Africa, East Africa and China are said to be 47.96, 45.88 and 44.45 respectively.

Decorticating and oil-pressing industry is still undeveloped in the State. There are altogher 165 decorticators and 106 oil mills in the State. These factories do not exist exclusively for groundnut industry. They also take in other oil seeds. Raichur has 34 decorticators and 17 oil mills; Gulbarga 35 and 20; Warangal 32 and 16 and Mahbubnagar 20 and 16 respectively. A large number of screw-presses run by bullock power also work. During 1937-38 (1347 F.) 11.15 tons of seeds or 2.3 per cent. of the year's produce were pressed for oil as compared with 7,875 tons or 2.5 per cent. of the yield in 1936-37 (1346F).

Bue-Products.—From an acre of groundnut about 800 lbs. of dry very good fodder is obtained. Shell of the pod is used for burning and manure or groundnut and mixed with molasses for use as a cattle food. Oil and cake are the bye-products of the kernel. Of late, the demand for groundnut oil has increased. It is used as edible oil for culinary purposes and for the manufacture of margarine and soap. One ton of groundnut oil is equal to 243 gallons. The oil is hydrogerated and mixed with ghee. Several small-scale factories are at work in Nalgonda, Warangal and Secunderabad for the manufacture of ghee of this quality. As many as seven brands of adulterated vegetable ghees are found in the market. In 1938 (1347 F.) 4.886, 370 seers or 4,363 tons of oil were pressed as compared with 2.811 tons in 1937 (1346 F.) Of the former 4,026 tons and of the latter 2,630 tons were exported from these Dominions to other parts of India. The local industry absorbed the rest.

Groundnut cake is a very highly concentrated nitrogenous food and in moderate quantity is excellent for milk cattle and hard worked bullocks and sheep. It is also a very useful manure for sugar-cane. From 100 tons of kernel 60 tons of groundnut cake is obtained, *i.e.*, 60 per cent.

Cake is largely exported. This is not separately entered in the trade returns. But of the cakes (other than castor cake) exported groundnut cake no doubt forms a large bulk. The following figures for "Other oil cakes" are of importance.

Sl. No.	Years	In thousand maunds	Value in thou- sands
1	2	3	4
1 2 3 4 5	1349 F. (1940) 1348 F. (1939) 1347 F. (1938) 1346 F. (1937) 1345 F. (1936)	1,912 2,480 1,727 1,190 928	3,983 5,167 3,598 2,291 1,934

Market Rates.—The price of groundnut in the district markets is not recorded but that for the city of Hyderabad shows that since 1930 the rate steadily appreciated from Rs. 10 in October 1930 (Azur 1340 F.) for a palla of 120 seers to Rs. 15 in March 1933 (Ardibehisht 1342 F.) Thereafter, it began to improve and the price touched Rs. 20 in January 1935 (Isfandar 1344 F.). After that date there were constant fluctuations to varying degrees until the rate recorded to Rs. 9-8-0 in September 1938 (Aban 1347 F.)

Import and Export.—The import of groundnut is negligible. Out of the yield, 10 per cent is reserved for sowing and 10 per cent. for eating. The oil mills furnish returns account for 2 per cent. may be added for consumption by the Screw-presses. Thus about 5 per cent. of yield is consumed by mills. The rest is exported. The export figures for the last five years in tons are:—

Years	With shell	Without shell	Total nuts with shall in thousand tons	Value in Rs.	P. C. of yield
1936	709	2,773	160	2.20,32,977	56
1937 ;	4,035	3,109	292	2,58.96,565	92
1938	1,273	5,328	300	3,67,79,305	63
1939	1.903	3,814	• •	• •	••
1940	1,248	3,659	• •		

Proportion of shell to kernel is taken as 33 to 67. The cause of such heavy export is 92 per cent. of yield in 1937 (1346 F.) was the fall in prices and the anxiety of the producer to sell away as much as he could.

Improvement in the quality of the Indian groundnut by better method of decortication and by not damping the nuts is a desideratum by the foreign trade. Hence it is important that there should be less crushing and breakage of nuts in the process of decortication as the broken nuts get ransied soon, spoil the produce and reduce the value. It is also necessary that the nuts should be thoroughly dried before being stored. The crop is not kept in stock for more than one year as it deteriorates and the insects attack it.

Groundnut nurkets in Hyderabad State and quantity available in tons:-

1 1 2	Raichur Yadgir Narainpet Krishna Nalva	to all others   1st qlty.   (a)	Ghung- ree quality 2nd in value  (b)  4  Tons 500 4,500	Big Japan (c)	- <u> </u>	onsump (b)	(c)
1 2	Raichur Yadgir Narainpet Krishna	Tons 25,000 6,700 2,350	4 Tons 500	<u> </u>			(c)
1 2	Raichur Yadgir Narainpet Krishna	Tons 25,000 6,700 2,350	Tons 500	5	- <u> </u>	6	
2	Yadgir Narainpet Krishna	25,000 6,700 2,350	500				
2	Yadgir Narainpet Krishna	6,700 2,350					
- :	Narainpet Krishna	2,350	4,500		6,500	- 150	$-\times$
- 1	Narainpet Krishna	2,350			1,000	- 1,000	$-\times$
3	Krishna	7 ~^^	2,500		200	- 300	$-\times$
4	Malera	1,500			100 -	- 200	$-\times$
5		750	500		100 -		$-\times$
6	Jangaon	350	150	!	150 -		$-\times$
7	Khammam	.: 700	700		50 -		$-\times$
8	Warangal	700	1,300	1	400 -		$-\times$
9	Jamikonta .	. 100		{ · ·	25 -	-	-×
10	Ghanapur .	. 100	i	••	<b>5</b> C -		(-×
11	Raghunathpalli	250	50	••	75 -		$-\times$
12	Seram	2,500	3,500				-×
13	Tandur	. 700	3,000			- 300	
14	Nawangi .	. 250	300			<b>- 100</b>	$-\times$
15	Chitapur .	. 300	300	1 1		•	_×
16	Jadcharla .	. 400	1	1 - 000	400 -		( - ×
17	Gulbarga .	•   • •	2,000	15,000	, ,	-	+800
18	Shahabad .		550	1,200	× -	- 50	•
19	Bidar Zahirabad	• •	3,000	2,200		- 1,000	
20	Shankarpalli   Vicarabad.	· · ·	3,500	500	× -	- 2,800	+400
21	Nander .	_1	1	100	× -	-×	100
22		-i	1	800		-×	-100
28	Aurangabad .		1	100	× ·	~×	-100
24		.1		100	' × -	<del>-</del> ×	-100
25			• -	100		-×	-100
26				100	1	×	-100
27				100		×	-100
28				300	1	×	-100
39				600	1	-×	-100
80		• •		4,000	2	-×	-1,000
81		1 2000	• •	800	1	-×	-100
82	Gadwal .	8,000			2,000-	-×	$-\times$
		49,550	27,850	25,000	11,750+	7,220	-8,700

No. 12-B.—GROUNDNUT ACREAGE.
(FIGURES IN TROUSANDS.)

SI.	Districts		1935-36	1936-37	1937-38	1935-39	1939-40	5 years	average
No.			1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
I	2		3	4	5	6	~	8	9
ī	Atraf-i-Balda	••	9	10	13	28	25	<i>s</i>	17
2	' Warangal		51	121	203	168	213	16	151
3	Karimnagar		4	16	34	41	88	ន	33
4	Adilabad		1	1	2	r;	6	1	3
5	Nizamabad		2	5	s	8	23		9
6	Medak	••		9	2	15	13	i	9
7	Baghat			••		• •	• •	• •	
8	Mahbubnagar	• • ;	155	162	202	221	246	117	197
9	Nalgonda	• •	32	97	164	165	219	11	135
	Telingana	••;	253	422	628	152	813	156	554
10	Aurangabad	٠٠,	23	38	76	99	97	18	73
11	Bir	•	133	40	48 ,	86	123	105	86
12	Nander	•• <sup>i</sup>	17	17	17	16	35	15	20
13	Parbhani	••	16	19	25	26	35 -	23	24
14	Gulbarga		156	187 ′	191	213	213 ,	109	182
15	Osmanabad		196	129	203	228	293 ;	207	210
16	Røichur	!	144	163	130	183	242	165	173
17	Bidar	- • أ	86	98	120	119	108	98	106
	Marathwara		801	641	810	970	1,146	830 ;	864
	Hyderabad State	]	1,059	1,063	1,438	1,622	1,959	986	1,426
	All-India	اً ر	5,197	6,663	8,898	8,439	8,198	6,694	7,479
•	P.C. of Hyderaba to all-India Position of Hyder		20.73	15.5	16.16	19.22	23.89	14.72	19.09
	abad among Ind Provinces	lian · · ː	2.	3	2	2	2	3	2

102

No. 12-C.—GROUNDNUT OUTTURN (IN TONS ) OF NUTS IN SHELL

(FIGURES IN THOUSANDS.)

SI.	Districts		1935-36	1936-37	1937-38			5 years'	
No.			1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	2		3	4	. 5 !	6	7	8	9
1	Atraf-i-Balda		. 2	5	4	7	7	1	5
2	Warangal		11	54	75	59	3	4	56
8	Karimnagar		1	6	12	17	18	1	11
4	Adilabad					2	2		1
5	Nizamabad		1	2	3	2	7		3
6	Medak			3	1	4	3	1	8
7	Baghat								••
8	Mahbubnagar		48	71	66	89	87	35	72
9	Nalgonda		11	37	61	68	70	3	48
	Telingaza		74	178	222	243	277	45	199
10	Aurangabad		17	12	30	37	27	13	25
11	Bir		42	14	18	34	, 21	29	26
12	Nand r		. 6	8	7	6	15	5	8
18	Parbhani		. 5	8	10	10	10	6	9
14	Gulbarga		. 39	41	49	74	64	40	53
15	Osmanabad	• 1	. 43	22	62	55	64	57	49
16	Raichur		. 39	45	30	71	100	39	57
17	Bidar		. 22	22	48	42	25	25	32
	Marathwara		213	172	254	329	326	214	259
	Hyderabad State	•	287	350	476	572	603	259	458
	All-India		2,114	2,714	3,501	3,196	3,148	2,549	2,935
	P.C. of Hyderabad to all-India Position of Hyder-		. 13.57	12.89	13.59	17.89	19.15	9.77	15.60
	abad among Indi Provinces	ian	. 3	3	3	3	3	3	3

No. 12-D.—GROUNDNUT (YIELD PER ACRE IN LBS.).
(OF NUTS IN SHELL).


Sl. No.	Districts	1935-36 1345 F.	1936-37 1346 F.	1937-35 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years* 1931-35	average
						1.720 1.	1301-03	1000-30
1	2	3	4	5	6	7	>	9
1	Atraf-i-Balda	514	998	686	665	631	520	399
2	Warangal	487	989	×27	723	569	581	791
3	Karimnagar	533	829	835	042	337	7.41	709
4	Adilabad	3(4)	734	8555	S(3))	8553	51.1	<u>65</u> 5
5	Nizamabad	506	916	211.1	617	672	3~4	726
6	Medak	439	718	509	1+]::	545		625
7	Baghat	• •	635	325	563	:49		4254
8	Mahbubnagar	693	960	732	(4)3	190	665	417
9	Nalgonda	753	862	835	561	715	1134	405
10	Aurangabad	697	662	902	581	13 <b>3</b> \$	553	745
11	Bir	701	731	849	886	367	606	716
12	Nander	717	900	547	597	933	718	859
13	Parbhani •	- 722	927	913	847	626	630	807
14	Gulbarga	565	669	579	773	673	534	652
15	Osmanabad	489	374	679	335	486	001	513
16	Raichur	613	664	513	372	<b>929</b>	521	718
17	Bidar	572	569	897	800	524	583	672
	Hyderabad State	607	742	741	791	659	584	708
	Bombay Presidency	1,050	924	872	1107	<u>813</u>	1.061	913
	C. P. and Berar	585	692	580	603	623	545	617
	Madras Presidency	1,068	1.062	990	958	1,066	1,027	1,029
	Average India	911	912		348	860	894	849

104
No. 12-E.—GROUNDNUT. DISTRICT ANNAWARI CONDITION OF CROP.

Sl. No.	Districts		1925-36 1845 F.	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.
1	2	;	3	4	5	6	7
1	Atraf-i-Balda	}	8	12	9	8	8
2	Warangal		8	12	10	9	10
3	Karimnagar		9	11	10	11	7
4	Adilabad		8	9	8	10	8
5	Nizamabad		5	11	10	7	8
6	Medak	٠.	7	9	10	7	7
7	Baghat		• •	8	4	10	4
8	Mahbubnagar		10	11	9	10	8
9	Nalgonda		11	9	9	9	8
10	Aurangabad		11	8	11	- 10	8
11	Bir		11	9	10	11	5
12	Nander		12	11	10	11	11
18	Parbhani	• •	12	11	10	10	8
14	Gulbarga	• •	9	.8	7	9	8
15	Osmanabad	٠.	8	5	8	6	6
16	Raichur		10	8	6	11	11
17	Bidar	٠.	9	7	11	10	6
	Hyderabad Sta	ıte	10	9	9	10	8

NO: 25. CASTOR

#### ACREAGE, OUTTURN & PER ACRE YIELDS



#### No. 13-CASTOR

No. 13-A-A short note on Castor (Ricinus communis)

Hindustani.—Erendi.

Marahti.—Erandi.

Telugu.—Ammidamulu.

Kanarese.—Oudla, Haralu.

In 1939-40 area = 670,993 acres or 173 lbs. of seeds per acre when the crop was 78 per cent. of the normal.

Hyderabad has 54.3 per cent. of the total castor area of India and amongst castor growing provinces it ranks first in India.

Castor occupies 8th place among the chief cultivated crops of the state having over 6.7 lakhs of areas or about 2.7 per cent. of the net cropped area of the State to its credit.

His Exalted Highness the Nizam's Dominions are by far the most important easter-growing tract in India. The State commands more than half of the total area under caster in India.

The graph attached shows the area and yield of castor as well as the export figures.

The Dominions have continued to hold the foremost rank among the castor-growing provinces of India. In 1935-36 as much as 57.7 per cent. of the total area under castor in India was claimed by Hyderabad. In 1936-37 Hyderabad's acreage was 56.7 per cent. The largest area cultivated was 1921-22 when a little over a million acres were sown under castor. Taking the whole of India Hyderabad stands first and Madras and Bombay presidencies rank second and third in castor cultivation, the latter two having (26.5) and (4.3) per cent. of the total acreage respectively in 1939-40.

3. Cultivation.—There are perennial and annual varieties of this plant. The annual varieties grown in the State are very much smaller in seed than the perennial. The latter grow with great rapidity and a year's growth produces a tree 15 to 18 ft. high. These perennial varieties are chiefly grown along irrigation water chanals or the borders of sugarcane fields and in garden lands chiefly in Marhatwara. The perennial castor readily escapes from

cultivation and grows wild in many places. The oil extracted from the seed of this variety is darker and thicker than that obtained from the small seeded annual kind.

The annual variety of castor has two types the small and the medium seeded. The small seeded variety is largely priced for greater percentage of oil contents. The stem of these are green or pink. The castor plant prefers a deep, free soil, of which the alluvial and the red land of Telingana are typical. Rabi castor is taken on black soils as the sole crop of the year. The Rabi castor is a dwarf plant. In Telingana and Karnatic it is mainly Kharif. The time of sowing is month of July (Shahrewar) and harvest is between December-March (Bahman-Ardibehisht) some three to four pickings are generally taken as the ripening is not uniform. Thus the crop is sown in mid-kharif (rainy season) and lost till the end of Rabi (winter) season. In harvesting the pods or capsules are perched out and spread on the ground till quite dry. The seed is separated by beating with a stick, the average outturn of seed per acre is 300 lbs.

- 4. The seasonal conditions play an important part in determining the area and yield of the crop. When the rainfall is below normal the acreage diminishes. Thus there is close correspondence between the rainfall and the area brought under cultivation.
- Mr. E. Lieberherr, Manager of Messrs. Volkart Bros., Bombay writing in one of his Firm's "Staff Magazine" describes the nature of the country where castor is cultivated in these Dominions, in the following words:—
  - "The Nizam's territory, north of Krishna river and south of the railway line, Secunderabad to Bezwada, etc. is a stony country, huge boulders of Granite lying about and wherever there is room between a few such rocks, castor seed is planted. More to the south-east of the castor seed belt of Hyderabad, the granite boulders disappear from the landscape, slopes flanking flat valleys. The rains are often very scanty in the regions and for this reason the fields in the valleys are exclusively reserved for food crops which have to be attended to immediately the first rain set in. It is only after the farmer has finished work connected with food crops that he can devote his attention to castor seed which is

grown on the slopes. The average rainfall does not exceed 25 inches per annum. It is only in years with a higher rainfall and particularly when the rains have been well distributed that something like the maximum acreage possible is obtained. I think, I am not far wrong in saying that hardly once in 10 years more than 50 per cent. of the lands that might be suitable for castor seed are put under the plough."

5. Area most of the castor seed raised in the State comes from the Telingana districts, to the extent of 90 to 95.8 per cent. of the total area under castor in these Dominions."

The principal castor districts of Telingana are Nalgonda Mahbubnagar, Karimnagar and Warangal. In Nalgonda ditrict the taluks of Nalgonda. Devarkonda. Jangaon and Bhongir are the chief centres while Huzurnagar and Suriapet taluks cultivate it comparatively to a small extent.

In Mahbubnagar district, Samsthan of Wanparty was once an important castor tract but of late groundnut has dis-placed it to a very large extent. In the district of Karimnagar all taluks share more or less in the allocation of the area for castor. Warangal taluka accounts for nearly three-fourth of the area under castor in that district. In Medak District the cultivation is chiefly confined to Siddipet taluk. Baghat district also grows castor on a good scale.

The area in Telingana division has been fluctuating for some years, while that in Marathwara has remained practically stationary. Warangal has steadily extended the acreage by 136 per cent. since 1915-16. But Nalgonda decreased it by less than half since that year still however, Nalgonda provides the largest area of castor in the Dominions. In Karimnagar, Mahbubnagar, Nalgonda, Parbhani, Gulbarga, Osmanabad, Raichur and Bidar cultivation is spread over all taluks, while in other districts it is largely centred round one or two taluks. The largest castor taluk in each district is given below:—

Srl. No.	Taluks	Districts	P.C. of district area
1	Junubi	Atraf-i-Balda	67.4
2	Mahbubabad	Warangal	<b>75.5</b>
3	Karimnagar	Karimnagar	26.5

Srl. No.	Taluks	Districts	P.C. of district area
4	Asifabad	Adilabad	63.0
<b>5</b> .	Kamareddi	Nizamabad	<b>58.6</b>
6	Siddipet	${f Medak}$	97.0
7	Shamshabad ;	Baghat	77.5
8	Nagarkarnool	Maĥbubnagar	42.4
9	Devarkonda	Nalgonda	44.7
10	Ambad	Aurangabad	66.3
11	Manjlegaon	${f Bir}$	67.6
12	Madhol	Nander	<b>58.1</b>
13	Sarar Shahpur.	Parbhani(J)	43.8
14	Shorapur	Gulbarga	29.2
15	Tuljapur	Osmanabad	27.1
16	Lingsugur	Raichur	40.9
17	Narain Khed	Bider(P)	43.0

6. Yield:—The Nizam's Dominions having the largest acreage in India and being very suitable for castor appears to be the poorest in yield when compared with the neighbouring provinces except Mysore. C.P. and Berar obtain on an average 399 lbs. per acre, the outturn in Hyderabad works out at 173 lbs. per acre. The seasonal and soil conditions and agricultural methods in these Dominions do not vastly differ from those in C.P. and Berar as to justify a small crop. The annawari estimate of the crop is evidently low and the normal outturn is under-estimated, as it is evident from the export figures etc.

The sum total of trade estimates is as follows:-

The Dominions produce annually castor seed to the extent of 40 to 50 lakhs of Bengal mds. (40 srs. each). of this quality only 6 lakhs of mds. pressed in the Dominions and 34 lakhs go out to Bombay, Maslipattam and Cocanada. Of these 34 lakhs eight annual in the rupee go to Bombay and four annual each to Maslipattam and Cocanada. Out of the 34 lakhs of mds. of seed exported from Hyderabad, about 25 lakhs of mds. of seed is exported overseas and the rest is pressed and oil extracted in mills at Bombay etc. Hyderabad seed market is the biggest (40 lakhs of mds.) next comes Gujrat (161 lakhs) Cawnpore (4 lakhs) and Cutch (3 lakhs). Of the quantity if oil extracted locally only one annual in the rupee is kept for local consumption and the rest is exported. The market season is from January to May.

7. Markets.—A list of the chief market centres with the number of seed dealers, oil presses and the estimate of stock and local consumption at, each of these centres as ascertained from Messrs. Ralli Bros. is given below:—

Seri- al No.	Place	District	seed-	$r^{-1}$	5 years average in tons	con-
1	2	ម ម	±	5	6	
1	Jadcharla	Mahbubnagar	25	<u>5</u> 6*	25,000	5,500
2	Bhongir	Nalgonda	25	40*	20,600	4.000
3	Khammam	Warangal	49		18,000	3,000
4	Jangaon	Nalgonda	8	15	10,600	3.500
	Walangal	Warangal	100	100	11,000	6,000
	Peddanalli	Karimnagar	15	6	5,000	1,000
7	Shalmagar	Mahb thagar	15	8	5,500	1,500
خ	Kanapur	ď	10	10	4,000	2,000
ŷ	Umdanagar	Atcaf-i-Balda .	10	6	4,500	1,800
10	Aleer	Nalginua			3,000	400
11	Falaknuma	Atraf-i-Balda .	ti	8 '	3,800	500
12	Manerial	Karimnagar			2,000	500
13	Mahbubabad	Warar gal	. 7			
14	Kasamudram	do	. <b>}</b>	• •	2,000	510
15	Nek nda	${f do}$	]	:	-	
16	Raghunathpalli		• • •	:	1,500	1,100
17	Nizamabad	Nizamabad			1,000	
18	Asifabad	Adilabad			1,000	
19	Shankarpalli .	Medak	, ]	1		
	-		; }	,	600	300
20	Tandur	Gulbarga	<b>'</b> }			•
21	Mahbubnagar	Mahbubnagar	٠.,		1,000	100
22	Dernakal	Warangal			500	
23	Garla	do			1.000	
24	Singareni Collieries	do		• •	500	• •
25	Manketa		12	_ 5		
26	Wanparti		15	ໍ ້ 5		

<sup>&</sup>quot; One steam press.

As castor seed has a good keeping quality and can be stocked for 3 years therefore 20 to 25 percent of the total outturn is stocked annually.

- 8. Prices:—The prices reached a low level in 1933-34. Thereafter the markets improved in many centres, noticeably in Gulbarga by 30 points, Warangal by 22 points, Karimnagar by 19 points, Medak by 16 points and Nizamabad by 15 points. The prices in 1935-36 was Rs. 3-12- per md. of 40 srs.
- 9. Oil Industry:—Castor oil is used for lubricating machinery dressing tanned hides and skins, lighting, soap and candle making, and madicine. As noted in the report of the Hyderabad vegetable oil industry survey, the oil extraction costs in Hyderabad O.S. Rs. 20 per ton.

The hand screw press has the capacity of about 16 m/s. (40 srs. each) of seed pressed per day of 24 hours. In Jadcherla Steam Press and in Salar Jung's Steam Press at Raigir (Bhongir) 200 m/ds. can be pressed per day. The oil remaining in cake is 6 per cent. The cake containing 6 per cent. of the oil weighs 65 per cent. of the original weight of seed. Thus, the percentage of oil is 45, or it may safely be taken as 46 per cent. of the castor seed. Roughly speaking 16 srs. of oil is extracted from one maund of seed. Oil pressing industry is developing in these Dominions and a large quantity of oil is annually exported:—

#### EXPORT

Years

Quantity in Value in Rs. pallas of 120 srs.

1345 F. (1935-36)  $52,963\frac{1}{2}$  26,48,177 1346 F. (1936-37)  $54,540\frac{3}{2}$  27,27,027

10. Oil export and import:—The largest item in the oil transport line from Hyderabad State is the export of castor oil to places in the cotton districts outside the Dominions, where the oil is largely used for lubricating purposes.

Five years average value of castor oil exported from British India as per statement of sea-borne trade of British India B.G. Rs. 13,94,868 for 560,000 gallons of oil.

The weight and value of castor oil imported into Hyderabad State is negligible.

- 11. Oil Cake Export:—For the whole period of five years ending 31st March 1829 the total value of oil cakes exported from Hyderabad State was only 5 per cent. of the total value of the same commodity exported from British India during the same period and as the principal item of export from the State is castor cakes, intended for use as manure on the sugar-cane plantations in Bombay presidency, it is probably not incorrect to assume that the value of oil cakes exported from Hyderabad State and included in the export returns of British India, during the period in question, did not exceed 20 per cent. of the total value of the British Indian Export. This shows that oil cakes that can be used as feeding stuff are utilised for that purpose in the State.
- 12. High Railway Freights:—The High freight rates at present charged by the N.S. Railway for oil cake is acting as a heavy burden on the oil crushing industry. While Railways outside Hyderabad State carry cakes at a little over 0.1 of a pie per mand per mile, the rate for oil cakes over N.S. Railway are worked out on the basis of 0.38 pie per maund per mile i.e., about 3½ times as high as those over foreign Railways. This naturally lowers the price of the cake at the producing centre.
- 13. Trade.—These Dominions, being the largest castor producer, have no need to import from elsewhere this oil seed. Hence, there is no import trade in it. The export is usually heavy.

Argentine is the only country which competes with India in castor export trade. Hyderabad's export trade Mr. E. Lieberherr says, represents 75 per cent. of the seed exported from India. It may be noted that not only does Hyderabad State produce between 50 to 60 per cent. of the total Indian supply of castor seed but that its crop is equal to about 50 per cent. of the total world supply of this material. The largest castor seed consumers are the United States of America which in 1928-29 took about 50 per cent. of the total quantity exported from India; the United Kingdom about 25 per cent., France, Italy, and Belgium 12.8 and 6 per cent. respectively. Hyderabad castor seed is shipped from Bombay and Cocanada ports. The trend of export trade and the money value since 1920-21 (1330 F.) are given in the statement below:—

112
EXPORT AND VALUE OF CASTOR SEEDS

ì		1		T FROM AD STATE	EXPORT FROM INDIA		
Sl. No.	Years		Quantity in thousands of tons	Value in lakhs of O.S. Rupees	Quantity in thousands of tons	Value in lakhs of B.G. Rs.	
1	2		3	4	5	6	
1	1920-21 (1330 F.)	!	28	44	16	85	
2	1921-22 (1831 F.)	'	57	106	49	104	
3	1922-23 (1332 F.)		66	123	84	183	
4	1923-24 (1383 F.)	;	59	110	85	227	
5	1924-25 (1384 F.)	;	87	163	96	287	
6	1925-26 (1335 F.)		97	180	110	268	
7	1926-27 (1336 F.)		50	94	102	204	
8	1927-28 (1337 F.)		88	163	212	268	
9	1928-29 (1338 F.)		98	173	121	246	
10	1929-30 (1339 F.)	• •	62	115	106	215	
11	1930-31 (1340 F.)		86	125	91	156	
12	1931-32 (1841 F.)		68	98	104	150	
13	1932-33 (1842 F.)		83	99	86	124	
14	1988-84 (1848 F.)		61	56	82	100	
15	1934-35 (1344 F.)		41	58	69	81	
16	1935-86 (1845 F.)		87	56	60	88	
17	1936-87 (1346 F.)		47	71	43	63	
18	1937-38 (1847 F.)		12	17	42	64	
19	1938-39 (1848 F.)		27	41	8	10	
20	1989-40 (1849 F.)		58	106	40	17	

# ESTIMATE OF ANNUAL ACREAGE, YIELD AND EXPORTS OF CASTOR SEED, OIL AND CAKE IN H.E.H THE NIZAMS DOMINIONS FROM 1935-36 TO 1935-39

ANNUAL	IMPORTANT	PRODUC	TION	DESTINA_	VALUE IN
AVERAGE	TALUKAS	CONSUM	IPTION	_TIONS	RS: 0.S.
AREA IN ACRES	OF DISTRICTS	A N EXPO	_		1,1725,000
6,71,000					
OTHERS	OTHERS		OTHERS	OTHERS	
MEDAK	SIDDIPET		WARANGAL		
KARIMHAGAR 33,000 AC	KARIMNAGAR			MADRAS 48%	RS:
ATRAFIL BALDA 37,000 AC		EXPORTS	KARIMNAGAR	40%	אט;
37,00040	OTHERS	32,000	JANGAON		
WARANGAL 66,000 AC	MAHBURNAGAR	TONS	SHADNAGAR FALAKNUM A	BOMBAY	42,92,000
MAHBUBNAGA			JADCHARLA BHONGIR	51 %	RS:
165000				EXPORTS 5500	17,97,000
AC:	MAGARKARHUL 42%		18,000	CONSUMPTION	
	MOSTLY	PRESSED	TONS	7045	RS:
NAL GONDA	JANGAON & BHONGIR	IN THE	CAKE	EXPORTS 21,400	40,83,000
295 000		1			1 1
AC:		DOMINIONS	22,000	TONS	
	DEVARKONDA	40,000	TONS		RS:
	45%	TONS		CONSUMPTION	1
		SEED	3000	TONS	RS: 393000

## NET AVAILABLE SUPPLY OF CASTOR FOR THE YEAR 1935-36 (1345 FASLI.)

	Tons
1.	Production (published by the Statistics  Department) = 57.000
2.	Imports—negligible.
3.	Exports of eastor-seed (Customs figures) = 28.200
4.	Exports of castor-oil 5.888 tons equivalent to castor seed 13.100
5.	Exports of castor-cake 18,250 tons equivalent to castor-seed 33,200 tons, but since 7,200 tons of castor-seed have already been accounted for therefore, the balance (33,200-13,100) = 20,100
6.	The quantity of seed required for 781.000 acres at the rate of 10 lbs. per acre = 3.500
7. 8.	Local consumption of cake $\dots = 2.000$ Total of items 3 to 7 $\dots = 76.900$
	Therefore, the forecast figures for the year were about 28 per cent. lower than the actual.

No. 13-B.—CASTOR ACREAGE.
(Figures in thousands).

114

Seri-			1985-86	1936-37	1927-32	1938-39	1989-40	5 year's	average
al No.	Districts		1345 F.	1346 F.		1348 F.	1349 F.	1931-35	1936-40
1	2		3	4	5	6	7	8	9
1	Atraf-i-Balda		61	58	16	11	39	16	37
2	Warangal		69	70	71	54	58	38	63
3	Karimnagar		46	34	28	85	29	54	64
4	Adilabad		. 7	9	6	8	6	9	7
5	Nizamabad		· r	2	1	1	2	1	2
6	Medak		18	22	16	33	26	24	23
7	Baghat			6	4	5	9	9	4
8	Mahbubnagar		190	188	151	150	125	167	160
9	Nalgonda		392	388	188	374	837	765	335
	Telingana		784	777	481	721	670	716	677
10	Aurangabad		5	4	4	85	6	4	10
11	Bir		1 ; 6	3	3	3	2	7	7
12	Nander		11	10	11	10	, 12	18	10
13	Parbhani		2	3	2	2	2	2	2
14	Gulbarga		5	4	4	4	5	6	4
15	Osmanabad	٠.	3	2	2	2	3	4	2
16	Raichur		13	12	10	20	11	11	13
17	Bidar		5	3	3	3	4	3	3
	Marathwara		50	41	39	79	45	56	51
	Hyderabad State	,	834	818	520	800	671	772	728
	All-India		1,458	1,409	1,146	1,198	1,004	1,528	1,243
	P. C. of Hyderabac to all-India	1	57.20	58.05	45.37	66.76	66.73	50.52	58.56
	Position of Hyder- abad among India Provinces	n	1	1	1	1	1	1	1

No. 13-C.—CASTOR SEED OUTTURN (IN TONS).

Seri- al	*		1935-26	1936-37	1937-38	1938-39	1939-40	5 years	average
No.	Districts		1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-4
1	2		3	4	5	6	7	8	9
1	Atraf-i-Balda		3	5	2	1	3	2	3
2	Warangal		<b>5</b> ,	6	6	4	5	3	5
3	Karimnagar		4	4	3	9	2	3	4
4	Adilabad		1	1		1		1	1
5	Nizamahad	••			••			• •	••
6	Medak		2	1	1	3 '	2	1	2
7	Baghat	••				}	1	••	
8	Mahbubnagar		13	19	11	13	11	12 1	13
В	Nalgonda	• •	26 ,	30	15	32 .	24	32	26
	Telingana		54	67	38	63	48	54	54
10	Aurangabad	••	••	•••	•••	2	······		•••
11	Bir		1		• •		••		
12	Nander		1	1 ,	1	1	1	1,	1
13	Parbhani .		•••	1		:	••		
14	Gulbarga		•• ;		;				• •
15	Osmanabad					}		• • •	
16	Raichur		1 !	1	1 ;	1.)	1	1	1
17	Bidar		i	••			••		
	Marathwara		3	2	2	4	2	2	
	Hyderabad State		57	69	40	67	50	56	56
	All-India	••	121	128	104	111	97	133	112
	P. C. of Hyderabad to a'l-India		47.35	53.12	38.81	60.36	51.54	42.10	49.10
	Position of Hyder- abad among India Provinces	in	1	1	1	ן נ	1 ;	1	1

116
No. 13-D.—CASTOR (YIELD PER ACRE IN LBS.).

eri- al	Districts		935-36 345 F.	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.		average
No.	Districts		030 1.	1940 1.	1011 1.	1030 1.	1010 1.	1001 00	1000-20
1	2		2	4	5	6	7	8	9
1	Atruf-i-Balda		132	191	221	245	164	164	191
2	\Varangal		160	206	177	173	211	171	186
3	Karimnagar		210	233	210	246	130	126	206
4	Addubad		119	196	171	134	195	130	163
5	Nizamabad		121	64	168	145	195	157	131
6	Medak	••	245	131	183	183	135	114	175
7	Baghat	••	••	163	90	167	150		143
ه	Mahbubnagar		153	226	158	187	197	301	18
9	Nalgonda		149	173	181	191	164	169	175
14.	Aurangabad		55	98	117	121	125	94	10
11	Bir		100	135	159	168	126	108	14
12	Nander	;	164	194	199	106	143	141	16
10	Parbhani	••	129	199	178	186	138	122	16
11	Gulbarga		118	110	94	163	• 119	87	12
15	Osmanabad		116	63	101	105	121	91	10
16	Raichur		393	95	142	143	120	91	17
17	Bidar	••	98	124	134	126	· 129	77	12
	Hyderabad State	••!	153	189	172	183	173	154	17
	Bombay Presidence	ey .	313	286	320	299	260	300	29
	C. P. & Berar	_	:09	434	395	386	415	431	38
	Madras Presidency	· ·	204	212	200	183	219	220	20
	Avcrage: India	٠.	186	203	203	207	216	194	20

117

No. 13-E.—CASTOR. DISTRICT ANNAWARI CONDITION OF CROP.

Sl. No.	Districts		1.835-36 1845 F.	1326-37 1346 F.	1987-55 1547 F.	1885-89 1845 F.	1.455.11 134.4 E.
1	2		ಚ	ŀ	-3	G	- -
1	Atraf-i-Balda		li	16			ere denne selv e sedeplingeren.
2	$W_{\mathrm{crungel}}$		7	•>	7	7	:
:}	Karimnagar	٠.	11	9	J	313	
4	Adilabad		7	10	ţ4	r)	Ų.
5	Nizame bad		8	5	>	7	7
Ü	Medak		12	Š	9	9	-1
7	Baghat		:	8	4	8	5
8	Mahbubnagar	٠.	7	9	6	ន	9
9	Nalgonda	٠.	8	7	9	5	8
10	Aurangabad	٠.	7	8	7	7	10
11	Bir	٠.	11	δ	10	10	10
12	, Nander		12	12	12	11	9
13	Parbhani	••	11	12	11	11 ;	9
14	Gulbarga	••;	9	8;	<b>6</b> :	10 ,	11
15	Osmanabad	'	g	7	6	<b>6</b> ,	7
16	Raichur		12	6	9	9	9
17	Bidar	٠-,	8	7 :	8 i	8	10
	HyderabadSta	te :	9	8	8	8	8

#### No. 14-LINSEED.

No. 14-A-A short note on Linseed or Flax (Linum usitutisimum)

> Hindustani.—Alsi (seed) Marathi.—Alsi (Seed) Telugu.—Yellagisey, Vithulu, Aviselu (seed) Kanarese.—Allgasi, Agasi.

In  $1939-40 \frac{\text{area}=526,214 \text{ acres}}{\text{outturn}=50,653 \text{ tons}}$  or 219 lbs. of seed per acre when the crop was 76 per cent. of the normal.

Hyderabad has 10 per cent. of the total linseed area of India and amongst linseed growing Provinces it ranks third in India. Linseed crop occupies 12th place among the chief cultivated crops of the State having over five lakhs of acres or about 1.7 per cent. of the net cropped area of the State to its credit.

The chief linseed growing tract in Hyderabad State is Marathwara and Karnatic having about 89 per cent. The rest, i.e., 11 per cent. is grown in Telingana.

The area under linseed depends to a very large extent on the success or failure of the kharif crops. If the kharif crops have failed on account of untimely rains, the fields are ploughed or harrowed up and made ready for rabi sowing of wheat or linseed.

There is a regular increase of acreage as will be seen from the figures given below.

Average in quinquennium (1335-39 F.)


Do (1340-44 F.)

318,789 acres
i.e., an increase of 30 per cent. Now it is still more
Linseed is a rabi crop sown in deep black moisture holding soils. It is generally grown alone and is the sole crop
of the year. It must be sown in rotation and never successively. Seed-rate is 10½ lbs. per acre. Seed is usually
sown in September, October and the crop is ready for
harvest in February and March. A good crop with full
even plant on deep black soil will yield about 300 lbs.
seed per acre just as much as in America. In Argentine
it is 600 lbs. per acre. The crop is very precarious and
often yields much less. Rain after sowing does usually
more harm than good and cloudy weather, when plants are

NO: 27.

## LINSEED

# WORLD PRODUCTION




LINSEED

## PROPORTIONATE DISTRIBUTION IN INDIA & HYDERABAD


1349 F. (1939-40)

LINSEED PRODUCTION IN INDIA LINSEED PRODUCTION IN HYDERASED



NO 28. LINSEED

ACREAGE . OUTTURN & PER ACRE YIELDS



in flower, interferes with fertilization. A species of rust also attacks comparatively healthy at harvest time, the seed vessels are either empty or contain imperfectly filled seed. In Europe and America linseed is grown very largely as a fibre crop where it is called Flax; but this is never the case here. In Hyderabad the crop is grown for its seed and it is called Linseed which supplies exclusively oil and cake. The seed is used in condiments, the oil in cookery and in paints and varnishes. The residual oil cake is one of the best cattle foods known and a good manure. The varieties of linseed grown in Hyderabad is mostly the Brown bold type.' Linseed grown in north-western Districts of the Dominions is regarded as slightly better quality than the linseed grown in the southern and south-eastern districts. The other variety is small seed type.

Oil-pressing.—There are 25 registered factories with expellers. The total number of expellers installed in the factories is 55. These factories crush mostly groundnut and castor, a few the linseed such as those at Nander and Udgir which crushed 40,000 maunds of linseed in 1934-35.

The oil content of linseed grown in some districts is as follows:—Nizamabad and Parbhani (41.50), Aurangabad and Bir (40.65), Nander and Gulbarga (39.46).

Import and Export —In the Indian Trade Journal dated 17th August 1933 the following review of linseed trade of India with the United Kingdom appeared:—

"India was a very important supplier of linseed to the United Kingdom until competition from the Argentine began. The position last year (1932) was that imports into the United Kingdom from India were very seriously reduced, chiefly on account of the price factor. Normally Indian linseed commands a substantial premium over Argentine on account of its higher oil content. But as this premium is based on the value of the oil, it naturally contracts as oil As a result, however, of market influence the premium on Indian linseed remained obstinately high, even when prices fell with the result that London and Liverpool for a time met all their requirements from Argentine. Prices have since adjusted themselves, and at the time of writing, Indian linseed is receiving its market premium and also its share of the business. There is little doubt that in spite of the development of her own crushing industry and its demands on indigenous supplies of seed, India could meet the normal linseed requirements of this country temporarily from existing stocks and permanently by extensions of cultivation,'

The linseed market in Hyderabad State is from February to May. A cart contains 5 or 6 bags of linseed, i.e. 12 to 13 maunds of linseed. Each bag contains 2 maunds 16 seers of linseed.

The linseed import is negligible. Much of the linseed is exported through the Bombay Port, *i.e.*, as much as 95 per cent. of the total export. The export of linseed in 1939-40 was 35.821 tons worth Rs. 50.16,000.

The chief markets for linseed in Hyderabad and the stock available are as follows:—

Places	Tons	Ž Places		Tons
l Jalna	3,500	13 Nander	;	800
	•			
<sup>2</sup> Nizamabad	3,500		• • ;	<b>500</b>
3 Dharmabad	3,000	15 Chitapur		<b>500</b>
4Gulbarga	3,000	16 Yadgir	:	500
5 Sailu :	2.500	C.		300
6 Shankerpalli		18 Raichur	1	150
Vicarabad.	2.500		1	
7 Zahirabad j Bidar	2,000	19 Parlec	• • 7	100
8 Purna	2,000	20 Lasur		100
9 Parbhani	2,000	21 Umdanagar		150
10 Aurangabad	1,500			50
11 Serum	1,500			• •
12 Shahabad	1,000	24 Hingoli	••	• •
		1		

No. 14-B.—LINSEED ACREAGE.

(FIGURES IN THOUSANDS.

SI. No.	Districts		1935-36 1345 F.	1936-37 1346 F.	1937-35 1347 F.	1935-35 1348 F.	1939-40 1349 F.	5 yuus 1 91-45	die
1	2		3	4	5	6	7		
1	Atraf-i-Balda	••	13	11	<sub>ວ</sub>	2	1.4		
2	Warangal	••			• •		:		• •
3	Karimnagar	• •	••	• •	• •				
4	Adilabad		<i>::</i> 1	22	27	25	*,.;	17	2.
5	Nizamabad		ថ	~	>	>	:		:
6	Medak		2	3	1	2	1	1	2
7	Baghat	• •	• •	1				• •	
8	Mahbubnagar		1	1	1	1	2	1	1
9	Nalgonda		• •	• •	••			• •	
	Telingana	• •	53	45	40	રહ	51	34	4.5
10	Aurangabad		1)7	83	77	<b>ક</b> (મ	11%	:5	<b>\3</b>
11	Bir		62	89	96	(+6)	94	45	5*
12	Nander	•	25	29	82	25	36	29	01
13	Parbhani		56	57	59	53	81	46	63
14	Gulbarga		72	93	61	72	74	~~	- :
13	Osmanabad		46	66	52	41;	57	26	54
16	Raichur		5	4	3	4	5	7	4
17	Bidar		27	46	51	51	27	26	41
	. Marathwara		363	467	431	452	475	254	439
	Hyderabad State		416	512	471	488	526	318	447
	All-India	••	3,457	3,677	3,890	3,594	3.713	3,257	3,726
	P.C. of Hyderabad to all-India	••	14.91	13.56	12.11	12.53	14.16	9.77	13.04
	Position of Hyder- abad among Indi Provinces		4	4	4	. 4	4	4	4

No. 14-C.—LINSEED OUTTURN (IN TONS).
(Figures in thousands).

S!. No.	Districts		1935-26 1345 F.	1956-37 1346 F.	1937-33 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years 1931-35	average 1936-40
			<b>3</b>	4	5	Ü	7	8	y
1	Atraf-i-Balda	•••	1	1	1		1	1	1
2	Waran.gal		• •	••	••				•••
*}	Karimnagar				• •	••	• •	••	••
4	Addabad		2	2	1	2	3	1	2
5	Nizamabad			1	1	1	1		1
1)	Medak	• •		• •		••	• •	• •	••
7	Bagina:		• •	• •	• •	••	• •		• • •
>	Manbulnagar	••	• •	• •			• •	• •	••
y	Nalgonda	••	• •				••	• •	• •
	Telingana	••	8	3	3	3	5	2	4
1:)	Aurangabad	••	<u></u>	8	. 8	12	12	4	9
11	Bir		5	ន	9	y	8	٠ <u>.</u>	. 8
12	Nander		3	រ	3	2	• 3	2	3
13	Parbhani		6	•	7	7	8 '	3	6
14	Gulbarga	••	4	7	3	7	7	4	5
15	Osmanabad		4	ថ	4	3	5	2	4
16	Raichur		••	••	••	••	••	••	••
17	Bidar	••	2	5	4	4	3	2	4
	Marathwara	•••	30	44	. 38	41	46	21	89
	Hyderabad State	••	33	47	41	43	51	23	43
	All-India	••!	388	420	461	442	466	419	435
	P.C. of Hyderaba to all-India	d •••	8.48	11.19	8.93	9.72	10.94	5.48	9.19
	Position of Hyder- abad among Indi Provinces	an 	5	5	5	. 5	5	6	5

123
No. 14-D.—YIELD PER ACRU OF LINSELD IN LBS.


Sl. No.	Districts		1935-36 1345 F.	1936-07 1346 F.	1937-35 1847 F.	1935-b.	1600-10 131 ( F.	5 years' 1931-85	ريان آزاد - دادات
1	2	,	3	<b>.</b>	į,	•5	<del></del>	`	j
1	Atraf-i-Balda		123	83	133	112	165	114	124
2	Warangal		••	• •	• •	<b>*</b> •			4 1
3	Karimnagar		106	117				111	111
4	Adilabad		141	217	155	144		14.	177
5	Nizamabad		129	17"	105	117	115	140	145
6	Medak		75	ษา	194	1.03	1199	14	122
7	Baghat		• •	73	163	159	1/4	• •	126
S	Manbubnagar		103	105	157	174	183	υt.	154
9	Nalgonda		••	••	••	• •		126	
Id	Agrangalad		193	227	222	20:3	271	153	239
11	Bir		178	211	207	215	191	167	199
12	Nander		206	199	192	145	14:	179	175
13	Parbhani		256	265	275	102	223	170	241
14	Gulbarga	:.	141	165	123	207	42.)	127	172
15	Osmanabad		189	215	145	147	200	191	150
16	Raichur		<b>ś</b> 7	149	149	123	213	150	144
17	Bidar	٠.	166	239	178	178	248	157	201
	Hyderabad State	••	178]	211	195	195	219	163	200
	Bombay Presidency	•	238	164	200	218	220	231	208
	C. P. and Berar		158	167	184	185	193	196	177
	Madras Presidency	٠.	••			4.			• •
	Average : India		251	256	265	256	281	275	262

124

NO. 14-E.—LINSEED. DISTIRCT ANNAWARI CONDITION OF CROF.

Sl. No.	Districts		1935-36 1345 F.	1936-37 1346 F.	1987-88 1347 F.	1938-39 1348F.	1939-40 1349 F.
1	2		ą	4	5	6	7
1	Atraf-i-Balda	•••	8	5	<u> </u>	5	8
2	Warangal	••			• •		
3	Karimnagar	• .	8	#1 #			• •
4	Adilabad		10	12	9	7	ម
5	Nizamabad		8	11	7	8	3
5	Medak		5	Ğ	8	8	8
~	Baghat		• •	3	6	5	. 8
8	Mahbubnagar		8	12	10	10	9
9	Nalgonda		• •	• •			
10	Aurangabad		10	12	10	11	11
11	Bir		10	11	8	8	8
12	Nander	٠.,	11	12	12	9	9
13	Parbhani	• •	12	12	11	7	9
14	Gulbarga		8	9	5	8	9
15	Osmanabad		10	12	6	6	8
16	Raichur	• •	5	8	6	, <b>5</b>	9
17	Bidar	• • •	9	1 12	, <b>7</b>	7	10
	Hyderabad State		9	12	8	9	7

### ACREAGE, OUTTURN & PER ACRE YIELDS



#### No. 15—SESAMUM.

No. 15-A-A short note on Sesamum or Sesame or Gingelly (sesamum indicam).

Hindustani.—Till (grain).

Marathi.— Till (grain).

Telugu.— Nuvvulu (grain).

Kanarese.— Yellu (grain).

In 1939-40  $\frac{\text{area} = 548.290 \text{ acres}}{\text{outturn} = 37.020 \text{ tor.s}}$  or 153 lbs. of grain per acre when the crop was 61 per cent, of the normal.

Hyderabad has 10.9 per cent. of the total sesamum crop area of India and amongst sesamum growing Provinces it ranks 5th in India.

Sesamum occupies the 11th place among the chief cultivated crops of the State, having over (5) lakhs of acres or about (1.9) per cent. of the net cropped area of the State to its credit

The chief sesamum growing tract in Hyderabad State is Telingana but at the same time it is an important oilseed in all districts of the State. It flourishes on lighter soils. It does not stand heavy rainfall when young. In some districts it is sown alone though in others it is a sub-ordinate crop. It is mainly a kharif crop being generally sown from May to July and harvested from September to December. A rabi variety is also grown but in very few tracts. This is sown in September and October and is harvested in February and March. A fair average crop in the Deccan yields from 281 to 411 lbs. There are 3 varieties of sesamum commonly grown-white, red, and black. White variety is earlier and also slightly richer in oil. Sesamum cake makes very good cattle food. plant stalks are not eaten by cattle hence in Telingana it is always the 1st crop taken in the open unfenced land freshly brought under cultivation.

The import is insignificant and large quantity of sesamum is exported to Europe. It forms in fact a very important export crop. The export in 1939-40 was 11,928 tons valued at Rs. 27,72,000.

The chief market centres for sesamum or til in the State and the estimated quantity of til in tons in them are :--

Srl Nc.	Name of Marke	qua	low lity perior)	White quality (round seeded)	White quality long seeded (superior in oil)	Local con- sumption from these types
-	2		3	4	5	6
1	Warangal		400	8,000	• •	4,700
2	Pcddapalli	)	600	2,500		2,000
	Mancherial	}	• •	500	•	• •
3	Ghanapur	• •	• •	2,000		1,000
4	Jangaon			1,600		1,000
.5	Gulharga		• •	• •	400	50
6	Raichur	• •	• •	• •	400	200
7	Yadgir	• • .		• •	600	200
κ,	Seram			• •	350	25
ţı.	Tandur			• •	- 100	25
10	Nawangi		• •	• •	15	5
11	Chitapur		• •	• •	25	5
12	Shahabad	• •		- •	100	25
733	Nizamabad		• •	• •	700	150
14	Umdanagar	:			400	200
15	Shankarpalli	٠٠٦				7.50
	Vicarabad	}	• •	••	800	150
16	Jaina	ì			200	50
17	Aurangabad				300	50
18	Sailu		• •		150	50
19	Mahbubnagar		• •		650	650

As reported by Messrs. Ralli Bros., the stock of sesamum is not kept more than a year.

127 No. 15-B.—SESAMUM ACREAGE.

Figures	i.	thrusa	1231.
---------	----	--------	-------

eri- al (n.	Districts		1935-36 1345 F.	1936-37 1346 F.	1 1547 F.	19.5-39 1848 F.	1530-40 1340 T.	5 years* 1581-4.5	1936-40
1	2		3	ŧ į	5	6	, 7	ð	9
1	Atraf-i-Balda	••	17	13	В	14	14	15	13
2	Warangal	• •	88	84	79	24	C5	42	èΰ
3	Karimnagar		155	200	265,	200	146	201	151
4	Adilahad		64	70	66	58	75	72	67
5	Nizamabad		23	93	27	57	20	단구	25
6	Medak		16	16	15	17	26	19	18
7	Baghat		••	• •	1	2	2	••	1
8	Mahbubnagar		22	31	27	16	25	19	24
9	Nalgonia		32	20	18	30	25	16	25
	Telingana		450	471	445	348	401	441	423
10	Aurangabad	• •	23	16	17	18	51	22	25
11	· Bir		9	5	Ą	15	6	11	9
12	Nander	<b>,.</b> .	. 13	13	11	y	13	16	1:
13	Parbhani		. 6	6	5	G	14	; 8	•
14	Gulbarga		. 49	25	23	25	20	21	2
15	Osmanabad		. 11	3	11	12	14	12	1
16	Raichur		20	14	15	21	23	. 21	1
17	Bidar		. 7	, 7	10	7	6	6	i '
	Marathwara		. 138	89	103	113	147	117	11
	Hyderabad State		. 588	560	548	461	548	558	54
	All-India		. 4,135	4,144	4,450	4,331	4,050	5.810	4,22
	P. C. of Hyderab to all-India	ad	. 13.62	13.78	12.8	10.64	13.53	9.60	12.8
	Position of Hyde abad among Inc Provinces	r- dian	·. :	3 (	3	3	3 . 8		3 <sup>i</sup>

128
No. 15-C.—SESAMUM OUTTURN (IN TONS).

(FIGURES IN THOUSANDS).

SI. No.	Districts		1935-36 1345 F.	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.	!	average
	2		3	4	5	6	7		9
1	Atraf-i-Balda		1	1	1	1	1 ;	1	1
2	Warangal		4	7	6	1	<b>5</b> ,	2	5
3	Karimnagar		16	14	15	7	8	10	11
-1	Adilahad		3	5	4	3,	7	3	5
5	Nizamabad		1	1	2	1	1	1	1
6	Medak		1	1	1	1	; 1	1	1
7	Baghut							••	
s	Mantubnagar		1	2	1	1.	2 .	1	1
9	Nalgonda		2	1	1 ;	2	1	1 ,	
	Telingana	٠.	23	32	31	17	26	20	26
10	Aurangabad		2	2	1 '	2	3	2'	2
11	. Bir		- 1	• •	1	2		1	1
12	Nander		1	1	1	1	· .	1	1
13	Parbhani		1	1 '	1	1	1	1 '	1
14	Gulbarga		4	3	2	3 ,	1	1	3
15	Osmanabad		1	••	1	1	2 ,	1	1
10	Raichur	;	1	1	1	2	2	1	1
17	Bidar	••	1	1	1	1		!	1
	Marathwara	• • •	12	9	9	13	12	8	11
	Hyderabad State	•••	35	41	40	30	38	28	37
	All-India	•••	413	439	465	396	416	500	423
	P.C. of Hyderabad to all-India	••	8.54	9.34	8.68	7.37	9.11	5.68	8.65
	Position of Hyder- abad among Indi Provinces	an	4 .	4	4	4	4:	4	4

129
No. 15-D. YIELD PER ACRE OF SESAMUM IN LBS.

Srl.	Districts	1935-36	1936-37	1937-38	1938-39	1939-40	5 years'	averaje
No.	•	1345 F.	1346 F.	1347 F.	1345 F.	1349 F.	1931-35	1936-40
1	2	3	4	3	6	7	3	9
1	Atraf-i-Balda	150	158	130	135	111	113	137
2	Warangal	106	182	164	128	166	92	149
3	Karimnagar	111	154	163	92	121	191	130
4	Adilabad	109	156	123	136	193	169	144
5	Nizamabad	116	128	223	123	197	111	141
6	Medak	108	129	123	150	117	97	126
7	Baghat	* •	144	141	147	77	••	127
8	Mahbubnagar	89	132	106	119	127	98	115
9	Nalgonda	134	143	100	126	110	82	124
10	Aurangabad	243	289	238	270	234	191 '	255
11	Bir	248	201	258	249	141	173	219
12	Nander	145	197	193	173	128	127	167
13	Parbhani	216	300	275	267	163	171	244
14	Gulbarga	216	248	215	320	188	<b>184</b> ;	237
15	Osmanabad	189	126	221 '	206	296	191	208
16	Raichur	146 .	125	143 ,	206	140	133	152
17	Bidar	177	215	139	197	137	129	173
	Hyderabad State	133	168	164	146	152	114 ;	153
	Bombay Presidency	264	221	256	235	212	259	238
	C. P. and Berar	179	183	181	174	168	167	177
	Madras Presidency	259	279	270	240	275	288	265
	Average : India	224	237	234	205	230	198	226


No. 15-E. SESAMUM—DISTRICT ANNAWARI CONDITION OF CROP.


130

Srl. No.	Districts.	l	1935-36 1345 F.	1936-37 1346 F.		1938-39 1348 F.	19 <b>39-4</b> 0 1349 F.
1	2		3	4	5	6	7
1	Atraf-i-Balda		11	8	8	7	6
2	Warangal		8	10	8	7	9
3	Karimnagar		ន	8	9	5	7
4	Adilabad		9	9	8	8	12
5	Nizamabad		8	7	11	7	6
ô	Medak		8.	7	7	8	6
7	Baghat	••		8	8	8	4
8	Mahbubnagar		7	7	7	6	7
9	Nalgonda		11	9	8.	8	7
10	Aurangabad		10	8	7	· 8	7
11	Bir		10	6	8 .	8	5
12	Nander	;	12	12	12	11	8
13	Parbhani	••	12	12	11	11	5
14	Gulbarga	<b></b> .	9 <sub>i</sub>	, بسو	7	10	6
15	Osmanabad		7 ;	4	7	6	9
16	Raichur		10	6	7	10	7
17	Bidar	;	10	9	6	8	6
} *	Hyderabad State		9	9	8	7	. 7

NO 30. RAPE & MUSTARD

## ACREAGE , OUTTURN & PER ACRE YIELDS





### No. 16-RAPE AND MUSTARD.

No.16-A—A short note on Rape (Brussica campestris), mustard(B. Juncea). and Toria (B. Napus).

Hindustani.—Sarsoon (rape seed). Rai (mustard seed)

Marathi.—Shiras ( do ) Mohri (in)

Telugu.—Nuvvulu ( do / Avalu. Sasavalu do)

Kunarese.—Allu ( do ) Sasuvi, Kalugu (do)

On the basis of Mr. Mukherjee's classification the oilseeds of rai. sarsoon and rape have been distinguished as follows:—

- (a) Indian mustard or Rai—seed small—reddish brown all over.
- (b) Indian colza or sarsoon—seed large—white & light brown or amber.
- (c) Indian rape or toria—seed large—reddish brown with pale spot at the base of the seed.

Sarsoon is not at all grown in the State. Of the Marathwara tract Aurangabad Subah and Osmanabad district, i.e., 5 districts grow big grains which are brown in colour with a pale spot at the base of the seed. i.e., rape or Toria while the Telingana and Karnatic divisions (excluding Osmanabad district) produce small grains of brown colour i.e., Rai or mustard.

On the basis of 1937-38 forecast the marketing officer in his survey report has estimated that 27 per cent of the produce is mustard while the balance of 73 per cent. can be classed as rape.

Hyderabad has 0.26 per cent. of the total rape mustard crop area of India and amongst rape mustard growing Provinces it ranks 11th in India. It occupies the 17th place among the chief cultivated crops of the State having (0.08) lakhs of acres. It is a rabi crop of oilseeds being

sown in Marathwara early in November and in Telingana and Karnatic in 1st week of December and harvested from February to March. Mustard is an earlier crop than rape and is harvested in February and comes to market in February. The land is left fallow for 4 months and well ploughed before the seed is sown by drill. Crop does not require any watering. The average yield is 400 to 600 lbs. per acre. Mustard is also of two types red and black. The leaves and green pods are eaten as vegetable. Rape is grown mostly for its oil and mustard for its use as condiments and medicine. Sarsoon oil is usually called KarwaTel and is used mostly in mango and lemon pickles. For this purpose the oil is imported from Cawnpore. The import is insignificant and export in 1939-40 was 1.571 tons valued Rs. 367,000.

133
No. 16-B. RAPE AND MUSTARD ACREAGE.

Srl.	Districts		1935-36	1936-37	1937-35	1938-39	1939-40	5 years'	average
No.	<u> </u>		1345 F.	1346 F.	, 1347 F.	1345 F.	1349 F.	1931-05	1936-4
1	2		3	4	5	ť	1	>	9
1	Atraf-i-Balda	••	477	655	669	689	2,362	265	974
2	Warangal	٠.	:	l		66	257	68	64
3	Karimnagar		122	109	66	65	122	126	117
4	Adilabad		841	1,067	653	646	551	115	755
5	Nizamabad		40	95	83	57	5	60	58
6	Medak		202	200	53	150	52	<b>5</b> 5	131
7	Baghat			240	82	61	56		88
8	Mahbubnagar		84	1,608	59	117	1,543	34	682
9	Nalgonda		36	53		ч	15	112	27
	Telingana	••	1,802	4,027	1,685	1,857	3,106	841	2.893
10	Aurangabad	• • •	2,144	1,775	1,103	1,285	1.020	3,509	1,465
11	Bir		2,850	1,434	1,324	1,088	1,058	2,103	1,451
12	Nander		2,559	2,331	2,321	2,168	2,384	2,319	2,358
13	Parbhani		679	8,224	1,113	977	731	672	1,34
14	Gulbarga		209	158	63	142	278	321	170
15	Osmanabad		1,120	9,762	610	517	808	315	2,564
16	Raichur		30	25	10	1 	,	90	1:
17	Bidar	••	2,244	2,064	1,084	1,103	674	705	1,43
	Marathwara	٠.	11,335	20,773	7,628	7,280	6,953	10,238	10,72
	Hyderabad State	••,	13,137	24,800	9,313	9,137	12,059	11,079	13,68
	All-India	•••	5,333,000	5,859,000	5,461 000	5,508,000	6,113 000	6 064 000	
	P.C. of Hyderabad to all-India	••	0.24	0.42	-	0.16	0.20	0.18	
	Position of Hyder- abad among Indi	an.							
	Previnces		12	12	14	15	14	12	1:

134
No. 16-C. RAPE AND MUSTARD OUTTURN (IN TONS).

Srl.	Districts	1935-36	1936-37	1937-38	1938-39	1939-40	5 years'	average
No.		1345 F.	1346 F.	1047 F.	1348 F.	1349 F.	1931-35	1936-40
1	2	9	4	5	6 .	7	8	9
1	Atra-i-Ba.ia	21	42	44	41	151	13	60
2	Warangal	•			4	16	2	4
3	Karimnagar	5 .	6	4	4	14	6	6
4	Adilabad	61	81	50	45	36	11	55
5	Nizamabad	2	4	4	3	1	2	3
6	Medak	7	10	3	8	3		6
7	Baghat		12		3	3		3
8	Mahbubnagar	ដ	82	4	7	84	2	38
9	Nalgonda	. 2	. 4		••	••	. 3	2
	Telingana	104	248	109	118	309	41	178
10	1	!			,			' !
10	Aurangabad	80	99		65	51	124	71
11	Bir	123	100	69	48	52	76	78
12	Nander	59	79	78	73	67	63	71
13	Parbhani	37	238	85	56	37	29	91
14	Gulbarga	4	, 2	, 1	11	18	5	7
15	Osmanabad	84	1,273	69	52	81	36	312
16	Raichur	5	5	1			3	2
17	Bidar	106	; 129	85	63	38	28	84
	Marathwara	498	1,925	450	368	344	365	716
	Hyderabad State	602	2,173	559	486	653	406	894
	All-India	957,000	964,000	1,021,000	926,000	1,120,000	979,000	998,000
	P. C. of Hydera- bad to all-India	0.06	0.23	0.05	0.95	0.00		
			0.23	0.05	0.05	0.06	0.04	0.09
	Position of Hyde rabad among Indian Provinces.	14	14	15	16	16	14	14

No. 16-D. RAPE AND MUSTARD (YIELD PER ACRE IN LBS. .

Srl.	Districts	1935-36	, 1936-37	1937-33	1935-39	1989-41	5 years'	2Ve1426
No.		1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1930-40
1	2	3	4	3	8	7	b	9
1	Atraf-i-Balda	100	143	143	143	143	118)	134
2	Warangal		••		• •	••	46	
3	Karimnagar	91	123	304	14-	* •	235	166
4	Adilabad	162	170	171	150	135	159	153
5	Nizamabad	112	210	249	:13	٠. '	97	170
8	Medak	132	112	125	134	149	154	131
7	Baghat		•••	••	10	132		121
8	Mahbubnagar	160	124	339	143	123	100	178
9	Nalgonda	124	186	••	••	148	73	158
10	Aurangabad	83	125	126	114	112	79	112
11	Bir	, 117	156	117	105	110	75	122
12	Nander	51	76	75	75	63	64	68
13	Parbhani	122	165	171	128	113	94	140
14	Gulbarga '	43	30	35	180	145	37	87
15	Osmanabad	168	293	253	225	226	154	233
16	Raichur	373	448	224		* *	48	348
17	Bidar	105	140	175	128	126	85	135
	Hyderabad State	103	141	145	120	115	79	125
	Bombay Presidency	., 417	245	448	420	345	305	375
	C. P. and Berar	428	529	460	491	385	501	459
	Madras Presidency .	• .	• •		• •		· • •	
	Average India	402	367	419	377	410	363	399

No. 16-E. RAPE AND MUSTARD—DISTRICT ANNAWARI CONDITION OF CROP.

					· ·	1	
Srl.	Districts		1935-36	1936-37	1937-38	1938-39	1939-40
Х».			1345 F.	1346 F.	1347 F.	1348 F.	1349 F.
1	2		3	4	5	6	7
1	Atraf-i-Balda		8	8	8	8	8
2	Warangal		• •		• •		• •
3	Karimnagar		8	8	7	7	• •
4	Adilabad		12	10	10	9	8
5	Nizamabad	٠.	11	8	8	7	• •
6	Medak	• •	8	8	8	8	9
7	Baghat	٠.		6	8	7	8
8	Mahbubnagar		12	8	10	10	8
9	Nalgonda	٠.	8	10		8	• •
10	Aurangabad		10	10	10	9	9
11	Bir		12	12	9	8	9
12	Nander		11	12	12	12	10
13	Parbhani	• •	12	12	12	9	8
14	Gulbarga		8	8	10	10	8
15	Osmanabad		11	10	9	8	8
16	Raichur		8	8	4		• •
17	Bidar		8	8	10	8	8
	Hyderabad State		10	10	10	9	8

#### No. 17.—SAFFLOWER.

No. 17-A.—A short note on Safflower or wild saffron (carthamus tinctorius).

Hindustani—Karar, Kusum (seed)

Marathi— Kardai, Kusumba (seed)

Telugu— Kusumbha puvu (seed).

Kanarese— Kusubi (seed)

This occupies a fairly large area in Hyderabad State. It is usually grown as subordinate crop with rabi jawar, wheat and gram, though it is sometimes sown alone on the headlands as a border to the principal crop. This border answers the purpose of a fence, as stray cattle will not trespass through its thorny leaves. The safflower plants usually ripen after the principal crop. They are then uprooted or cut and heaped on the threshing floor. After 3 or 4 days' exposure the seed is beaten with a stick. The seed under pressure (the country ghani or oil mill) yields about 20 per cent. of oil which has a clear straw colour and is extensively used in cookery. The cake is used as cattle food and is also found to be a very useful concentrated manure for sugarcane on the Nizam Sagar Project. The cake has besides one advantage over the other edible oil-cakes in that it keeps free of mould and good for months. The stalk and other parts of the safflower plants are of no value but of manure.

In certain villages of Medak district, the farmers used to gather flowers of this crop, which in old times supplied an indigenous dye. But this cultivation and trade is practically dead.

The chief markets for safflower in Hyderabad State and the quantity available in tons and the local consumption is shown below:—

Srl.	Name of Market		5 years average quantity available	consump tion	Srl. No.	Name of Market		5 years' average quantity avalable	Local consump tion
1	:		3	‡	1	2		3	4
1	Raichur	• •	3,500	2,000	12	Hingoli		600	400
2	Jalna		9,500	8,000	13	Parbhani	٠.	700	500
3	Yadgir		700	700	14	Nizamabad	• •	1,000	600
4	Seram		1,200	250	15	Dharmabad		500	300
5	Gulbarga		1,550	1,000	16	Shankarpall	i ]	~00	~00
в	Aurangaba	d	5,000	1,000		Vicarabad	}	700	700
7	Nander		600	300	17	Lasur	٠.	400	200
ઠ	Purna		400	300	18	Sailu	• •	500	400
y	Tandur	٠.	800	200	19	Bidar	)	222	
10	Shahabad	٠.	1,500	500	, !	Zahirabad	3	800	800
11	Chitapur	••	400	200	20	Total	• •	30,350	18,350

As ascertained from Messrs. Ralli Bros., the stock of safflower can be kept without deterioration for two years.

#### No. 18.-NIGER SEEDS.

No. 18-A-A short note on Niger seed! (Guizotia abyssinica).

Hindustani-Ramtil or Kalitil (seed).

Marathi -- Khurasam, Karala (seed).

Telugu- Nalla Nuvlu (seed).

Kanarese— Gurallu (seed).


It is grown all over the State especially in Karnatic and Telingana. It is a kharif crop. It is sown in June or July and harvested in November or December. It succeeds well on the shallow black and light soils of Telingana and Karnatic particularly if a seasonable monsoon is followed by favourable late rains. The crop maintains a vigorous growth on light land in poor condition if the rainfall is sufficient and timely. It is more commonly grown alone than any other of the oilseeds. At harvest the crop is cut and dried in sun. The seed is beaten out with a supple wand. The outturn per acre usually obtained is about 300 lbs. A clear limpid, pale yellow sweet oil is expressed from the seed and is largely used for culinary purposes. The residual oil-cake though it has a black uninviting appearance is one of the best oil-cakes for milch cattle. The cake is also found to be a good manure for sugarcane crop.

140 No. 19-A.—MISCELLANEOUS OILSEEDS ACREAGE.

Seri-			1935-36	1936-37	1937-38	1938-39	1939-40	5 years'	average
al No.	Districts		1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	2		3	4	5	6	7	8	9
1	Atraf-i-Balda		15,141	13,634	11,764	11,303	20,232	11,786	14,415
2	Warangal		218	290	905	8,895	22,112	320	6,484
3	Karimnagar		75	4,835	• •	26,127	34,137	••	13,035
4	Adilabad		1,264	5,198	869	17,512	11,458	673	7,260
5	Nizamabad		4,824	2,863	3,218	4,475	10,087	218	5,094
6	Medak	٠.	1,759	3,659	1,126	7,781	4,063	1,945	3,677
7	Baghat		• •	6,325	1,144	809	2,132		2.082
8	Mahbubnagar		5,820	4.359	3,666	20,487	14,274	2,702	9,721
9	Nalgonda		515	480	828	9,714	14,245	571	5,156
	Telingana	•••	29,614	41,645	23,520	107,103	132,740	18,117	66,924
10	Aurangabad	٠.	99,568	123,581	109,777	109,068	77,497	67,878	103,898
11	Bir		69,345	49,570	51,301	66,945	56,373	73,566	58,707
12	Nander		36,011	40,167	34,339	29,382	20,661	42,222	82,112
13	, Parbhani	••	36,308	29,151	37,420	43,980	36,343	34,569	36,640
14	, Gulbarga		85,034	132,178	144,948	147,540	41,924	77,849	110,925
15	Osmanabad		103,117	69,285	109,968	105,251	81,478	85,036	93,819
16	Raichur		43,698	40,065	38,576	52,677	53,541	33,102	45,712
17	Bidar		59,045	43,162	45,969	45,077	42,746	45,414	47,200
	Marathwara		532,126	527,159	572,296	599,920	413,563	459,639	529,013
	Hyderabad State		561,740	568,804	595,766	707,023	1	477;756	543,367
	All-India		,		Not	available	i		
	P. C. of Hyderaba to all-India	d		t	do	do	1		•
	Position of Hyder- abad among Indi Provinces.		!	; ;	do	do	<u>!</u>	 	

NO 31. MISCELLANEOUS OIL SEEDS

ACREAGE AND OUTTURN



141
No. 19-B.—MISCELLANEOUS OILSEEDS OUTTURN (IN TONS).

Seri- al No.	Districts		1935-36 1345 F.	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years'	average 1936-40
1	2	1	3	4	5	6	7	8	9
1	Atraf-i-Balda .	.;	648	889	575	491	876	472	696
2	Warangal .		6	9	18	68 .	551	6	170
3	Karimnagar .		2	559	• •	823	935		474
4	Adilabad .	•	19	572	19	273	205	ទ	206
5	Nizamabad .	•	250	331	372	262	933	19	450
6	Medak		47	143	32	219	99	44	108
7	Baghat	•	••	175	70	66	155		93
8	Mahbubnagar .		272	305	228	1,269	786	115	572
9	Nalgonda .		28	35	60	699	1,184	20	401
	Telingana .		1,272	2,958	1,374	4,470	5,774	686	3,170
10	Aurangabad .		2,940	4,168	4,443	3,311	2,117	1,679	3,396
11	Bir	•	897	924	765	999	605	920	888
12	Nander	•	890	1,444	1,157	804	411	1,052	941
18	Parbhani .	•	2,147	2,121	2,723	2,667	569	1,495	2,046
14	Gulbarga .	. 1	1,125	1,814	2,842	2,314	856	837	1,790
15	Osmansbad .	.'	5,413	3,283	7,269	7,416	5,569	4,446	5,780
16	Raichur .	. 1	932	684	878	1,199	1,388	462	1,016
17	Bidar		2,086	2,728	2,729	2,825	2,394	1,808	2,542
	Marathwara .	• ]	16,380	17,116	22,806	21,535	13,909	12,702	18,349
	Hyderabed State .	•	17,652	20,074	24,180	22,105	19,683	13,889	19,608
	All-India .				Not	available			
	P. C. of Hyderabad to all-India.	-			đο	do			
	Position of Hyder- abad among Indias Provinces.	. !		:	do	do			

#### OTHER CROPS.

#### No. 20.—CHILLIES.

No. 20-A short note on Chillies, Cayenne pepperor red pepper (capsicum fruteseene).

Hindustani—Mirchi (pod). Marathi— Mirchi (pod).

Telugu— Mirapakayalu (pod).

Kanarese— Mensinkai (pod)

It is grown all over the State in garden lands and on field scales. The district important for this crop is Mahbubnagar.

The crop is invariably planted in the rains but if helped by irrigation the growth extends into the rabi season. Chillies are grown to a large extent alone but are also sometimes planted as subordinate to other garden crops.


The best dry crop chiklies are grown on deep retentive black soil. The irrigated crop is grown in the mixed black soil. The field is thoroughly cultivated and well manured. The seedlings which are raised in a nursery are transplanted about July. The fruits ripen in 3 months after transplantation. Picking goes on for 3 months to 5 months for green pods. The irrigated crop lasts longer than the unirrigated crop. Where there is a demand for green chillies they are picked three times a month. Ripe chillies are picked 3 or 4 times in the course of the whole season. After picking they are dried in the sun and taken to the market. A good and unirrigated crop produces about 1,000 lbs. per acre. The irrigated yields higher. Chillies are an uncertain crop as a cloudy weather t the time of flowering proves disastrous. The flowers drop and the yield is greatly reduced.

There are several varieties of chillies such as ordinary long narrow and tapering variety, lavangia (clove) or small variety, Bor mirchi a variety bearing small round fruits. Bari mirchi with large long pods and Vilaiti Mirchi with large broad pods. Chillies are used in Indian condiments, chutneys, pickles and also medicinally and for m a universally used ingredient of every day food.

SPICES

## ACREAGE





The import of chillies in 1939-40 was 750 tons valued Rs. 231,000 and the export was 15.143 tons valued at Rs. 26,36,000.

No.—SPICES ACREAGE

(Figures in thousands:.

Seri- al No.	Districts	1935-36 1345 F.		1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years' 1931-35	average 1936-40
1	2	3	4	5	6	:	8	.,
1	Atraf-i-Balda	65	66	25	27	27	5	42
2	Warangal	45	61	40	49	42	5	47
8	Karimnagar	55	43	30	41	37	7	41
4	Adilabad	31	35	, 18	19	22	10	25
5	Nizamabad	45	88	. 8	18	29	5	28
6	Medak	46	40	6	29	19	5	28
7	Baghat	1	2	1	4	4	1	2
8	Mahbubnagar	82	75	60	72	59	6	70
9	Nalgonda	38	35	. 27	19	18	2	27
	Telingana	403	395	215	278	257	46	310
10	Aurangabad	• 25	20	47	43	35	7	34
11	Bir	22	29	41	41	24	1	32
12	Nander	35	26	33	61	76	2	46
13	Parbhani	52	48	83	60	88	4	65
14	Gulbargs	79	70	59	51	51	16	62
15	Osmanabad	25	25	7	17	81	3	21
16	Raichur	56	51	15	15	20	5	31
17	Bidar	64	57	87	27	51	7	47
	Marathwara	358	326	322	815	371	45	338
	Hyderabad State	761	721	587	598	628	91	648
•	All-India		Not	available		. ;		
	P. C. of Hyderabad to all-India		do	do				
	Position of Hyder- abad among Indian Provinces.		do	do				

#### No. 22.—SUGARCANE.

No. 22-A—A short note on Sugarcane (Saccharum officinarum).

Hindustani-Naishakar, ganna.

Marathi Oos.

Telugu- Cheruku

Kanarese- Kabbu.

In 1939-40 area=44,683 acres or 4,655 lbs. of Gur per acre when the crop was 85 per cent. of the normal.

Hyderabad State has 1.3 per cent. of the total sugarcane area of India and amongst sugarcane growing Provinces it ranks 10th in India. With regards to irrigated crop of sugarcane Hyderabad State stands 7th among Indian Provinces and States.

Sugarcane occupies the 14th place among the chief cultivated crops of the State, having 0.4 lakhs of acres under it.


Sugarcane is by far the most important crop in the State because of the capital employed per acre (cost of cultivation in Karnatic Rs. 180 per acre) and the value of outturn and the net profit which is very much greater than any other crop.

Sugarcane is marketted either as cane for chewing or manufactured into a crude sugar known as Gur. It is grown more or less in all the districts. The chief centres are Nizamabad, Medak, Bidar and Osmanabad districts. There are many varieties of cane grown in the State of which the principal ones are:—

- (1) Poondia or Tella Charku or local white—thick and juicy white or greenish white canes. It is a very good variety for GUR, susceptible to red rot and lodging.
  - (2) Kabirya or local striped cane.
- (3) Kavangiri or Kala Malbari or medium thick black cane.
- (4) Bangdya or local red cane or arad naria or Dasera Charku or Gomari. It is next in importance to Poondia.

SUGARCANE

# ACREAGE OUTTURN & PER ACRE YIELDS



- (5) Khadya and Wansi are thin hard canes which mature with much smaller quantity of water.
- (6) Malabari or pale yellow thin variety used for chewing.
- (7) Sarkari Naishakar or Co. 213, Co. 290 and P. O. J. 2,878 are improved varieties recently introduced and spreading widely.

They are hard skinned, mature early, do not require props and less susceptible to red rot.

Sugarcane is a perennial plant springing up from the rootstock after cutting, but because of diseases, inferior tillage and other causes the best vield is obtained by replanting annually or biennially. A uniform high temperature, strong sunlight and frequent showers during the growing season are very desirable to keep the cane growing rapidly. Cool or cloudy weather and drought are likely to stunt growth making short joints in the cane which results not only in a reduced tonnage but also in a higher fibre content with a consequent reduction in the sugar content. The moisture requirement of cane is large, equivalent to from 50 to 65 inches of rain annually. Sugarcane requires a fertile soil. maintained thus by a suitable rotation and by natural or artificial especially nitrogenous manures. Because of its high moisture and plant food requirements, it thrives best on silt loam or clay loam soils well supplied with hunus. The crop requires good drainage and tillage.

In Hyderabad sugarcane is always an irrigated crop. It requires heavy manuring (2,000 fbs. of castor cake and 100 fbs. of ammonium sulphate per acre) and regular watering to get the best results and it does better on well-drained level soils. Soils 2 to 4 feet deep with good drainage are specially suitable and in such soils it requires watering once in ten days. On shallow soils it requires watering every 6th or 8th day. The crop is propagated from sets (16,000 per acre or 40 maunds per acre) planted usually in prepared beds. Sometimes whole canes are planted by means of the plough. According to the soil, climate and the variety to be grown the time of planting varies in different localities. Generally speaking, in the Karnatic districts all the canes are planted in March and April and in Telingana most of the planting is done from

December to February and in Marathwara from January to March. Almost everywhere the cane takes 12 months to mature so it is harvested from December to March. It is a common but declining custom in the State to let the canes grow a second year after the 1st year crop is harvested (ratton or Khodwa in Marathwara, Modam in Telingana and Kule in Karnatic) and in favourable situations even three crops are taken in succession.

The cultivation of the ratoon crop is as follows:-The first year's canes are not pulled out but are cut clean with a hatchet close to the ground. The field is cleared of dry leaves, all rubbish is burnt and the crop is at once irrigated. After the shoots have grown two to three feet high the field is dug up and farmyard manure is applied. The quantity of manure required for a ratoon crop is about half of what is applied to the previous year's crop. Irrigation weeding and all other operations are the same as those required for the first year's crop. When the cane is young its growth is slow. The average yield of Gur or raw sugar varies from 5,000 to 7,000 fbs. per acre. (The yield of ratoon crop is 20 per cent. lower than a planted crop) or 16 to 20 tons of cane per acre. Crushing and Gur-making on an average takes 8 days per acre and costs Rs. 46. After the crop is harvested the green tops are given to cattle. The crushed canes (Megas) and the dry leaves are burnt as fuel to boil the juice.

Sugarcane is subject to the attack of several diseases and pests, the most harmful of which is the sugarcane borer and the red rot disease.

Per capita consumption of Gur is 12.2 lbs. and sugar is 4.9 lbs. in the Dominions.

In 1939-40 the import of Gur was 22,646 tons worth Rs. 34,45,000 and the export was 643 tons worth Rs. 1,23,000.

147
No. 22-B.—SUGARCANE ACREAGE.

Seri-			1935-36	. 1936-37	193: 38	1935-39	1939-40	5 years	average
al No.	Districts		1845 F.	1346 F	. 1347 F.	1348 F.	1349 F.	1931-33	1936-40
1	2		8	4	. 5	6	;	8	9
1	Atraf-i-Balda	•	. 728	1,635	1,550	648	789	229	1,050
2	Warangal	٠.	88	205	218	152	45	33	141
8	Karimnagar	••	83	222	314	174	252	3	199
4	Adilabad		195	803	302	237	342	190	977
5	Nizamabad		10,074	11,449	4,305	7,462	13,217	2.115	9,301
6	Medak		3,907	4,794	1,579	1,060	1,435	641	3,536
7	Baghat			52	23	17	23		23
8	Mahbubnagar	• •	127	594	257	164	8,351	35	995
9	Nalgonda	- • •	82	67	66	56	66	26	67
	Telingana	••	15,231	19,326	8,614	9,970	19,503	3,237	14,529
10	Aurangabad	•••	2,670	2,884	3,725	3,157	3,457	1,931	3,185
21	Bir		4,972	1,300	1,181	1,321	1,381	2,946	2,031
12	Nander		984	982	674	693	785	469	823
13	Parbhani		i,443	1,405	1,507	1,400	1,857	1,081	1,522
14	Gulbarga		1,333	1,334	861	515	819	702	972
15	Osmanabad		7,817	5,874	8,637	4,277	5,284	6,661	5,378
16	Raichur	••	2,649	3,895	8,404	3,294	4,162	2,600	3,481
17	Bidar		21,406	21,601	6,843	6,826	7,435	21,748	12,822
	Marathwara	$\cdot \cdot  $	43,274	39,275	21,832	21,513	25,180	38,201	30,214
	Hyderabad State		58,505	58,601	30,446	31,483	44,683	41,438	44,743
	All-India		4,024,000	4,440,000	3,869,000		3,130,000	3,623,000	8,715,000
-	P. C. of Hyderab to all-India	ad	1.5	1.32	0.8	0.9	1.42	1.1	1.20
	Position of Hyder abad among Indi Provinces		7	8	18	13	11	8	10

148
No. 22-C.- SUGARCANE OUTTURN (GUR IN TONS).

eri-	1	1935-36	1936-37	1937-38	1938-39	1939-40	5 years'	average
al vo.	Districts	1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	2	3	4	5	6	7	8	9
1	Atraf-i-Balia	1,214	4,022	2,700	1,556	1,853	299	2,269
2	Warangal	78	336	206	209	67	39	179
8	Karimnagar	48	411	384	258	343	5	328
4	Adilabad	322	468	435	<b>121</b> ,	464	118	412
5	Nizamabad	14,716	24,463	8,565	19.528	32.814	3.652	20,076
6	Medak	6.434	9,778 ,	3,245	2,255	3,567	1,260	4,965
7	Baghat	••	117	<b>4</b> 0 ⋅	23	20		40
8	Mahbubnagar	155	1,112 ;	283	252	4,427	93	1,246
9	Nalgonda	110	111	120	101	94	80	107
	Telingana	23,527	40,813	16,528	24,593	42,649	5,495	29,622
10	Aurangabad	4.052	5,216	6,913	5,784	5,643	2,795	5,521
11	Bir	7.513	2,224	2,103	2,499	2,379	4,322	3,343
12	Nander	1.375	1,932	1.304	1,335	1,536	783	1.497
18	Parbham	2.221	2,778	3.027	2.619	2.734	1.689	2,87
14	Gulbarga	1.558	1,440	1,152	874	1,175	869	1.24
15	Osmanahad	9,421	7,807	4,702	6,447	7,320	7,526	7,18
16	Raichur	3,922	3,660	4,993	5,761	6,611	2,845	5,39
17	Bidar	45.607	36,9 11	1 <b>9,54</b> 3	19,418	21,425	44,605	32,59
	Marathwara	75,669	84,013	43,743	44,737	48,823	65,437	59,39
	Hyderabad State .	99,196	124,826	60,271	69,330	91,472	70,932	89,01
	All-India	5.931,000	6,476,000	5,307,000	3,387,000	3,590,000	4,383,000	5,133,00
	P. C. of Hyder- abad to all-India .	1.67	1.92	1.13	2.04	2.54	1.61	1.7
	Position of Hyder- abad among India: Provinces		7	10	8	10	7	1

149
No. 22-D.—SUGARCANE (GUR:—YIELD) PER ACAE IN LBS

Seri-	Districts		1935-36 1345 F.	1938-37 1343 F.	1 e)7-98 1347 F.	134-	177,-14	5 574. 1 10 1-15	Average Laborator
Ne.				<del></del>					
i	2		3	1	5	ñ	7	8	fe
1	: Atraf-i-Balda		3.735	5.516	3,902	5,37+	5,6:7	2,476	4.830
2	Warangal	٠.	2.105	3,668	2,116	3.683	3	2 4(9	2,564
3	Karimnagar		3,258	4.192	4 Im	125	) 4.*	<u>,,24</u> =	3.554
4	Adilahad		2,550	0.4 %	. 7	47	<u>.</u> , .	240	·2 · <sup>7 /</sup> 7
5	Nizamahar		0.272	4,740	4 43 1	7.5	5,."	1 121	4 51 -
ß	Medak		1,6814	4.5%	1,600	\$,767	.*," · · ·	2046	4:57
7	Baghat			5,940	3,595	3,63:	1.948		5.47
<b>5.</b>	Mahl ubnagar		734	4,194	2,4×4	0.44]	21 11 223	± 4+1	2.773
g	Nalgonda		2.933	0.708	4,072	1,040	23 7500	2.149	ప.సికా
10	A trangahad		3.596	1.057	4,157	\$ 16.70	3,5,7 4	3 153	3,566
11	Bir		3,357	8.532	i inni	4.205	3,579	3 230	3 563
12	Nander		:: 1:30	4.107	4,335	4,317	4089 -	3,327	4.114
13	Parbham		3.445	4.421	4.499	\$ 1(a)	9,2, 7	0,465	3.971
14	Gulbarga .	,	2.618	2.417	2,997	3,891	3,214	2,64.4	3,009
15	Osmanabad		2.700	2,977	2.596	3.377	3.163	2.544	3,011
16	Raichur		3 316	3,255	3.256	3.91a	3.5%	2.464	3,467
17	Bidar		4,773	5,097	6,797	6.373	6,455	4.390	6.981
	Hyderabad State		3,759	4,789	1 480	4.881	4,655	3,847	4,513
	Bombay Presidence	y .	5,694	5,587	5,300 :	5,384	5,707	6.036	3,574
	C. P.& Berar		3,584	3,570	3,360	3,451	3.285	3.530	3,453
	Madras Pre-idency		6,461	6,309	6,377	6,263	6,168	6,297	6,316
	Average India		3,302	3,267	3,128	2,956	2,838	3,072	3,098

No. 22-E. SUGAR-CANE—DISTRICT ANNAWARI CONDI-TION OF CROP.


150

Srl.	Districts					1938-39	
No.			1345 F.	1346 F.	1347 F.	1348 F.	1349 F.
1	2		3	4	5	6	; 7
1	Atraf-i-Balda		10	11	10	. 11	. 11
2	Warangal		7	10	6	8	9
3	Karimnagar		12	11	: 11	. 9	8
4	Adilabad		10	10	11	12	9
5	Nizamabad		11	10	9	12	11
б	Medak	• •	11	9	9	10	8
7	Baghat	}	• •	10	8	; , 8	9
8	Mahbubnagar	• •	10	111	7	9	8
9	Nalgonda		10	10	11	11	9
10	Aurangabad	• •	12	ıı ı	11	- 10	10
11	Bir		12	10	11	11	10
12	Nander		12	12	12	12	12
13	Parbhani		12	12	12	11	9
14	Gulbarga		9	6	8	11	9
15	Osmanabad	•••	10	8	8	9	8
16	Raichur	• •	11	9	9	11	10
17	Bidar		12	10	11	12	11
	Hyderabad Sta	te	10	10	10	10	9

NO: 34.

COTTON

WORLD PRODUCTION



NO: 35.

MILL CONSUMPTION

# COTTON


# PROPORTIONATE DISTRIBUTION IN INDIA & HYDERABAD

1349 F (1939.40)

COTTON PRODUCTION IN INDIA COTTON PRODUCTION IN HYDERABAD 503 4909 - WARANGAL 2 ATRAFLILBALDA + 21/ TZAMABAD 1 GMAHBUBNAGAR 1 NALGONDA 1 25/ T RAICHUR PUNJAB OTHERS 1017 1210 14% 81 BOMBAY SINDH PARBHANY 309 672 106 8 1 R MADRAS 10% 57 455 C.P & BERAR NANDER 734 87 HYDERABAD 503 FIGURES IN THOUSANDS OF BALES LAKHS OF BALES PRODUCTION EXPORT - I M P O R T

NG: 36. COTTON

# ACREAGE, OUTTURN & PER ACRE YIELDS



## No. 23—COTTON.

No. 23-A-A short note on Cotton (Gossypium).

Hindustani.—Kapas (Seed cotton or cotton with seed) Rooee (Cotton Lint) Binola (cotton seed).

Marathi.—Kapoos or Kapashe (seed cotton). Telugu.—Patti (Seed cotton). Kanarese.—Hatti (seed cotton).

In 1939-40  $\frac{\text{area}=3,730,910 \text{ acres}}{\text{outturn}=582,433 \text{ bales}}$  or 63 lbs. of lint per acre when the crop was 75 percent. of the normal.

Hyderabad has 13.9 per cent. of total cotton area of India and 10.2 per cent. of the total Indian output. Amongst cotton growing provinces it ranks 4th in India with regards to both acreage and outturn. Cotton is almost entirely a dry crop up to the present time.

Cotton occupies the second place among the chief cultivated crops of the State having over 37 lakhs of acres or about 13 per cent. of the net cropped area of the State to its credit. The chief cotton growing tract in Hyderabad State is Marathwara. Its share of cotton in the Dominions is 81 per cent. both of area and outturn. It has rainfall varying from 22 inches in western districts to 35 inches in the Eastern districts and above 40 inches in the hilly tracts covered with forest. In the Karnatic tract the rainfall ranges from 18 inches in the west to 26 inches in the east and a good part of it is received during the North-East Monsoon.

Cotton is grown in many parts of the world between 40° N and 30°S. latitude. Although it is a perennial plant it is forced by cultivation to become an annual. It requires at least six months free from forest. The more favourable climatic conditions are a frostless season extending from June to November with warm and moderately moist weather from June to September. The autumn weather on the other hand, should be dry and rather cool as this results in a better quality of cotton and facilities picking.

Cotton is known to have been cultivated in India as early as 800 B.C. The production of cotton has increased at a somewhat greater rate than the population since 1840. The cost of separating the lint from the seeds permitted only a restricted use formerly, but with the invention of the saw gin in 1793 this fibre rapidly replaced linen and wool for many common purposes and the demand has become very great.

The world production of cotton is nearly 35 million bales and India is the second in the world. It is the most important source of material for clothing and household fabrics and has many industrial uses. Long staple cotton is used extensively in the manufacture of automobile tyres and in aeroplane wings and a considerable quantity of short staple and linters is used in the preparation of explosives and other industrial products. The seed is used for the manufacture of oil and the hulls and oil-cake for stock feed and fertilizer.

Soil.—The best cotton soils are fertile silt or clay loam. The soil of a greater part of Marathwara is black cotton soil (regur) formed by the weathering of the trap rock. It is deficient in organic matter but fairly retentive of moisture and well suited to cotton growing.

The outturn varies according to variety, soil, rainfall and care bestowed on the crop. On an average the State produces 300 lbs. of seed cotton per acre or 100 lbs. of lint and 200 lbs. of seed, but the variations from district to district are very great. Like other crops, cotton is also subject to mishaps. Cloudy weather causes shedding of flowers, untimely showers considerably deteriorate the quality of the lint, moth borer causes the death of many plants, boll worms (chiefly the spotted boll worm) eat the foliage and flower buds on the young plants and bore into the young bolls at a later stage causing a loss of 20 per cent. of outturn. But with all this, cotton is a favourite crop with the cultivators. It is grown easily. It is not subject to diseases which totally destroy the Above all, it can be convererted into cash as soon as the fields are picked. There is no thrashing or delay of any kind and there is always a ready sale for it in the market. Hence cotton is considered by a farmer as the chief crop for paying the land assessment and providing money for the means of livelihood while the jawar crop is for food.

Rotation.—Cotton is rotated with jawar in heavy soils and with bajra in light soils. But the rotation is modified according to the district, season and the condition of the field. Wheat is grown extensively and tur and linseed sometimes as rotation crops. In the districts of Aurangabad and Parbhani cotton is rotated with white jawar and Wheat. In Nander and Osmanabad it is rotated with vellow jawar and bajra. In Osmanabad cotton after groundnut. Gulbarga cotton after white jawar and other rabi crops. In Raichur after white or red jawar, groundnut and bajra. In Telingana cotton is taken after jawar, pulses and other kharif crops.

In Marathwara ploughing is done once in five or six years, in Karnatic and Telingana oftener. Repeated har-

rowing with bladed harrow is common.

Manuring is given to cotton but not to the rotations. crop. Cotton is sown in lines with wooden drill calle tiphan or mogha. The drill may be single two or three coultered distance between rows vary from 12 to 22 inches. Paired rows of Tur are planted after every 10 to 15 rows of cotton generally. Interculturing is done 2 to 3 times by means of bullock hoe (Kolpa).

Cotton is generally sown immediately after the first fall of rain in the Marathwara. The seed is sometimes sown before the break of the monsoon in anticipation of rain. In Karnatic which receives the North-East Monsoon the seed is sown in September, if sown earlier the lint would be ruined by the late rains. Cotton seedlings are easily injured by heavy rains and the fields have then to be resown-different varieties take different periods for maturing. The yield is higher for kharif than for rabi cotton.

Sowing of kharif cotton in Marathwara and Karnatic is done from June to mid-July. This crop in Karnatic is called Mungari crop. The Rabi sowing of cotton is done in September or early part of October and the crop is called Hingari.

In Nalgonda and Nizamabad districts more of the cotton area is under the Rabi Cotton.

Picking season for Kharif is from end of October to the beginning of February in Marathwara. In Telingana and Karnatic it is from November to January (Kharif) and February to April (Rabi). There are usually four pickings. Most of the produce is marketed as Kapas or unginned except in Gaorani area where it is ginned by hand gins.

In Hyderabad cotton is the most important of the fibre crops grown. There are four distinct cotton growing tracts in the State each characterised by the growth of one or more varieties of the Genus Gossypium.

(1) The Maharathwara tract which is the largest area of the Kharif cotton. Cotton is sown in June:

(2) The Karnatic tract of which Raichur district is the chief cotton growing tract of Kharif and Rabi types.

(3) The Medak Subah which has the distinct

Rabi Cotton of its own.

(4) The Warangal Subah having its own type of Cocanada cotton.

The botanical types of cotton of Hyderabad State with localities are:—

- (1) Gossypium indicum hawk, i.e., Hyderabad Gaorani or Bani a Kharif variety found up to 80 per cent in the Gaorani protected area, i.e., Districts Nander, Bidar, Talukas Nirmal and Mominabad and part of District Osmanabad.
- (2) G. neglectum rosea, *i.e.*, Havri or Jari or Varadi. A kharif variety found in Osmanabad Adilabad, Bir, Parbhani. Aurangabad, Karimnagar Medak, Nizamabad (Kharif), Atraf-i-Balda, Warangal (North), Adilabad (East).
- (3) G. N. Cutchica, i.e., Mungari or Mathio, a Kharif variety found in Gulbarga, Raichur, Makhtal (Taluka).
- (4) G. N. Malvenisis a Kharif variety found in North-East Raichur, Southern Gulbarga and Makhtal Taluka.
  - (5) G. N. Vera or Kharif variety.
- (6) G. Hirsutum or American or Buri found upto 25 per cent. as Kharif in the Gaorani protected area and Bir, Aurangabad, Parbhani, Nander, Osmanabad, Bidar and as Rabi in Raichur where it is called Dharwar American or Vilaiti Hatti. It is grown on lighter black soils.

- (7) G. Herbaceum, i.e., Hingari or Kumpta and Javari. It is a rabi variety grown on heavier black soils found in Raichur. Nizamabad. Karimnagar. Gulbarga (South), Warangal (North), Nirmal (Taluka. Makhtal (Taluka).
- (8) G. Obtusifolium, i.e., Cocanada, It is Rabi variety found in Warangal (South,) Nalgonda.

The trade names of cotton of Hyderabad State are as follows:—

(1) Hyderabad Gaorani—It is the produce of Gaorani Protected area, i.e., Nander, Bidar and parts of Adilabad (Nirmal), Bir (Mominabad) and Osmanabad districts. The area under this is nearly 9 lakhs of acres and the annual production is (1.1) lakhs of bales.

It consists of 75 to 80 percent. of G. Indicum and 20 the 25 per cent. of American. G. Hirsutum or Buri. Staple 7'8 to 15 16 inch long, ginning percentage is 25 to 29. Suitable for 24 to 30's warp counts. It is one of the finest Indian cotton, is much liked and largely taken up by all Indian mills and very little is exported. Reputed markets for this cotton are—Bhensa, Umri. Karkheli. Dharmabad, Nander and Latur.

Hyderabad Oomras-It is generally classed as fine oomras. It has short staple. It is produced in Medak, Karimnagar, Nizamabad, Parbhani, Aurangabad, Mahbubnagar, Adilabad (Part), Osmanabad (Part), Bir (Part), and Warangal (Norht). The aceraage is over twenty lakhs and produce is 3 lakhs of bales or 55 per cent. of the total annual output of the The crop of Aurangabad, Parbhani parts of Adilabad, Bir, North Gulbarga and Osmanabad is locally known as Havri, Tat, Katal or Bharat. When sold in Barsi and Ahmednagar markets it passes under the name of Barsi and Nagar It is a mixture of G.N.R. with 10 to 20 per cent. of G. Indicum. Ginning percentage is 33 to 35. ½" to ¾" suitable for spinning 8-12's warp counts. The chief stations of export of this are Aurangabad, Jalna, Sailu, Parbhani, Partur, and Hingoli. The crop of Karimnagar and North Warangal districts contains a mixture of G. Indicum 90 per cent. and G. Herbacum or Kumpta the rest. The crop of Nizamabad consists practically herbacum type and very little of G.I. The produce of these areas is generally finer than the rest of the oomras tract but the total annual production is only about 15,000 bales. The crop of Medak, Atraf-i-Balda and Mahbubnagar contains mixture of G.I.C.—G.N.R.—G.Hirsutum—G.N. Malvensis and G. N. Vera.

(3) Kumpta and Westerns—Kumpta is Rabi or Hingari or Javari produce of Raichur and southern part of Gulbarga district. Area is 4 lakhs of acres and produce is half a lakh of bales. It is mostly G. Harbaceum. Staple is  $\frac{3}{4}$  to  $\frac{7}{8}$  inches, fit for 20 to 24's count. Ginning percentage is 25 to 27.

Jayavanti is an improved type for this tract. G. Hirsutum or Buri or American is also Rabi and is included in Kumpta. The Kharif crop of this tract which includes G. N. Cutchica, Mungari or Mathio and G. N. Malvensis are included in western.

(4) Cocanada or Warangals.—(It is G. Obtusi foluim) (Rabi) is of southern part of Warangal and district Nalgonda. Area is 20,000 acres and production is 2,500 bales. It is brown in colour with staples of \$\frac{1}{2}\$ to \$\frac{1}{2}\$ inches suitable for 16 to 20,s warp counts. Ginning percentage is 23 to 26. Chief markets are Warangal, Khammam and Madhra.

The import and export of cotton is as follows and the chart annexed will also show it clearly.

Quantity Value in Rs.

Import .. 289 164,000 Export .. 1,070,321 57,969,000

157

#### No. 23-B. COTTON ACREAGE.

(FIGURES IN THOUSANDS).

Srl. No.	Districts		1935-36 1345 F.		1937-38 1347 F.	1938-39 1348 F.		5 years'	average 1936-40
1	2		8	4	5	6	7	8	9
1	' Atraf-i-Balda	,	40	8	¥	11	Ito	14	15
2	Warangal		17	20	15	11	:-	33 3	.6
3	Karimnagar		71	61	62	46)	949	JH)	1,~
4	Adilabad		286	2(4)	276	279	20 S	77.1	274
5	Nizamabad		10	17	14	11	1 [	17	:2
6	Medak		2	22	2 -		크	23	2
7	Baghat				••				
5	Mailhubnagar	٠.	ಶ	11	5	ð	٤,	<b>9</b>	១
y	Nalgorda		11	57	11 ,	17	21	10	25
	Telingana	٠.	439	478	396	385	429	470	425
10	Aurangabad		666	599	663	568 -	47fiti	651	392
11	Bir	٠.,	453	134	323 (	340	\$4.00	#2()	832
12	Nand-r	,	468	497	354	506	632	472	331
13	Parbhani	٠.	671	707	739	713	710	683	708
14	Gulbarga		145	144	143	193	167	101	len
15	Osmanabad		118	68	96	90	94	102	93
16	Raichur		ວົ <b>ດ</b> ຄຸ	145	114	433	637	372	505
17	3idar		229	≥16	200	214	187 .	231	209
	Marathwara		3,259	2,810	3,167	3.112	3,3 2	3,045	13,130
	Hyderabad State		3,693	3.288	3.568	3,497	3,731 .	3,515	3.555
	All-India	٠.	35,414	24.759	25.746	23,490	21,351	23,525	24,158
	P.C. of Hyderabud to all-India Position of Hyder- abad among India		14.53	13.28	13.83	14.88	17.50	14.87	14.48
	Provinces		3	3	3	3	3	8	3

No. 23-C. COTTON OUTTURN (LINT IN BALES OF 400 LBS.).

158

Srl.	Districts		1935-36	1936-37	1937-38	1938-39	1939-40		average
No.			1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1931-35	1936-40
1	2	,	3	4	5	6	7	8	9
1	Atraf-i-Balda	•••	5	1	1	1	1	2	2
2	Warangal	•••	2	3 ;	3	1	3	4	3
3	Karimnagar	••!	10 .	8	9	5	10	8	8
4	Adilabad		44	51	47	40	52	42	47
5	Nizamabad	••	1 ;	2	2	1	1	2	1
6	Medak	••	••	-• ;	••	••	i	••	••
7	Baghat	1		••	••	••	]	••	
8	Mahbubnagar	• • •	1	1	1	1	1 !	1	1
9	Nalgonda		1	10	1	2	3	1	3
	Telingana		64	77	64	51	71	60	65
10	Aurangabad	-	148	110	124	91 ·	81	105	111
11	Bir		47	13	45	53	57 '	57	43
12	Nander		52	93	85	67	118	71	83
13	Parbhani		115	130	125	104	118	93	118
14	Gulbarga		27	18	25	34	21	13	25
15	Osmanabad	••	16	4	9	10	14	15	11
16	Raichur		75	42	62	65	73	44	63
17	Bidar		25	35	31	33	29	28	31
:	Marathwara		503	445	506	457	511	426	485
	Hyderabad State		569	522	570	508	582	486	550
	All-India P.C. of Hyderabad	;	5,867	6,234	5,722	5,051	4,909	4,771	5,557
	to all-India		9.70	8.37	9.96	10.06	11.85	10.19	9,90
	Position of Hyder- abad among Indi Provinces	an	4	4	4	4	4	4	4

No. 28-D. YIELD PER ACRE OF COTTON (LINT) IN LBS.

Srl.	Districts	1935-36 1345 F.		1937-35	1939-39	1939-40	5 years	
No.		1343 F.	1346 F.	1347 F.	1345 F.	1349 F.	1931-05	1935-4
1	, 1 <b>2</b>	3	1 4	5	6	•	8	9
1	Atraf-i-Balda .	. 47	64	38	38	35	52	41
2	Warangal .	., 39	52	70	40	442	12	52
3	Karimnagar .	. 57	52	58	3,4	11	÷.	•,
4	Adilabad .	63	70	Ю	57	٠,	5=	47
5	Nizamabad .	. 44	12	57	44	4:+	11	47
6	Medak · ·	. 45	\$1)	3×	24	32	42	36
7	Baghat	. 31	24 ;	48	45	31	• •	33
8	l Malibubnagar .	47	52	52	54	50	4.7	51
9	Nalgonda .	. 45	37 ·	44	42	36	47	49
10	Aurangabal	., 88	73	75	64	69	<b>64</b>	74
11	Bir	.) 41	35	56	62	36	55	51
12	Nander	. 45	75	62	52	71	60	61
13	Parbhani .	65	74	65	58	66	54	67
14	Gulbarga .	74	<b>52</b>	67	70	51	46	63
15	Osmanabad .	. 55	27	38	42	61	58	45
16	Raichur .	. 59	37	<b>5</b> 5	53	<b>4</b> 6 ;	47	50
17	Bidar	. 44	65	62	62	52	48	57
	Hyderabad State	. 62	65	64	58	63	61	62
	Bombay Presidency	73	72	76	78	77	70	75
	C. P. and Berar .	. 61	86	69	59	88	69	73
	Madras Presidency .	. 80	7.9	79	76	82	80	79
	Average: India .	92	101	89	86	92	81	92

160

No. 23-E. COTTON—DISTRICT ANNAWARI CONDITION OF CROP.

Sl. No.	Districts	1935-36 1345 F.	1930-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	
1	3	3	4	3	6	7
1	Atraf-i-Balda	8	11	7	6	6
2	Warangal	7	. 8	11	7	11
3	Karimnagar	9	8	y ·	6	7
4	Adilabad	9	11	10	9	11
5	Nizamabad	s	, ~	9	7	8
Ó	Medak	8	7	· 7	4	8
;	Baghat	i ·	4	8	8	5
8	Mahbubnagar	8	ន	8	9	<b>9</b>
9	Nalgonda		10	8	8	11
10	Aurangabad	11	9	9	10	10
11	Bir	7	6	9	10	9
12	Nander	7	11	10	9	11
13	Parbhani	10	10	10	9	11
14	Gulbarga	11	8	10	11	9
15	Osmanabad	8	4	6	7	9
16	Raichur	10	7	9	9	8
17	Bidar	7	10	11	10	10
	Hyderabad State	9	8	9	9	9

161
No. 24.—SANN HEMP ACREAGE.

Seri- al No.	Districts			1936-37 1346 F.				3 years 1931-35	average 1986-40
1	2		3	4	.5	4;	î	S	9
1	Atraf-i-Balda		2,305	2,833	113	26	901	9.091	1.235
2	'Warangal	٠.	1,900	3,783	1,920	16,775	424	2:::	5.621
3	Karimnagar		9.650	9,350	8,324	7.665	.7:8	.5 5.2	7,2,
4	Adilabad		3,648	(464	3.567	2.752	1 -11 -1	¥ 80%	2.725
5	Nizamabad	٠.	334	295	145	16	121	:,,,7	2.3
6	Medak		405	366	470	229	157	5.47	325
7	Baghat			35	837	705	315		419
8	Mahbubnagar		2,937	794	300	11.225	4,111	852	3.575
9	Nalgonda		1,569	625	231	151	653	1.604	652
	Telingana		22,748	19,046	13,951	39,008	10,614	81,870	21.545
10	Aurangabad	• •	7,213	8.396	5,225	7,995	3.617	11.201	6,489
11	Bir		7,899	3,288	ძ65	1 650	053	2.055	2,~43
12	Nander		5,844	5,497	5,020	<b>1</b> 588	6.368	5,604	5.495
13	Parbhani	.•	6,592	4,392	10,95ს	11,949	8.360	6,952	5.470
14	Gulbarga	٠٠,	1,927	1,222	2,504	2,173	4,402	3,358	2,500
15	Osmanabad	!	1,949	1,702	1,403	873	1.201	1,482	1,426
16	Raichur	••;	4,340	549	1,075	537	1,201	2,10-1	1,541
17	Bidar	••;	11,027	6,139	8,502	3,337	10,633	9,332	5,933
	Marathwara		46,791	31.183	35,380	35,352	36,650	42.176	37,683
	Hyderabad State		69,539	50,229	51,331	77,450	47,594	13,546	53,228
	All-India				Not	available,	•		
	P. C. of Hyderabac to all-India.	đ		,	do	do			arila reas er mundirum digita sire teredi.
	Position of Hyder- abad among Indi Provinces.	an			đэ	do		and the second	

### No. 25.-TOBACCO.

No. 25-A—A short note on Tobacco (Nicotiana tabacum and N. rustica).

Hindustani.—Tambakoo.

Marathi.— Tambaku.

Telugu.— Pogaku.

Kanarese.— Hogesoppu.

In 1939-40 area = 81,135 acres or 606 lbs.of cured leaves per acre when the crop was 76 per cent. of the normal

Hyderabad has 5.57 per cent. of the total tobacco crop area of India and amongst tobacco growing Provinces it ranks 8th in India. Tobacco occupies the 13th place among the chief cultivated crops of the State, having 0.8 lakhs of acres or about (0.2) per cent. of the net cropped area of the State to its credit.

The chief tobacco growing tract in Hyderabad State is Nalgonda and Bidar districts.


Of the plants grown for their narcotic power tobacco is probably the most important crop all over the world. The world's production in 1917 was 2,661,600 lbs. India produces Rs. 18 crores or 1,378 million lbs. or about one-fourth or 28 per cent of the world's tobacco.

Tobacco is grown successfully on any agricultural soil but the best crop require special soil and climate. In Hyderabad State tobacco is generally grown in small patches for their own consumption round about the villages on loamy soils thus having advantage of nitrogen from urine, etc. In Nalgonda district it is grown on black regure soils.

The area of tobacco increases or decreases according to the cultivation of chillies which are said to fetch, better prices than tobacco and are easier to be handled besides the same fields are quite suitable for chillies and the period of cultivation is practically the same.


90 per cent. of the acreage is unirrigated and 10 per cent. is irrigated. It is the irrigated crop that is exported totally while the unirrigated is consumed locally. The amount of tobacco retained by the growers amounts to about 3.4 per cent. of the total production.

TOBACCO
WORLD PRODUCTION



NO: 39. TOBACCO

## ACREAGE, OUTTURN & PER ACRE YIELDS



The unirrigated crop is harvested in November and is cured and made ready for market in December and January.

The irrigated crop being very strong and of very good size is harvested in February and is ready for market in March and April.

From every 100 lbs. of green tobacco plant (leaf and stalk) ten lbs. of one month cured leaf tobacco is obtained.

Average yield of cured tobacco including stem and stalk when grown as dry crop is 750 lbs. per acre and about 500 lbs. exclusive of stem and stalk; from irrigated crop 900 to 1,200 lbs. per acre.

There are two varieties of tobacco grown. The Nicotiana rustica with yellow flowers and coarse texture round oblong leaves and mostly used for *hookah* and snuff. The second is N. tabacum with pink flowers, elongated smooth leaves generally pointed and mostly used for smoking and is widely grown.

Tobacco requires very careful treatment of the seed-bed and of the field. The field is well prepared and manured. Seeds are sown in July on raised beds 1½ ozs. for one acre. Seedlings are ready for transplantation when about 40 days old. The planting is usually done in the month of August after six weeks the young crop is trapped keeping 10 to 15 leaves per plant. The lowest three of which are subsequently removed. Hoeing and weeding is also done the same time. Tobacco stands in the field for about five months. It is mostly a dry crop. If irrigated it gives a bigger yield. The varieties grown are Desi (90 per cent.), Zarda (10 per cent). Virginia and Guntur are newly introduced varieties. The cost of cultivation of Virginia per acre with curing is Rs. 105.

The method of harvesting and curing varies according to the kind of tobacco to be made. Harvesting, drying in the field, pitting or heaping, tying into bundles and stacking require considerable skill and attention.

In 1939-40 the import of raw tobacco was 4,428 tons worth Rs. 13,81,000 and the export was 1,000 tons worth Rs. 3,95,0000.

164
No. 25-B.—TOBACCO ACREAGE.

Seri- al	Districts		1935-36	1936-37	1937-38	1938-39	1989-40	5 years	' average
No.	Dancis		1345 F.	1346 F.	1347 F.	1348 F.	1349 F.	1981-85	1936-40
4	2		3	4	5	, 6	7	8	9
1	Atraf-i-Balda	•••	3,051	2,859	1,514	1,810	2,077	2,083	2,262
2	Warangal		4,238	4,625	4,663	7,732	8,585	5,105	5,969
. 8	Karimnagar	••	4,309	4,393	3,520	3,127	3,846	3,754	3,839
4	Adilabad	• •	2,746	3,019	2,636	2,478	2,621	2,379	2,700
5	Nizamabad		814	1,270	688	720	2,042	616	1,107
8	Medak		2,156	2.675	2,094	1,881	1,631	3.012	2,087
7	Baghat		• •	212	174	1,018	320	! • ••	345
8	Mahbubnager	••	3,391	2,835	2,085	3,752	6.248	2,738	3,662
8	Nalgonda	••	5,714	10,594	4,901	8,459	11,087	5,348	8,151
	Telingana		26,419	32,482	22,275	30,977	38,457	25,039	30,122
10	Aurangabad		2,846	2,535	2,692	3,589	2.141	3,2:2	2,761
11	Bir		3,961	2,120	2,290	2,369	1,081	j 5,503	2,364
12	Nander		6,654	5,785	5,918	5,693	7,976	7,779	6,405
18	Parbhani	••	4,285	4,225	2,605	2,750	2,421	4,075	3,258
14	Gulbarga		7,189	4,025	3,897	3,455	5,908	8,514	4,894
15	Osmanabad	••	3,696	4,544	5,016	4,976	3,175	5,399	4,281
16	Raichur	٠.,	5,758	6,081	6,803	6,403	12,170	6,092	7,443
17	Bidar		10,754	9,993	11,364	11,054	7,806	11,626	10,194
	Merathwara	••	45,143	39,308	40,585	40,289	42,678	52,292	41,600
	Hyderabad State	٠.,	71,562	71,790	62,860	71,266	81,135	77,332	71,722
	All-India	• •	1253000	1183000	1288000	1290000	1310000	128400	1265000
	P. C. of Hyderabac to all-India	i 	5 71	6.07	4.88	5.52	6.19	6.02	5.66
	Position of Hyder- abad among Indi Provinces	an	7		. <u></u>				
	- 10 Talloca	••	7	7	. 7	. 7	7	6	7

No. 25-C,—TOBACCO CURED OUTTURN IN TONS.

Seri- al No.	Districts		1935-36 1045 F.	1936-57 104# F.	1997-55 1947 F.	Into II.		7375° 1.801-1.7	
1	2		:,	<b>.</b>	-;	•	?		Į,
1	Atraf-i-Balda	•••	538	523	264	405	156	311	443
2	Warangal		1,426	1,539	1,690	2,675	وکا ۲۰۰۰ در د	1.5%	18 En ()
3	Karimnagar		1,380	1.000	1.050	1,7,0,	4	1.11.	J. 2
7	Adilahad		685	885	• 4		. ,	724	€ 1
5	Nizamabad		154	:302	:72	1.4	*: ,	127	246
G	Medak		un	715	574	<b>2</b> 30	<b>₽</b> ?	গ্ৰহ	527
7	Baghat			44	36	.36	£.(4		٠,
\$	Mahbubnagar		608	666	511	558	1.598	\$-503	5.7
9	Nalgonda		1,118	2,572	1,044	2,245	2,765	1,104	2,023
	Telingana		6.331	9,173	6,334	5.5 41	11 1.77	5,596	8,371
16	Aurangabad		661	584	705	5514	572	558	677
11	Bir		784	412	457	513	230	1.008	497
12	Nander	;	1.783	1,905	1,950	1.402	2 656	2,357	1,944
13	Parbhani	٠.	946	1,045	801	676	523	1.017	799
14	Gulbarga		1,227	705	629	683	1,787	1.705	997
15	Osmanabad	••	620	982	1,386	1.465	889	795	1,068
16	Raichur	, ,	1,430	1,384	1,438	1.476	2 846	1,245	1,715
17	Bidar		2,205	2,577	2,570	2,405	1 566	2,130	2,331
	Marathwara	••	9,656	9,630	10,269	9,569	11.013	10,880	10.028
	Hyderabad State		15,987	18,805	16,608	18,510	22 090	16,476	18,399
	All-India		493,000	497,000	511,000	491,000	476,000	611,000	494,000
	P. C. of Hyderaba to all-India	d	3.24	3.78	3.24	3.77	4.50	2.69	3.72
	Position of Hyder abad among Ind Provinces		7	7	: 7		7	7	7

166
No. 25-D.—YIELD PER ACRE OF TOBACCO (CURED) IN LBS.

Seri-	Districts	1935-36 1345 F.	1936-37 1346 F.	1937-38 1347 F.	1938-39 1348 F.	1939-40 1349 F.	5 years' 1931-35	average 1936 -40
No.	2	3	· 4	5	1 6	7	. 8	· 9
1	<u></u>		<del></del>		. 0			
1	Atraf-i-Balda	395	417	391	501	524	333	446
2	Warangal	. 754	755	812	776	955	694	810
3	Karimnagar	717	819	884	860	550	i 58	766
4	Adilabad	524	659	539	598	554	490	575
5	Nizamabad	425	544	560	323	537	442	478
6	Medak	425	606	614	631	<b>55</b> 8	279	567
7	Baghat	! ', ••	463	463	425	488	• • •	459
8	Mahbubnagar	441	526	549	497	572	374	517
9	Nalgonda	438	607	486	609	559	463	540
10	Aurangabad	524	516	589	534	598	385	552
11	Bir	443	467	476	543	476	426	481
12	Nander	600	737	738	566	746	684	677
13	Parbhani	497	558	689	551	484	591	552
14	Gulbarga	382	396	364	443	<b>65</b> 8	439	449
15	Osmanabad	376	666	619	659	627	336	589
16	Raichur	556	510	473	516	524	453	516
17	Bidar	460	578	566	494	449	408	50
	Hyderabad State	500	584	592	571	606	473	571
	Bombay Presidency	573	525	514	438	440	1,936	497
	C. P.& Berar	640	746	746	620	682	587	687
	Madras Presidency	896	965	952	854	948	1,170	921
	Average: India	886	898	878	860	814	1,072	856

167

No. 25-E. TOBACCO—DISTRICT ANNAWARI CONDITION OF CROP.

Seri- al No.	Districts		985-36 1845 F.	1939-37 1346 F.		1325-57 1345 F.	1939-40 1349 F.
1	Atraf-i-Balda		7	7	7	4	9
2	Warangal		11	ક	4.3	1:+	D)
3	Karimnagar		11	9	Ų		• ;
4 ,	Adilabad		11	11	<b>34</b>	703	9
5	Nizamaba l		4	9	11	• 1	ų
6	Medak		9	10	[11	10	٠,
7	Baghat		• •	7		7	8
8	Mahbubnagar	••	9	8	3#	•	70
9	Nalgonda	• •	g	10	ន	10	9
10	Aurangabad		11	8	10	9	10
11	Bir		10	8	8	9	8
12	Nander		13	11	12	9	12
13	Parbhani		10	9	11	10	8
14	Gulbarga		8	7	6	7	11
15	: Osmanabad		8	8	10	11	10
16	Raichur	• • •	12	8	8	8	9
17	Bidar	• •	10	9	9	8	8
	Hyderabad S	tate	10	. 9	9	8	9

168

# No. 26.—FODDER CROP ACREAGE:

## (FIGURES IN THOUSANDS).

l. 'n.	Districts			1936-37 1346 F.		1938-39 1348 F.	1939-40 1349 F.	5 years' 1931-35	1936-4
 :	2		2,	4	5	6	7	8	9
1	Atraf-i-Balda	•••	102	83	127	90	67	120	ρ.
2	, Warangal		128	228	5	7	66	250	87
3	Karimnagar		211	142	41	14	58	168	9:
4	Adilab id		35	144	5	9	38	70	4
5	Nizamabad		33	41	8	9	25	61	2
6	Medak		41	81	13	3	23	31	2
7	Baghat		17	10	2	3	12	19	
8	Mahbutmagar		41	54	13	4	2	48	2
9	Nalgor da		283	277	117	42	72	296	15
	Telingana		891	1,010	331	181	363	1,058	55
10	Aurangabad		27	26	. 4	: 5	4	44	1
11	Bir		25	; 32	16	8	. 4	18	1
12	Nander		54	64	21	12	. 20	67	3
13	Parbhani		. 21	32	11	13	; 9	29	1
14	Gulbarga		30	38	8	7	9	71	1
15	Osmanabad		20	22	10	2	4	121	1
16	Raichur		46	46	22	12	8	50	2
17	Bidar		70	64	45	7	25	105	4
	Marathwara		293	324	137	66	83	505	18
	Hyderabad State	••	1,184	1,334	468	247	446	1,563	78
	All-India P.C. of Hyderabad	 I				ailable.			
	to all-India Position of Hyder-				do	do			
	abad among Ind Provinces				do	đo			

170
No. 27-A. ~FRUITS AND VEGETABLE~ ACREAGE.

				Firmes	egioni zi	NDS	enn sproper spelliners		
š.i. No.	District <b>s</b>	••	1935-36 1945 F.	1999-37 1946 F.	1947-38 1947 F.	1938-63 1348 F.	1349 F.		average 12:35-49
1	7		9	4	5	в	7	*	9
1	Atraf-i-Balda		45	51	34	<b>4</b> I	43	53	43
2	Warangal	٠.	62	63	49	24	47	ãs	49
3	Karimnagar		62	73	10	24	45	46	42
4	Adilabad		45	46	10	17	52	25	34
J	Nizamabad		30	31	9	13	45	g	26
l g	Medak		30	33	21	12	32	21	25
7	Baghat		10	17	11	11	13	Į1;	12
8	Mahbubnagar		69	35	29	40	42	26	41
1,7	Nalgonda		35	44	17	38	46	10	36
	Telingana		380	390	190	220	865	293	309
10	Aurangabad		28	36	58	79	119	21	64
11	Bir		36	37	46	24	18	11	32
12	Nander *		25	25	26	31	69	44	35
13	Parbhani		29	29	52	70	48	25	46
14	Gulbarga	٠.	45	44	11	12	14	24	25
15	Osmanabad		42	40	58	18	24	44	87
16	Raichur		69	38	54	26	21	30	41
17	Bidar		51	43	11	10	1 16	72	26
	Marathwara		325	292	316	270	329	271	306
	Hyderabad State		705	682	506	490	694	564	615
	All-India		, i		Not av	ailable.			
	P.C. of Hyderabad to all-India				do	do			
	Position of Hyder- abad among Indi Provinces	an 			do	do			

#### No. 27.-C. -FRUITS AND VEGETABLES BANANAS.

Banana (Musa paradisiaca) Plantain (M. sapientum) Hindustani.--Mauz or Kala.

Marathi.-Kali.

Telugu.—Aratipandu. Kanarese.—Bala Kavi.

The area under Banana is increasing annually, the present is 2,000 acres.

The fruit is very popular among all nationalities and considerable quantities of it are imported. It thrives in light soil heavily manured and copiously watered. There are many varieties named according to the colour the size and shape of fruit; the chief one as regards colour are red, green and yellow. Plantain is a cooking variety. Banana is planted mostly in June and July, flowers it after a year and crop is ready after 4 or 5 months, i.e. September to December. It is a winter fruit and consumed mostly in winter months. The district wari acreage under different varieties in Hyderabad State is.

	<b>Districts</b>		Total	AREA U	NDER VA	RIETIES
Si. No			acreage	$\mathbf{Red}$	Green_	Yellow
1	2	1	3	4	5	6
1	Atraf-i-Balda		125			125
2	Warangal		45			45
3	Karimnagar		20			20
4	Adılabad		15			15
5	Nizamabad		155 <sup>1</sup>			155
6	Medak		15			15
7	Baghat	ì	,			
8	Mahbubnagar	1	35			35
9	Nalgonda		35	••		35
	Telingana		445			445
10	Aurangabad	٠٠,	230		230	
11	Bir	1	100		100	
12	Parbhani		300		300	1
13	Nander	!	150		150	
14	Gulbarga	!	200	30		170
15	Osmanabad	!	500	• •	220	280
16	Raichur	;	60			60
17	Bidar		15	• •		15
	Marathwara		1,555	30	1,000	525
	Dominions total		2,000	30	1,000	970

175

### BANANA FRUIT STATISTICS FOR HYDERABAD STATE, 19.5 (1944 F)

Source. - Marketing of Banana Report 1944 F.

Srl. No.		Re I	Green	Y54	
1	2	8	4	5	ł)
1	Average No. of plants per acre.	680	1,210	1,749	Average = 1,200
2	Acreage in Hyderabad State, 1935	30	1.0441	970	The six Horner of the common of the source of the common of the source of the common o
3	No of fruits per plant or average No. of				
4	bananas in a bunch No. of fruits bunches	40	36	٠,	
5	per acre. Weight of fruits in	وكبعرت	1,210	1,741	
6	maunds per acre. No. of fruit-bunches per maund.	272 2.5	135.2 2.75	348 5.6 i	100 red bananus wor sales. It
7	Estimated total pro- duction in bunches	160,000	575,000	590,000	
8	Total production in maunds.	4,000	210 0 70	160,000	
9	Importation into Hyderabad City.	Mostly Gulbarga and Basin in Bombay Presy.		Mostly Madris Presy, and Dudhni (Bont) ty Presy.	Dilini is the same variety as Kamalapar, it Gibarga District. The callet exporting centres of barenas in Hylerbad State with maximit exported in 1934-35, in mannels are District Parbham (Chondi 3,516, B. mathagar
10	Import into Hyder- abad City in maunds. 1935.	632	5.651	34,737	1,425, Paribani 323, Hing h 51) Nander 428, Aurangabad 75, Nizamah d 575. Hyderabad City consumes 35,000 mannis one lakh bunches) bediles 50,000 bun- ches of home-grova.
11	Presidency only from Osmansbad District in maunds	ĺ	27,000		1
12	Per capita consump- tion in Hyderabad City per year.		! !		40 bananas
18	Retail price per O.	S.1 3 1 G.1 0 6	0 4 1	0 2 9	
14	Wholesale price O. per 100 fruits	5.7 <b>3 4</b> G.6 <b>3</b> 5	1 13 9	0 12 4	Wholesale princets for bananus in Hyderabid State are Hy- derabad City, Nander, Au- rangabad and Jains-
15	Auctioned	In lots of 100 fruits	In bun- ches	In bun- ches	Bananas are auctioned generally at the rate of OS. 6 annus, to O.S. 10 annus per banch on the plant.
16	Packing	Basin red packed in boxes of 100 fruits. Gulbarga red pack- ed in gunny bags and- kas of 100 fruits.		Mostly un- packed. Dadhni packed in baskets.	

176

# ARRIVAL OF BANANAS BY RAIL INTO HYDERABAD CITY-WEIGHT IN MAUNDS (1935)

(Source.-Marketing of Banunas Report 1344 F.)

			•	From				DETAIL MINIONS	
Sl. No.	Months	Madras Presy.	Bembay Presy.	within Domi- nions	Others	Total	P.C. of arrival	Red from Gulbar- ga	Green from Par- bhani & Nander
1	2	3	4	ō	6	, ,	8	9	10
	January	9,761	11	557	45	10,374	25.06	45	512
2	February	6,692	4	210	• •	6,906	17.00	30	180
3	March	4.500	3	70	••	4,573	11.66	70	• •
	April	2,280	2	44	••	2,326	5.64	44	٠
5	May	166	••	24	••	190	9.46	24	
6	June	166	1	12		179	0.42	12	
7	July	132	~	11 }	••	150	0.35	11	••
8	August	215	49	199	••	463	1.12	19	180
9	September	1,631	44	430	• •	2,105	5.10	42	388
10	October	1,792	7	1.836	• •	3,535	3.80	38	1,798
11	November	1,445	7	1,745	••	3,197	7.75	55	1,690
12	December	5,957	3	1,159	• •	7,119	17.24	104	1,055
	Total	34,737	138	6,297	45	41,217	100.00	494	5,803
	Imported in rest of the Dominions		* * * *	• •		10,000		••	••

No. 27-B.—FRUITS AND VEGETABLES:—CITRUS.

Srl. No.	English Name	Hindustani Nan.e	Marathi Note	Telugu Notes	Kanara.	silentific name
1	Santra Orange	Santra, Kawla	Santra	Santralu	Suzitia	٤.
2	Mosambi	Mosambi,Batai, Purtagal.	•		<i>.</i>	
3	Sour lime .	Kagazi Lemoen.	Limbu	Nimmapandu	Nimbihannu	C Arida
4	Sweet lime	Metha Lemoor				
5	Large SourLime	: Bara Lemoon				
6	Italian Lime	Vilaiti Lemoo:.			`	
7	Jamburi .	Jambura			(	
8	Karna .	Karna	Limbu	Nimma- pandu.	Nimbi- hannu.	. C. Linio um
g	Cetron .	. Turanj	Toranjan Mahalung.	DabbaKay a	Kariii-kai	C. Medica.
10	Sour orange .	. Narangi	Naringa	Narangi pandu.	Narangi	C. Aurantium.
11	Mandarine .	. Chakri			!	i
12	Pomelo .	. Chakotra	Chakotra	••	Chakotra	C. Decumans.
13	Grape Fruit	. Khatta Chakotra.			soppu.	

This fruit is much appreciated all over the world and is in great demand in all its varieties. The first three are very largely grown all over Hyderabad State.

The chief exporting centres in Hyderabad State and the maximum quantity exported per annum in maunds are:—

District Aurang-		l and Daula		5.284
abad.	Jalna includ	ling Badnap	ur	8.382
	Parsoda	••		6.391
	Rotagaon	• •	• •	3,400
	Lasur	• •		1,281
District Parbhani	Parbhani in	cluding Mar	ıwath	2,011
	Road.			
	Hingoli incl. Basmath.	uding Chond	li and	4,082
	Sailu includ	ing Partur,	Sa-	2,335
	tona Osm	anpur.		
District Nander		luding Mudk	her	2,391
Other Districts	Miscellaneo	us places	• •	187

172
CITRUS FRUITS STATISTICS FOR HYDERABAD STATE,1987 (1346 F.)

Srl. No.	PARTICULARS		Santras	Mosambi	Sour I'me (Kagazi Nim- bu)
1	2		3	4	5
. 1	Number of plants per acre		150	150	200
2	Acreage in Hyderabad State		1,350	780	570
3	No. of fruits per plant	٠.	300	500	700
4	No. of fruits per acre		45,000	75,000	140,000
5	Weight of fruits in maunds pe	er	90	180	140
ij	acre. Number of fruits per maund	٠.	500	<b>400</b>	1,000
7	Total production in maunds		122,000	140,000	79,800
8	Value per maund in O.S. Rs.		3	3	2
9	Total value in O.S. Rs.		366,000	420,000	159.600
10	Imports into Hyderabad State (in maunds)	tate	From Nagpur (C.P.)	From Poona (Bombay)	From Tenali. (Madras)
	1984		7,800	3,039	891
	1985		9 <b>,23</b> 2	3,868	986
	1936		6,847	102	774
	1987	٠.	5,625	215	159
			From other p	laces.	
	1934	• •	174		
;	1935		94		
;	1986		89		
	Value of impart of Pr	··	61		
11	Value of import at Rs. 3 per n 1934	<b>αα.</b>	171,000	64,000	9,000
	1985		208,000	81,000	10,000
	1986		151,000	2,100	8,000
	1987	٠.	1,24,000	4,500	1,600

173
CITRUS FRUITS STATISTICS FOR HYDERABAD STATE, 1937 (1346 F.)
.continued)

Sl. No.	PARTICULARS		Sa	ntr	as	Mosambi			Sour Lime (Kagazi Nimbu)				
1	2			3				1		1			
12	Export from Hyderabad in a (entire to B tabley Prisidence			50.A	)°10	<del></del>	-		- <b>-</b>			-	********
13	Value of exp rt from Hyderal State in O.S. Rs.	bad	1.	,5 <b>0</b> ,4	OCK								
14 15	Per capita consumption Orchard price per acre or 150		0.014 7.0 fr				,			0.006 6.00			_
	plants (6 years' average 1932-37).	Rs.	283	o	()	6)	19	o	U		٠.		
16	Price per 100 fruits (1932-37)		4	5	8		5	3	7	1		U	3
17 18	Retail price per dozen of fruits  Per 100 fruits and 5 years' av  age.		to 1		0	tο	U	6 8			••	•	
	Wholesale price		4	5	8		5	3	10	1	l	0	2
	Orchard price		0	10	Ú		0	14	4				
	Baghban's marg:n		3	11	8		4	5	б				
	Retail price	٠٠,	8	15	7		9	2	3	1		7	4
19	Packages	- • ;	Bask 96 fra doz	ets o nits zens	or 8	of S	200	y b ) t : uits	500	Gum	ny	ba	ıgs
20	Actual No. when auctioned as	100		1	28			•	128			1:	28

(From report on the Marketing of Citrus Fruits in Hyderabad, 1937).

174
CITRUS FRUITS STATISTICS FOR HYDERABAD STATE

Srl.	Districts	Acri		Hyder inions	ABAD	AVAILABLE BY RAIL IN HYDER- ABAD CITY FROM DOMINIONS IN MDS.				
No.	Districts	San- tras	Mo- sambi	Kag- azi Lemoo	Total	Santras	Mos- ambi	Kagazi Lemoo	Total	
1	2	3	4	5	6	7	. 8	9	10	
1	Aurangabad	470	595	100	1,165	21,600	•			
2	Bir	. 60	60	<b>50</b>	170		•••			
3	Parbhani	465	45	50	560	5,624	· · ·	263	• •	
4	Nander	95	25	15	135	2,391		. 109		
5	Gulbarga .	. 5		35	40		i	359		
6	Raichur .	· · · ·	,	15	15			154		
7	Osmanabad	65	20	30	115					
8	Bidar .	. 15		10	25				•	
9	Medak .	. 15	}	50	65			43	• •	
10	Mahbub	. 5		25	30			1		
11	nagar. Nalgonda .			20	20			79		
12	Nizamabad	60	10	20	90			235		
18	Warangal .	. 5	5	25	35	!		46	!	
14	Adilabad .	. 50	5	35	90			198		
15	Karinmagar	10		25	35				• • •	
16	Atraf-i-Balda	30	1 15	65	110					
	Total .	. 1,350	780	570	2,700	29,663 Rest 48		1,587 Rest 101		

(Source Report on the marketing of Citrus Fruit in Hyderabad State, 1937)

### No. 27-D.—FRUITS AND VEGETABLES-MANGO.,

### Mango (Mangofera indica).

Hindustani.—Aam.

Marathi.— Amba.

Telugu.— Mamidipandu.

Kanarese.— Maminahannu.

The area as estimated in the marketing survey is 25,000 acres. It is a fruit much liked by all and is put to different uses in its unripe and ripe condition.

The production estimate of fruits is 1.750,000 maunds of Mangoes per annum of which 85,000 maunds are Pewandi and the remaining 16,65,000 maunds are Tukmi. Malgoba, Benishan, Nelum and Totapari are the varieties for commerce and the rest are for fanciers. The most common varieties grown in Hyderabad State are Tukmi, Malgoba, Benishan. Nelum, Alfon and Goa bunder the others though many are insignificant.

Tukmi are the fruits used for juice extraction and are very common, cheap and early varieties. Malgoba is round, with green or dark green skin and very large fruits. Flesh orange yellow very sweet in taste and of good flavour. Average fruit weighs half a pound. It is a late variety compared to Tukmi.

Benishan.—Fruits somewhat elongated and flat in shape with yellow skin and flesh. Sweet in taste. Average fruit weighs one-third of a lb. It is found practically throug h-out the season from April to August.

Nelum.—Fruits are small round in shape with yellow skin and orange flesh. Sweet taste. Average fruit weighs one-fourth of a lb. It is a very late variety almost every village in Hyderabad has a grove of mangoes—amrai. Mango generally gives a good crop every second year. Average orchard price per acre of mango crop is Rs. 34 for Tukmi and Rs. 76 for Pewandi. Cost of picking fruits from the trees is 4 annas per 1,000 fruits or 10 mangoes for every 100 fruits. It is estimated that on an average 5 per cent. of the total produced is retained by the producers for their own use. Per capita consumption of mangoes for the Dominions is 10 lbs. of mangoes

Only the Pewandi are imported into Hyderabad on an average of 5 years (1934-38) it is 28,000 maunds in Hyderabad City and 20,000 maunds in the rest of the Dominions valued at O.S. Rs. 2,88,000 at the rate of Rs. 6 per maund. S6 per cent. imported from Madras, 11 per cent from Mysore and 3 per cent. from the rest of India. Imports are chiefly from April to August. Koduru in Kadappa District. Putur. Rajamundry and Ellore (Madras Presidency) are the chief importers into Hyderabad. Benishan variety tops the list imported.

The imported fruits into the city of Hyderabad are brought in by wagons from outside the state and by andkas from interior of the State. An andka or basket contains on an average 400-500 mangoes and weighs two maunds. A cart can carry 10 andkas or 20 maunds of mangoes. A wagon load of mangoes is 120 to 160 maunds. The wholesale merchants of Pewandi mangoes are half a dozen in the city of Hyderabad and are near Moazzam Jahi Market. The wholesale merchants of Tukmi mangoes are quite a number and are in YusufBazar, Afzalgunj Gate and in Moazzam Jahi Market. The wholesale merchants of raw mangoes for pickles and of local grown Pewandi mangoes are quite number and are in Panchmahalla Bazaar.

Tukmi are sold by 100 mangoes or by andkas of 200 to 400 and Pewandi by seers per rupee. 100 raw mangoes are actually 192 fruits in Hyderabad city. Whole sale price per 100 of Tukmi mangoes is Rs. 0-15-6 and per maund of Pewandi is Malgoba Rs. 7-1-11, Nelum, Rs. 6-11-7, Benishan Rs. 5-5-5, Totapari Rs. 6-6-10., General average is Rs. 6-2-9. Retail prices of 100 Tukmi mangoes is Rs. 2-1-8 and per maund of Pewandi is Malgoba Rs. 13-8-1, Nelum Rs. 9-8-8 Benishan Rs. 9-15-2, Totapari Rs. 6-14-0. General average Rs. 10-10-11.

80,000 maunds or 5 per cent. of the total Tukmi mangoes are used for the manufacture of pickles in Hyderabad State as the pickles fetch good price of 2 to  $2\frac{1}{2}$  seers per rupee.

MANGO STATISTICS 1938 (5 YEARS' AVERAGE)

Srl. No.	Particulars	Tukmi	Pewandi	Tota!
1	2	3	1	5
1	No. of plants per acre	70	70	• •
2	Acreage in Hyderabad State.	23.750	1,250	25,900
3	No. of fruits per plant	300		• •
4	No. of fruits per acre	21,000		••
5 6	Weight of Tukmi fruits in maunds per acre Number of Tukmi fruits	70	••	 i
7	Per maund Tatal production in made	<b>300</b>	• •	• •
s	unds for Hyderabad- State Value per maund in O.S.	16,65,000	100,000	1,765,000
	Rs.	6	• •	• •
9	Total value in O.S. Rs.	16,62,500	• •	••
10	Imports into Hyderabads in mds. From Madras Presidency	E. generate decem in	300,000	- •
	86 per cent From Mysore 11 per cent.			
	Other parts 3 per cent		••	• •
11	Value of import at Rs. 6.		288,000	
12	Export from Hyderabad State	Nil .	Nil	• •
13	Value of export from Hyderabad State in O.S.			
14	Rs. Per cap.ta consumption.	Nil	Nil	••
15	Orchard price per acre in	<b>5</b> ,	5	• •
16	Rs Price per 100 fruits (ac-	34	76	• •
	tual No. being 126 to 144).	• •		• •

180
MANGO STATISTICS 1938 (5 YEARS AVERAGE) (Contd.)

Srl.	Particulars		Pewandi	Total
17.	Retail price	Rs. 2-1-8 (per 100)	10-10-11 (per maund)	• •
18.	Wholesale price	0-15-6	6-2-9	• •
19.	Packages	(per 100) 300 to 1,000 fruits andkas	Baskets and	
20.	Quantity used in pickling preserves in maun	80,000		••
21.	Unit of sale Retail			••
	Wholesale	By andkas or carts.		••
22.	Home consumption	5 per cent.	5 per cent.	

LISTRICTWISE DISTRIBUTION OF MANGOES IN HYDER-ABAD STATE.


Srl. No.	Districts		Pewandi	Tukmi	Total
1	2		3	4	5
1.	Aurangabad		150	2,359	2,5%
2.	Bir		25	2.275	2,000
3.	Parbhani	••	40	2.000	2.163
4.	Nander	• •	10	1,300	1,200
<b>5.</b> •	Ni <b>z</b> amabad	• •	20	1.080	1,100
6.	Medak		250	1,350 +	1,600
7.	Atraf-i-Balda		400	1,600	2,000
8.	Bidar		50	1.750	1,500
9.	Gulbarga		100	1,100	1,200
10.	Raichur		30	1,270	1,300
11.	Mahbubnagar	••,	10	1,990	2,000
12.	Nalgonda	٠.,	5	595	600
13.	Warangal		40	960	1,000
14.	Karimnagar		10	1,290	1,300
15.	Adilabad	ì	10	1,390	1,400
16.	Osmanabad		100	1,400	1,500
	Total	• • •	1,250	23,750	25,000

MISCELLNo. 28. A—STATEMENT OF

•			OX	EN		
			Males			
eri- al Vo.	Districts	Breeding bulls i.e., entire males over 3 years kept or used for breeding purposes only	Working bullecks, i.e., bullocks and uncastra- ted males over 3 years kept for work only	. •	Total male over 3 year	
1	2	. 3	4	. 5	6	
1	Hyderabad-City	82	4,786	83	4,951	
2	Atraf-i-Balda	1,897		6,047	142,143	
3	Warangal	; 2,572	253,712	16,804	273,088	
	'Karimnagar	2,767	•	11,952	278,90	
5	1 111 7 7	2,870	203,952	15,247	222,069	
6	Medak	; 1,235	159,226	5,767	166,228	
7	N mamahad	1,501		. 9,996	134,00	
8	Baghat	245	25,147	1,207	26,599	
9	Mahbubnagar	6,034		23,915	289,83	
10	Nalgonda	1,151	284,004	10,554	295,709	
11	Aurangabad	1,132		11,692	294,05	
12	Bir	725	194,082	11,731	206,538	
13	Nander	2,013		2,995	178,45	
	Parbhani	1,824	222,125	2,016	225,96	
	Gulbarga	8,907	299,924	10,767	319,59	
16	Osmanabad	844		11,564	182,15	
17	Raichur	2,003		7,570	228,75	
18	Bidar	2,418	222,100	14,004	238,52	
	Total 1849 F. (1940)	40,220	8,493,441	178,911	3,707,57	
	1844 F. (1985)	67,587	3,595,385	325,677	3,988,54	
	1939 F. (1980)	750,567	3,407,448		4,158,010	


NO: 40.

# TOTAL LIVE\_STOCK CLASSIFIED INTO BOVINE, OVINE & OTHERS









TOTAL LIVE-STOCK

BOVINE (CATTLE .

OVINE (SHEEP & GOATS)

OTHERS

ANEOUS.

OXEN AS CENSUSED IN 1940 (1349 F.:.

			OXE	EN			
			Females				
	ng cows. i.e r breeding o			Cows	Cowsover 3 years	Total te-	- Si
In milk	Dry	Not calved	Total	years us d for work only	ne 5 nessent ferte erk er breed- rug purptses	males ver Byears	-74₁
-	8	9	10	11	12	13	
2.182	807	479	3,468	42	167	3,677	
20,696	45,818	25,201	91,715	6,776	7,89.4	106,390	
76,229	132,831	80,421	289,481	27,957	6.073	323,511	
32,922	124,315	87,787	245,094	10.371	12.150	267,624	
32,798	89,495	83,490	205,783	7.318	6.274	219,375	
19,530	66,186	32,116	117,832	9,744	10.790	138.375	
10,927	44,335	35,738	91,020	8.965	7,875	107,860	
4,819	6,513	5,341	16,673	420	263	17.356	
72,205	83,168	62,135	217,508	13,904	12,130	243,542	,
59,600	106,714	60,581	226,895	39.644	24,639	291.178	1
54,498	60,641	25,988	149,025	1,063	1.490	151 578	' ]
51,588	45,687	46,725	123,263	3.116	3,30≤	129,687	, ]
54,916	47,343	46.725	148,984	12.014	11.016	172,014	, ]
49,036	50,237	28,639	127,912	1.218	1,56 \	130,694	; ]
82,759	42,823	46,325	171,907	10.863	8,170	190,940	; ]
47,713	30,179	21,202	99,094	10,046	2,346	111,486	1 ]
56,056	34,655	26,178	116,889	10,445	3,696	131,030	; ]
67,212	88,613	52,515	158,340	21,515	4,946	184,801	
795,756	1,050.360	754,767	2,600,883	195.421	124,814	2,921,118	
	• •	1	2,360,755	352,223	285,610	2,998.588	•
				•	1		•

No. 28. A-STATEMENT OF JXEN

1		OXEN								
;			Y	OUNG	STO	C K				
Seri-		UN	DER ONE	YEAR	1	то 3 челі	RS			
al No.	Districts			,		į	-			
		Male	Female	Total	Male	Female	Total			
;	j									
1	2	14	15	16	17	18	19			
1	Hyderabad City	937	1,213	2,150	342	5 <b>4</b> 5	887			
2	Atraf-i-Bakla .	23,433	26,202	29,635	23,065	24,775	47,840			
3	Warangal	51.846	27,994	109,840	62,364	79,476	142,040			
4	Karimnagar	53,640	56,421	110,061	61.372	71.729	133,101			
5	Adilahad	38.973	41,196	80,169	54,428	<i>5</i> 8,809	113,237			
6	Medak	32,362	34,962	67,324	39,644	42,290	81,934			
7	Nizamabad	15.084	15,284	30,368	31,234	29,807	61,041			
8	Baghat	3,855	4,027	7,882	3,995	4,128	8,123			
	Mahbubnagar	51,498	54,171	105,669	•	51,404	101,533			
10	Nalg. nda	54.364			66,417		137,205			
11	Aurangabad	47,825	47,194	95.019	51.357	•	•			
12 13	Nander	41.031 38,834		81,806	41,817 49,487	42,588				
14	Parbhani		40,112 39,573	78,946 80,483		51,992	101,479			
15	Gulbarga	59.152		115,037	: 43,709	-	98,127 88,106			
16	Osmanabad		, 33,623	69,334	33,285	32,390	65,675			
17	Raichur	32,610	38,133	31,281	31,281	27,347	58,628			
18	Bidar		54,488	105,232	49,769	58,856	108,625			
	Total 1849 F (1940)	672,809	692,278	1,365,087	746,648	786,957	1,533,605			
	1344 F. (1935)	602,328	745,008	1,347,336	757,951	826,047	1,583,998			
	1339 F. (1930)						••			

AS CENSUSED IN 1940 (1349). (Concld.)

			OXEN			
YOU	NGST	0 C K				
TOTAL	3 YEARS AN	D UNDER	${f T}$	OTALCAT	TLE	
				**************************************		
Male	Female	Total	Male	Female	Tital	Sen al N.
20	21	22	23	24	23	-
1.279	1.758	3,057	6,230	5.435	11,665	1
46.498	50,977	97.475	188,643	157.367	346,010	2
114.410	137,470	251,880	387.495	460.487	548,479	3
115.012	128,150	243.162	393.916	395,774	750,600	4
93,401	100,005	193,406	315,470	319,380	634,850	.5
72,006	77,252	149.258	238,234	215.627	453,861	б
46.318	45.091	91,409	180,327	152,951	333,278	7
7.850	8,155	16.005	34,449	25,511	59,960	8
101,627	105.575	207,202	391,458	349,117	740.575	IJ
120,781	121,813	242.594	416,490	412,991	829,451	10
99.182	97,456	196,638	393,235	249,034	642,269	11
82.848	83,363	166.211	289,386	213,050	502.436	12
88.321	92.104	180,425	266.775	264,118	530,803	13
93.663	84,947	178.610	319,628	215.641	535,269	14
102,861	100,282	203,143	422,459	291,222	713.681	15
68,996	66,013	135,009	251.146	177.499	428,645	16
63,891	65,480	129.371	292,650	196,510	489,169	17
100.513	113,344	213,857	339,035	298.145	637,180	18
1,419,457	1.479,235	2,898.692	5,127,029	4,400,353	9,527,382	- The second sec
1,360,279	1,571,055	2,931,334	5,348,828	4.569,643	9,918,471	1
		2,647,933			9,653,333	-

No. 28-B.—STATEMENT OF BUFFALOES

				Вт	FFALOI	ž S		
		,			MALES		FEMALES	
Seri- al No.	Districts		Breeding Bulls, i.e Working entire Bul ocks Bulls and males over i.e., bullocks Bullocks Total				Breeding 3 years	
			years kept or used for breeding purposes only		over 8yrs. not in use forbreeding or work	males over 3 years	In Mi'k	
1	2		3	1,	3	6	7	
7	Hyderabad City		217	449	25	691	7,787	
2	Atraf-i-Balda		429	23,373	819	24,621	25,368	
3	Waranga!		706	79.063	5.585	76.356	83,342	
4	Karimnagar		614	57.735	2.008	60,357	52,496	
5	· Adilahad · · ·		1,266	6, 460	392	8.118	30.539	
п	Medak		306	34.981	786	36,073	23.932	
7	Nizamahad		254	20.730	755	21.759	23.182	
*	Baghat	٠.	109	4.532	275	4.916	<b>15,33</b> 9	
9	, Mahbubnagar		1.151	51.417	1.560	54,128	16,799	
101	Naigonda	• •	331	84,517	2.476	87.824	68,017	
11	· Aurangahad		555	1.288	77	5,080	30,715	
12	Bir		490	2,903	102	3,495	27,127	
1.,	Nander		1990	2,896	272	4,158	57,123	
14	Parbhani		1,364	2,637	192	4,193	46,026	
15	Gulbarga		997	20,856	787	22,640	53,225	
16	Osmanabad		243	6,379	220	6,842	29,582	
17	Raichur		580	8,426	454	9,460	45,590	
18	Bidar		607	6,087	314	7,008	69,733	
	Total 1349 (1940)		11,319	408,751	17,099	437,169	752,912	
	1844 F. (1935)		71,181	408,730	58,501	538,412		
	1339 F. (1930)					580,637		

AS CENSUSED IN 1940 (1849 F.

			В	UFFALO	) E S				
		FE	MALES				Yo' 85 S	TUCE	
	cows over reeding or uction.	eeding or ction. Cows over over 3 years Tota		Total fe-	Une	Under one year			
Drj.	Not calved	Total	3 years used for work only	no in use for work or brezi- ing pur- Fires	males over 3 y- ars	Mal-	Fema.	¥ . *,	al No
`	9	10	1-	12	33	14	15	- <u>-</u>	1
1.692	1.054	10.735	71	21	10.676	1.154	1.572	2,6454	
12.637	5.5(4)	13,505	793	353	17.681	71,210	11.662	일일, <b>~</b> ~일	<u>.</u>
36,500	29,090	149.238	2.677	1,655	153,603	H5,4B5	11.002	79,4(3)	s
28,228	25.570	101.594	1.042	946	103,602	20,947	27,565	54,512	4
23,042	16,588	70.419	103	511	71.333	13.585	17.501	81.686	5
14,979	5,469	46,479	422	497	47,868	12.2.16	13,652	23,255	6
12,294	11,230 ,	49,709	612	582	47.58901	10.800	12,545	23.148	7
2.249	1,735	9.323	162	67	9,552	2.103	2,270	1.373	=
16,852	13,502	77.543	1.503	<b>\47</b>	79,903	22.875	23,632	46.507	9
29,326	20,542	117.985	3.919	1,451	125,255	33,370	32,986	64,356	10
20.414	12.869	63,195	298	111	93,937	10,555	18.024	28,990	11
12,501	7,463	47.051	751	270	48.102	11.740	15,769	27,509	12
20,912	21.305	9,3 <b>40</b>	563	741	100.644	20.546	<b>49,4</b> 58	49,999	13
22,573	13.506	\$2,105	900	308	83,313	16.946	24,837	41.783	. 14
16,835	20,262	90,322	471	614	91.407	21,187	47.366	<b>ს</b> ა,558	i 15
11,451	3.140	49.173	609	, 243	50,0 <b>45</b>	13,177	15,876	29,053	16
18,928	15,214	79, <b>7</b> 32	389	459	80.380	16,698	24.919	41.617	17
18,674	24.119	112,526	969	416	113,911	26,852	56.245	83,097	1 18
319,834	254,297	1,000,033	17,074	10.205	1.327,312	310,790	417,000	727,799	
		1,088.228	• • •	• •	1.315,185	249.418	416,843	666,261	1
	1 '	• •		··	1.240,132				-

No. 28-B.—STATEMENT OF BUFFALOES

					В	uffaloe	ş	
					Υo	оск		
Seri- al No.	Districts				1 to 3 years		total 3 year	s and under
				Male	Female	Total	Male	Female
1		2		17	18	19	20	21
1	Hyderabad City	••		214	415	629	1,398	2,287
2	Atraf-Balda	••		7,364	8,997	16,561	18,774	20,659
3	Warangal	••	••	26,704	38,872	65,576	64,802	80,204
4	Karimnagar			19,190	26,354	45,544	46,137	53,919
5	Adılabad		• •	9,206	18,903	28,111	23,091	36,706
6	Medak	••		9,391	12,948	22,339	21,597	26,000
7	Nizamabad	• •	••	8,680	13,888	22,568	19,480	26,236
8	Baghat	••		1,148	1,457	2,605	3,251	3,727
9	Mahbubnagar	• •	••	12,409	14,736	27,145	35,284	38,368
10	Nalgonda	• •	••	24,449	30,757	55,206	57,819	63,743
11	Aurangabad	••	••	4,331	19,256	23,587	15,297	37,280
12	Bir	• •	:	4,176	14,406	18,582	15,916	30,175
13	Nander	••		8,029	28,148	36,177	28,575	57,601
14	Parbhani	••		9,045	23,524	32,569	25,991	48,361
15	Gulbarga	••		8,785	37,538	46,323	29,972	84,904
16	Osmanabad	••		4,982	14,190	19,172	18,159	30,066
17	Raichur	••		6,092	12,879	18,971	22,790	37,798
18	Bidar	••		9,254	49,222	58,476	36,106	105,467
	Total 1349	F. (1948)		173,649	866,492	540,141	484,439	783,501
	1344	F. (1935)		213,202	356,751	569,953	462,620	773,594
	1389	F. (1930)	••		••	••	••	••

AS CENSUSED IN 1940 (1349 F.). (Contd).

	BU	FFALOES					
Young Stock	Тот	AL BUFFAL	DES	TOTAL BOVINE			
Total	Male	Female	Total	Male	Female	Total	Sr No
22	23	24	25	20	27	28	
3.685	2.089	12.963	15,052	8,319	18,098	20717	
39,433	43,395	68,340	111,735	232,038	225,707	457,745	:
145.006	141,158	203,807	374,965	525,656	691.755	1,223,444	į
100.056	106,494	157,521	264.915	300.410	558,295	1,053,705	4
59.797	31,209	108,039	139,249	346,679	427,419	774.095	:
47,597	57,670	73.868	131.538	295,904	259,495	5\$5,899	(
45,716	41,239	74,136	115,375	221,566	227,087	448,655	7
6,978	8,167	13,279	21.446	42,616	38,790	81,406	9
73,632	89,412	113.271	207,683	480,870	467,355	948,258	9
121.562	145,143	186,998	332.141	561,603	599,959	1,161,622	10
52,577	20.327	101,217	121,544	419,562	350,251	763,813	1)
46,091	19,411	78,277	97,688	308,797	292,327	600,124	12
86,176	32,733	138,245	190,978	299,508	422,363	721.891	( 18
74,352	30.184	131,674	161,858	349,812	347,315	697,127	14
114,876	52,612	176,311	225,923	475,071	467,533	942,604	15
48,225	25,001	80.111	105.112	276,147	357,610	533,757	16
60,588	32.250	118,378	150,628	324,900	314,888	639,788	17
141,573	43,114	219.378	262,492	382,149	517,523	899,672	18
1,267,940	921,605	2,110,813	3,032,421	6,048,637	6,511,166	12,539,803	•
1,236,214	1,108,365	2,089,779	3,198,144	• •	• •		•
••	• •	• •		• •	••	••	

190 No. 28-C.—STATEMENT OF SHEEP AND

	and frame when when the control of t			SH	EEPS		
eri- al	Districts		Up to	Total			
¥э.			oné jisar	Mals	Female	Total	sheep
1	2		3	4	5	6	7
1	Hyderabad City		224	690	632	1,322	1,546
2	Atraf-i-Balds		93.087	22.344	243,920	266,264	359,351
3	Warangsi		123,375	36.818	346,633	383,451	506,826
4	Karimaagar		291,491	40,996	441,306	482,302	773,793
5	Adilabad		82,456	8,656	100.284	108,940	141,405
6	Medak		114,489	23,958	276,747	300,705	415,194
7	Nizamabad		76,195	12,611 .	195,784	208,395	284.590
ತ	Baghat		21,279	3,722	49,054	52.776	74,055
9	Mahbubnagar	••	188,304	48,915	509,536	558.451	746,755
10	Nalgonda		439,030	48,812	577,190	626,002	1,065,032
11	Aurangabad	•••	25,768	8,063	66,021	74,084	99,852
12	<b>B</b> .r		25,598	12,014	73,948	85,962	111,560
13	Nander		24,620	10,723	77,217	87,940	112,460
14	Parbhani		22.288	9,046	62,176	71,222	93,510
15	Gulbarga		91.894	61,943	259,711	321,654	413,549
14	Osmanabad		23,676	11,244	60,697	71,941	95,617
17	Raichur		174,754	45,931	246,931	<b>292</b> ,862	467,616
18	Bidar		54,280	27,949	155,854	183,303	237,583
	Total 1349 F		1,822,817	434,335	3,743,141	4,177,476	6,000,293
•	(1940) 1844 F. (1985)	- • ;				•••	5,936,400
	1889 F. (1980)				1 ••	• •	5,744,347

191 GOATS AS CENSUSED IN 1940 (1849 F...

		GOAT	rs			;	
Up to		Over one year	Total goats	Total	Seri-		
one Year	Male	Female	Total		goats	No.	
ಕ	9	10	11	12	13	1	
3,525	1.269	5,612	6,881	10,406	11.962	1	
50,377	17.834	121.124	138,958	189,335	543.0~6	2	
70,952	31,858	181,226	213,114	284,066	799,592	3	
48,532	12.789	108.456	121,195	70,027	843,820	4	
35.501	13,402	99,946	113,348	148,949	290,254	5	
39.612	11.835	92,146	103,981	143,593	358,787	6	
21.571	5,216	46,905	52.121	73,692	358,282	7	
12,371	3,434	27,168	30,602	42,973	117,028	8	
98,916	32.433	226,463	258,896	357,812	1.104,567	9	
99,573	31.341	217,790	249,181	348,704	1,413,766	10	
78,196	29,285	146,699	175,934	254,130	853,982	11	
66,240	38,191	136,729	169,920	235,160	346,720	12	
84,424	17.935	89,652	107.587	142,011	254,471	13	
88,574	19,460	85,832	105.292	143,866	237.376	14	
84,515	58.918	229.854	288,802	878,317	786,865	15	
48,241	22.672	79,251	101,923	150,164	245,781	16	
56,947	<b>3</b> 5,378	236,434	271,812	328,759	796,375	17	
39,817	28,612	106,293	134,905	174,722	412.305	18	
928,184	406,822	2,237.580	2,611,102	3,572,586	9,572.779	•	
		* *		3,373,366	9,309,766	1	
• •		••		3,054,675	8,799,022	ĺ	

192 No. 28-D.—STATEMENT OF HORSES AND

		·	Horse	Horses and Ponies Young stock					
Seri- al	<b>7</b> 01 101 101	Horses	Mares		1 to				
No.	Districts	over 3 years	over 3 years	Male	Female	Total	Male		
1	2	3	4	5	6	7	8		
1	Hyderabad City	4,368	1,588	105	65	170	225		
2	Atraf-i-Balda	1,275	1,721	403	376	779	466		
3	Warangal	785	869	190	184	874	229		
4	Karimnagar	267	890	104	151	255	128		
5	Adilabad	544	746	176	197	372	151		
6	Medak .	933	1.234 .	218	254	467	333		
7	Nizamabad .	. 36,363	<b>449</b> ;	80	88	168	151		
8	Baghat .	. 242	483	84	79	163	110		
9	Mahbubnagar .	. 2,595	3,136	685	706	1,391	665		
10	Nalgonda .	., 1,442	1,491	358	348	706	442		
11	Aurangabad .	.: 7,041	7,581	1,076	1,157	2,233	1,306		
12		. 4,886	6,470	1,066	1,248	2,314	1,140		
13	Nander .	. 2,083	3,175	436	509	945	653		
14	Parbhani .	. 3,728	5,389	667	857	1,524	970		
15	Gulbarga .	. 5,191	5,498	966	1,178	2,144	886		
16	,	3,883	4,187	1,438	668	2,106	948		
17	Raichur .	7 700	1,723	408	342	750	417		
18		3,763	4,740	884	934	1,818	1,191		
	Total for 1349 I		50,615	9,338	9,341	18,679	10,411		
	(1940) 1 <b>344 F.</b> (1935) .		70,102			17,682			
	1339 F. (1930)		69,051		· · · ·	••	• • •		

193
PONIES AS CENSUSED IN 1949 (1849 F...)

				FIE-	and Pos	ORSES.	H		
<b>S</b> E		*	70 / 1 **	3.3	Tourig Suc	7	Young Stock		
si N	P dies	rses and	Iotai H	··VEP	Years and	3	3 years		
•	7	Femili	Male	Tetal	Female	Male	Total	emale	
	• ,	. 3	7 1	7.8	12	11	10	9	
]	9,420	1.725	4.635	475	145	<b>33</b> 0	805	80	
2	4.%53	2.521	2.144	1.669	869	869	89u	124	
č	2.31	1.106	1.254	850	437	419	452	258	
. 4	1,216	717	41.4.4	35 <i>u</i>	827	282	804	176	
5	2,539	1.152	570	782	406	326	360	209	
•	3.371	1.892	1.479	1.204	655	546	787	404	
1 7	1.281	657	524	469	285	281	301 '	150	
8	1.070	634	486	395	201	194	282	122	
9	8,442	4,497	3.945	2.711	1.361	1,350	1,320	655	
10	4,426	2,184	2.242	1.423	693	€00	787	345	
11	20,476	11,053	9,423	5,854	3,472	2,382	3,621	2.315	
12	16,153	9,061	7.092	4.797	2,691	2,206	2,383	1,343	
18	7.660	4.488	3.172	2.402	1,313	1.089	1.457	804	
14	12,762	7,407	5,355	3,655	2.018	1,637	2,131	1,161	
15	14.815	7.772	7,043	4,126	2,274	1.852	1,982	1.096	
16	11,956	5.687	6.269	<b>3,886</b> :	1,500	2.386	1,780	832	
17		2,546	2.591	1,648	823	825	898	481	
18	12,937	7,099	5,838	4,434		2,075	2,616	1,425	
	137,125	72,231	64.894	41,305	21,616	19,749	22,686	12,275	
ĺ	170.327			31.311	· · ·		18,629		
	163,604			32,176		• •		••	

No. 28-E. STATEMENT OF MISCELLANEOUS LIVESTOCK AS CENSUSED IN 1940 (1349 F.).

194

Srl.	T			Donkeys		, ;		Total
¥ο.	Districts	Mules	Male	Female	Total	Camles	Pigs	Livestock
1	2	3 ,	4	5	6	7	8	9
1	Hyderabad	519	327	229	556	23	124	46,317
2	City Atraf-i-Balda .	37	1,785	2,548	4,333	1	8,204	1,023,671
3	Warangal	12	795	1,296	2,091		59,455	2,078,204
4	Karimnagar		447	1,042	1,489		20,267	2,020,497
5	Adilabad		946	612	1,558	2	7,266	1,075,200
6	Medak	• •	1,776	1,934	3,710	3	13,105	1,164,375
~	Nizamabad	9 !	2,762	1,244	4.006	2	8,355	820,588
8	Baghat	1	243	628	871	• 11	1,372	201,759
9	Mahbubnagar .	5	2,545	3,520	6,065	6	11,367	2,078,710
10	Nalgonda	17 :	774		2,300		27,815	
11	Aurangabad	10	2,372	3,576	5,948	9	6,233	2,609,916
12	Bir	2	1,617	2,453	4,070	45	3,635	1,150,471
13	Nander	3	4,774	2,384	7,158	554		971,749
14	Parbhani	4	1,744	2,911			3,605	995,829
15	Gulbarga	69	•		2,655	54	2,943	954,90
16	Osmanabad	3	4,615 703	4,721	9,336	120	9,648	1,763,45
17	Raichur	5		1,574	2,276	46	1,797	795,61
18	Bidar		2,212	3,606	5,818	6	6,997	1,454,12
10	}	4	2,938	3,794	6,732	524	7,226	1,339,40
	Total 1349 F. (1940)	700	33,374	39,598	72,972	1,386	199,414	22,544,27
	1344 F. (1935) 1339 F. (1930)	1,598			88,883	1,459		13,008,28

196 No.— 28-F. STATEMENT OF POULTRY AS

			P O U	L T R	Υ
si.	Districts		F o	w L s	
No.	D.stricts	Hens	Cocks	Chickens	. Total
1	2	3	1	5	, : 6
1	Hyderabad	41,566	12,036	27,228	80,830
2	City Atraf-i-Balda .	176,530	40,314	370,568	587,412
3	Warangal	487,786	115,832	1,015,844	1,619,462
4	Karimnagar	311,312	63,056	671,390	1,045,758
5	Adilabad	142,400	34,200	331,694	511,294
6	Medak'	199,160	41,736	363,402	604,298
~	Nizamabad	133,586	32,228	277,714	443,528
8	Baghat	39,160	7,564	63-570	110,294
9	Mahbubnagar	318,608	80,858	763,560	1.163,026
10	Nalgonda	489,768	113,666	1,078,486	1,681,920
11	Aurangabad	83,982	25,582	103,462	213,026
12	Bir	63,664	27,470	87,552	178,686
13	Nander	43,062	18,776	91,896	153,784
14	Parbhani	51,130	23,112	70,076	144,318
15	Gulbarga	227,864	94,892	422,014	744,770
16	Osmanabad	73,754	31,600	98,988	204,342
17	Raichur	160,868	56,766	284,176	451,810
18	Bidar	99,968	55,728	180,564	336,260
	Total 1349F .	3,144,168	875,416	6,255,184	10,274,768
	(1940) 1344 F. (1935)				
	1339 F. (1930)	• •	1		

197 CENSUSED IN 1940 (1349 F.)

	P	O U L T	RY		
	D	т с к -			.s.
Ducks Female)	Drakes	Duckings	Total	Politry	N
7	8	9	Ţ+,	.1	
3.526	1.564	.5.5 \	5.545	>11.47×	
1,670	955	4.5:)	8,081	20 + 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1,720	1.141	631	S. 14±	1.022.05;	
968	648	30!	1.:-1-;	1.647.674	
513	374	151	1.071	512.365	
1,652	870	<b>52</b> 6	8.4.45	1617.846	
1.382	1.045	53t:	2.457	414.155	
339	169	61	560	110.563	;
916	724	485	2.125	1.165.151	,
993	មម៦	41.1	2.050	1,050,079	10
527	274	145	11415	213.:72	1
108	79	24	211	175,897	1:
321	232	142	1815	154,429	1:
237	179	62	478	144.790;	1 :
488	311	201	1,000	745,770	1.5
111	72	51	234	204.576	10
426	172	221	819	452,629	17
355	280	85	670	336,930	18
16,252	9,707	<i>5</i> ,060	31,019	10,305,787	
• •		• •		# #	
, ,					

198
No.—28-G. STATEMENT OF AGRICULTURE IMPLEMENTS

<b>a</b> .	;	PLO	OUGHS	
Srl. No.	Districts	Wooden	Iron	Carts
1	2	3	4	5
1	Hyderabad City	333	. 86	1,424
2	Atraf-i-Balda	44,981	277	17,309
8	Warangal	158,190	209	45,868
4	Karimnagar	136,845	905	63,611
5	Adilabad	84,877	36	57,134
6	Medak	80,840	149	21,566
7	Nizamabad	74,233	446	85,458
8	Baghat	10,955	142	3,562
9	Mahbubnagar	122,206	142	38,810
10	Nalgonda	206,888	180	31,708
11	Aurangabad	20,458	21,359	43,760
12	Bir	1,138	12,921	22,047
18	Nander	67,802	6,565	30,912
14	Parbhani	38,438	7,387	41,071
15	Gulbarga	69,157	2,303	34,761
16	Osmanabad	2,047	8,112	19,012
17	Raichur	90,197	3,512	32,082
18	Bidar	51,808	2,443	21,327
	Total for 1349 F. (1940)	1,261,198	66,624	561,417
	Do 1844 F. (1935)	1,884,545	55,509	645,112
***************************************	Do 1889 F. (1980)	1,88	2,086	560,740


199 AND MACHINARY AS CENSUSED IN 1940 (1349 F.).

	RCANE	Oil engines with pump	Electric pumps	Tractors	Area	Srl.
Worked by power	Worked by Bullocks	irrigation purposes	for tube wells	Liactors	in sq. miles	No.
6	7	8	y	10	11	
5		39	46	7	 53	1
56	275	65	នត		2.651	2
10	52	28			7.944	3
1	68	10			5.722 .	4
• •	117	59	2		7.214	5
37	995	24	1		2,783	ថ
79	2,031	16	6		2,365	~
~	19	34	б		415	8
19	64	27	ti		5,326	9
13	18 '	30 ;	1		6.049	10
40	508	81	2 }		6.212	11
10	145	18	1		4,132	
13	186	20	27	• •	3,771	13
••	307	26	• •	9 ,	5,125	14
7	184	38	5		6,975	15
90	528	35	4	2	3,526	16
12	233	45	35		6,630	. 17
9	1,034	9	1	6	4,825	18
408	6,759	604	179	24	82,698	
108	8,065	416	76	286	82,698	-:
	\			-		- <u>i</u>

200

No. 29.—INCIDENCE OF THE LAND REVENUE ASSESSMENT ON THE DOMINIONS FOR THE YEAR

,		,	Total	Dedu	CTIONS	BALANCE FULLY AS- SESSED FOR WHICH RE- TURNS ARE AVAILABLE		3 38,47,674 38,46,861 14,93,878 27,36,410 24,83,338 2,17,895 18,42,489 35,37,232 28,41,311 17,66,115 25,14,349 24,47,075 16,30,378
Seri- al No.	Districts	,	area in acres less Inam vill- ages	Area not fully assessed	Area for which the returns re- quired for this table are not available	Total	Cultivated	cluding cess of districts Col.
1	2	,	3	3 (a)	3( <i>b</i> )	4(a)	4 (b)	5
1	Warangal		3,002,854	48,471	1,108,027	1,894,827	1,751,612	38,47,674
2	Karimnagar		2,715,681	40,980	1,180,317	1,535,364	1,461,110	38,46,861
3	Adilabad		3,752,881	71,728	2,183.138	1,569,743	1,413,616	14,93,878
4	Nizamabad		1,064,176	19,533	413,653	650,523	490,819	27,36,410
3	Medak		1,149,300	50,297	407,410	741,890	595,078	24,83,338
6	Baghat		123.856	7,580	24,748	109,108	91,208	2,17,895
7	Mahbubnagar		1,796,963	78,924	288,629	1,508,339	; 1,198,452	18,42,489
8	Nalg .nda		3,074,268	105,257	548,602	2,525,666	2,106,167	35,37,232
9	Aurangabad		2,768,486	67,478	426,673	2,342,813	2,339,824	28,41,311
10	Bir		1,934,480	66,394	191,300	1,743,180	1,743,106	17,66,115
11	Nander		1,805,580	43,265	294,793	1,510,787	1,498,794	25,14,349
12	Parbhani		2,316,077	23,891	203,379	2,112,698	2,070,989	24,47,075
13	Gulbarga		1,508,808	106,062	333,693	1,175,115	1,164,918	16,30,378
14	Osmanabad	٠.	700,028	17,965	33,488	666,540	666,031	5,98,606
15	Raichur		2,523,726	175,408	333,197	2,190,529	2,151,728	25,36,817
16	Bidar		1,093,724	33,923	88,120	1,005,604	987,346	11,96,900
	Total		31,340,888	957,121	8,058,162	23,282,726	21,730,798	3,55,44,328



201

AREA AND POPULATION IN EACH DISTRICT OF H.E.H. THE NIZAM'S 1349 FASLI (1939-40)

Popula- tion of l districts	a lai	sses	nue om sed oer	Land revenue on		AC EVI	RE ENU LLY	OF E	LANCOL.	8		Popula- tion of fully asses-	n	ever asse aent hea pop	ess- t pe d of ula-	10. TNHA	NS OVER 000 BITANIS	Seri
	po ti	pul	a. cols	fully assessed area	For total area			For cultivated area			sed area		tion of fully as- sessed area		No. of to wns	of gate to popula-		
6		7		8	_	9			10		_	11		12		13	14	1
1,117,693	3	7	0	22,31,827	1	2	10	1	4	9	ı	875,911	2	8	10	3	94,995	1
1,241,405	3	1	6	20,27,570	l	5	1	1	6	2		997,844	2	9	9	2	24,785	2
762,030	.1	15	4	12,83,289	)	13	Ü	0	14	6	,	651,519	1	15	6	1	12,385	. 3
528,597	5	2	9	15,71,714	2	6	7	.3	3	2		425,041	3	11	1	1	18,809	4
752,225	3	4	9	12,15,267	1	10	2	2	0	7	, †	395,635	3	1	1	2	22,416	5
81,068	2	11	0	1,02,658	0	15	0	1	2	0		81,068	1	4	3	•••	• •	6
971,616	1	14	5	9,80,522	0	10	4	o	13	1		557,622	1	12	1	, 2	27,325	7
1,133,406	3	1	5	25,04,254	0	15	10	1	3	0		915,979	.3	11	8	1	10,859	8
944,793	3	3	1	26,48,666	1	2	1	1	2	1		732,649	3	9	10	2	59,278	9
633,690	2	12	7	16,85,799	0	15	5	0	15	6		5,25,540	3	3	3	2	25,814	10
756,307	3	5	2	24,35,389	1	9	9	1	9	11	1	550,642	4	6	9	1	26,992	11
853,760	2	13	10	23,83,866	1	2	0	Į1	2	5	i	723,865	3	4	8	4	51,359	12
1,225,008	1	5	3	13,60,469	1	2	6	1	2	8	ŧ	7,41,693	1	13	4	6	106,895	13
691,068	0	13	10	5,98,006	0	14	4	,0	14	4	í	495,008	1	3	3	2	42,026	14
937,535	2	11	0	23,24,024	1	0	11	1	1	13	:	501,330	4	10	2	2	40,892	15
899,527	1	5	3	11,56,278	1	2	4	,1	2	9		397,611	2	14	6	2	26,156	16
13,529,836	2	10	0	2,65,09,593	1	2	2	-1	3	6	1	9,567,007	2	12	4	33	591,184	ĺ

# No. 30. A—REPORT ON THE COST OF PRODUCTION OF CROPS.

(Cotton and Jawar in Hyderabad State).

(Publication of Imperial Council of Agricultural Research(I.C.A.R.) 1939 Vol IX. in respect of Hyderabad, Mysore and Baroda States).

# Introductory.

This report is the result of an enquiry jointly financed by the I.C.A.R. and Indian Central Cotton Committee (I.C.C.C.) covering 3½ calendar years (or three crop years, 1933-34 to 1935-36).

Both these Committees felt the desirability of having definite knowledge about the cost of production of such

commercial crops as cotton and sugar-cane.

The query extended over 8 provinces and 3 States (Hyderabad. Mysore and Baroda) in India and the various crops studied were sugar-cane, cotton, wheat, rice, jawar and bajra. The number of agricultural holdings was 1,000 spread over about 121 villages throughout India.

# Limitations of the query. .

General survey of the economic position of the cultivator did not fall within the Scope of the query but figures for cost of production per acre and cost per maund in respect of the various crops mentioned above have been found out.

#### Aim.

Aim of the investigation was two fold:

(1) to make the actual data available to all students of agricultural economics in India and

(2) to show the cost of production per acre of certain crops and per maund on the actual yield of the holding.

#### Cost.

The total cost of the enquiry was nearly  $5\frac{1}{2}$  lakhs rupees.

## Hyderabad-Deccan.

#### I. PRELIMINARY NOTES.

- (a) Areas selected.—The following villages were selected for enquiry in the Nander district:—
  - 1. Limbgaon 4. Mudkhed
  - 2. Ardhapur 5. Sonkhed
  - 3. Naigaon 6. Loha.
- (b) Seasons and Rainfall.—The first year (1933-34) of the enquiry was marked by heavy rainfall and high flood. August and September were months of continued rainfall and in consequence, kharif crops suffered heavy damage. In 1934-35, the rainfall though not so favourable to cotton, produced ideal conditions for rabi crop, except for local hailstorms at the end of January 1935. In the final year 1935-36 late rains in October caused considerable damage to cotton and kharif jawar. In short, seasonal conditions during the three years under enquiry were not satisfactory. At Mudkhed some of the holdings along the river suffered damage owing to floods in the first and last years of the enquiry.

According to figures supplied by the Departmen of Agriculture, Hyderabad, the rainfall in Nander district, in which the six villages selected for the enquiry are situated, was as follows:—

Years		Rainfall
1933	 	$\boldsymbol{56.28}''$
1934	 	33.01''
1935	 	45.31''

(c) Other factors affecting costs:—

Labour facilities and wages.—There was no difficulty with regard to the availability of labour which was cheap and easy to obtain throughout the period of the enquiry.

Soil and irrigation:—The soil of the villages selected is typical black cotton soil, heavy, deep and retentive except at Limgaon and Sonkhed where it is comparatively light.

Well.—Irrigation by 'mote' is the only type of irrigation that exists there. Out of the 48 holdings under investigations, only 4 grew some irrigated crops.

Rotation of crops.—The common rotation practised in the State is cotton followed by jawar.

#### II. BULLOCK LABOUR.

During the period of enquiry, the area commanded by a pair of bullocks varied from 22.67 acres in 1934-35 to 24.22 acres in 1933-34; the average for the three years was 23.15 acres per pair per year. The number of working days per animal on the average of 3 years was 126 per year.

Taking the averages for the three years it is found that cultivators spend only about Rs. 60 per pair per year or Re. 0-2-7 per calendar day on the maintenance of their bullocks. Owing to this low cost of maintenance the cost per working day was correspondingly low and varied from Re. 0-6-11 in 1933-34 to Re. 0-7-8 in 1934-35 and Re. 0-8-3 in 1935-36 (see Tables I and II).

TABLE No. I.
Cost of keeping farm bullocks.

	COST OF RE					100113.					
Srl. No.	Particulars		198:	3-3-	<b>1</b>	193	4-35	5	193	5-36	3
1 2 8 4	Total cropped area (in acres) Total No. of animals (in pairs) Number of acres per pair of anim * Total number of working days	als	•	57 . 24 .	70 00 22 50		80. 56. 22.	50 67	1	98. 57. 22. 361.	<b>0</b> 0 <b>7</b> 7
5	No. of working days per animal	٠.,	1	32		]	125		;	L <b>2</b> 0	
	Total cost per year.	į	Rs.	as.	ps.	Rs.	as.	ps.	Rs.	as.	ps.
6 7 8 9 10	Feeds † Depreciation ‡ Interest Housing * Upkeep (Human and bullock labour).		1,936 563 580 608	2 5	6 10 0	1,984 478 457 901	6 4	3 11 11 2	2,082 412 413 904	12 0	2 6 7 6
11 12	Loss due to death (if any) Miscellaneous	• •	34	4	3	35 17	0 4	0 3	60 21	0 13	0 1
	Grand Total		3,728	5	2	3,868	0	6	3,894	4	10
;	Receipts.								!		
1:3 14	Manure Hire Receipts	•••	388 74	0 4	9	335 131	10 8	8 2	322 51	5 6	4 0
	Net cost		3,261	0	5	3,400	13	8	3,520	9	6
15 16	Cost of maintenance per pair of bullocks per year Cost per working day per pair	••	57 0	3 6	4	6	3 7	1 8	61	12 8	3

<sup>\*</sup>The length of the working day is approximately 8 hours. Depreciation is charged at 10 per cent.

Interest is charged at 10 per cent.

THuman and bullock labour used for the maintenance of working bullocks, e.g, cleaning sheds, bringing feed from the fields and preparing it, are entered under this head.

TABLE II.

BULLOCK ACCOUNT WORK DONE AND COST OF MAINTENANCE (AVERAGE OF 3 YEARS).

Srl.	Pa	rticu	lars			Ave	rag	es			
1.	Total ero	pped	l area	(in acres	)	1,3	319.	.87			
2.	Total No	of a	anima	ls (in pair	s)	57					
3.	Number pair	of a	cres c imals	of cropped	l area per	per 23.1					
4.	Total No	o. of	worki	ng days		. 7,	148	. 42			
<b>5</b> .	Number	of w	orkin	g days per	r animal .		126				
	Co	sts pe	er yea	r.							
						Rs.	as.	ps.			
6.	Feeds		• •	• •		2,001	3	0			
7.	Deprecia	tion	• •	• •		483	2	1			
8.	Interest	•		• •	• •	483	8	10			
9.	Housing										
10.	Upkeep (	Hum	ıan aı	nd bullock	labour)	804	9	1			
11.	Loss due	to d	eath (	if any)	•	. 31	10	8			
12.	Miscellan	eous	• •		•	24	7	2			
				Grand To	otal	3,828	8	10			
Re	ceipts.										
Man	are					348	10	8			
Hire	receipts				•	. 85	11	8			
Net o	cost					3,394	2	6			
		enano	e per	pair of b	ullocks pe						
yea			• •	• •	• •	. 59	11	7			
	per work	_	-	_	• •	. 0	7	7			
Num	ber of bu	llock	work	ring days	per acre		<b>5</b> .	.42			

#### TABLE III.

BULLOCK ACCOUNT-PERCENTAGES OF VARIOUS ITEMS OF COSTS TO THE TOTAL.

Srl. No.		Partic	culars		Percentages
1. 2. 3. 4. 5. 6.	Feeds Depreciation Interest Housing Upkeep (hum Loss due to d Miscellaneous	eath (i:	bullock labour		52.2 12.6 12.6  21.0 1.0 0.6
			Total	• •	100.0

As was found in the case of enquiries elsewhere food constitutes the largest single item in the cost of keeping bullocks. In this case it covers about 52.2 per cent. of the total. Upkeep (preparation of food, care, etc.) comes next and represents about 21 per cent. of the remaining items, interest and depreciation each are responsible for 12.6 per cent. Others costs are negligible. It is interesting to note that housing does not cost anything in this locality and the cattle are kept outside for practically the whole year.

## III. HUMAN LABOUR

The total amount of human labour devoted annually to cultivation was about 10 man-days, 7 woman-days and about 0.44 child-days per acre. Of these totals, family labour was responsible for 6 man-days, 1.5 woman-days and 0.25 child-days. In other words, about 60 per cent. of the total adult male labour and 21 per cent. of the female labour was supplied by the family. Child labour was negligible. Each adult male member of the family spent on the average of 3 years about 97 days in the year on crop production (Table IV.) Family earnings per acre varied from Rs. 1-9-2 in 1935-36 to Rs. 1-12-10 in 1934-35, the average earnings for the family being Rs. 1-11-6.

#### TABLE IV.

#### FAMILY WORKING DAYS AND EARNINGS\*

Year	Total cropped	FAMI	LY LABO DAYS	)UR		OF FA WORK					Family					
Year	area	Men	Wo- men	Child		Wo- men		men				_			rad	_
1988-34	1380.70	8,483	2,373	425	87	)   +	Ť	98	†	÷	2,111	0	0	.1	12	5
1934-35	1280.70	8,517	1,891	280	81	Ť	t	.105	†	÷	2,303	1	9	1	12	10
1985-36	1298.22	7,154	1,884	297	80	Ť	Ť	89	† ;	+	2,042	8	3	1	9	2
Average per year	1319.87	8,052	2,049	334	83	; †	Ť	97	† †	Ť	2,260	3	4	1	11	-

<sup>\*</sup>The term earnings does not mean that the workers received cash. It is an estimate of what they would have received if they had been paid at the current rate for hired labour. Actually

of course, they give this labour without cash remuneration.

†In the original village records the number of family workers (women and children was not recorded and hence the figures could not be compiled.

#### IV. INCIDENCE OF THE COST OF VARIOUS ITEMS TO THE TOTAL COST OF CULTIVATION.

Of the various items which make up the cost of production of all the crops grown on the hodings, human and bullock labour are responsible for a little more than half the total. The former represents 29.7 per cent.and the latter 22.1 per cent. of the whole. Land charges, which include rent, rental value and land revenue account for one-third of the total cost.

# TABLE V. (A) AND (B).

PERCENTAGE OF VARIOUS ITEMS OF THE TOTAL COST OF CULTIVATION OF JAWAR AND COTTON IN 1934-35.

	TA	BLE V.	(a)	TA	BLE V.	(b)
Particulars		Jawar		1	COTTON	
		Rented holdings				
1	2	3	. <u>4</u>	5	6	7
No. of hold- ings	28	13	5	28	13	6
Marketing	0.14	1	• • •	0.69	0.46	0.93
Seed	3.08	2.12	3.91	5.31	2.89	4.09
Manures	3.04	0.14	0.85	6.16	2.40	8.49
Irrigation			• •	•	t : ••	
Cost of lift- ing.		· -	· · ·			1
Water	1		• •		•	• •
Rent	• • •	44.97	22.23		53.29	11.03
Rental value	15.66		7.73	15.06		9.64
Land revenue	13.42	3.26	7.41	14.71	2.70	9.55
Implements charges.	4.00	3.66	4.23	3.93	2.66	4.95
Human	31.46	26.43	30.08	29.60	21.25	27.88
Bullock	25.65	17.89	20.99	21.06	13.03	20.49
Miscella- neous charges.	3.55	1.53	2.62	3.48	1.32	2.95

TABLE VI.

AVERAGE PERCENTAGE OF COST OF VARIOUS ITEMS TO THE TOTAL COST OF PRODUCTION OF ALL CROPS OF ALL HOLD-INGS FOR THREE YEARS.

Items		Ì	1933-34	1934-35	1935-36	Average
Marketing		• •	0.2	0.3	0.3	0.3
Seed		٠.	5.5	4.6	5,3	5.1
Manure irrigation		٠.,	1.6	2.4	1.5	1.8
Cost of lifting wat	er		0.3	• •	0.1	0.1
Rent	• •	• • •	9.9	18.6	11.8	13.4
Rental value	••		6.3	8.9	9.3	8.2
Land revenue			13.8	9.4	12.4	11.9
Implements	• •	'	4.1	3.6	3.0	3.6
Human labour	••		30.8	29.4	82.9	29.7
Bullock labour	••	••;	23.1	19.6	23.5	22.1
Miscellaneous (cas charges and inte	es general erest).	• • •	4.4	3.2	3.9	3.8

### V. FLUCTUATION OF PRICES FROM YEAR TO YEAR.

The following two statements give the average prices for cotton and jawar at the Nander Market.

Month	1933-34			19	34-3	5	1935-36			
		Rs.	as.	ps.	Rs.	as.	ps.	Rs.	as.	ps.
1st week of December		10.	5 8	0	17	4 12	0	17	4 10	0
2nd do		114	L 11	0	180	0 0	0	17	4 9	0
3rd do		118	3 7	0	19	6 3	0	17	5 11	0
4th do		119	9 0	O	20	4 11	0	16	8 3	0
1st week of January		12	5 0	o	20	1 14	0	16	4 5	0
2nd do		133	3 6	0	21	58	0	16	2 12	0
3rd do		129	10	0	22	2 12	0	15	3 8	0
4th do		120	) 10	0	21:	5 12	0	14	1 12	0
		1			l			1		

Average prices for Jawar per maund\* of 64 seers for 2 months (February and March), during each year of the enquiry.

	Month	1933-34			1984-35			1935-36			
	· · · · · · · · · · · · · · · · · · ·		Rs.	as.	ps.	Rs.	as.	ps.	Rs	. as	. ps.
1st weel	k of February		5	10	0	6	0	0	4	13	0
2nd	do		5	0	0	6	0	0	4	14	0
3rd	do	<del>!</del>	5	0	0	6	4	o	5	0	0
4th	do	• •	5	0	0	6	0	o	5	2	0
1st wee	k of March		5	8	0	5	0	o	5	3	0
2nd	do	!	5	8	0	5	4	o	5	1	0
3rd	do	]	5	8	0	5	0	0	5	8	0
4th	do	• •	5	8	0	: , 5	5	o	5	7	0

<sup>\*64</sup> seers by volume are approximately equal to two maunds by weight

VI. COST OF PRODUCTION OF CROPS PER ACRE AND PER MAUND. SUMMARY OF RESULTS OBTAINED.

The figures now given are for cotton and jawar. For each of these crops a figure is given for cost per acre and a figure for cost per maund. This single figure is the simple average for all the three years and for all holdings. Figures for these two costs have been worked out separately by a different method by Professor Mahalanobis. They do not differ widely from the figures calculated by the first method. In both cases land charges are included.

The following are the average costs according to the two methods:—

	Cott	on.			
			Rs.	as.	ps.
*A	• •		11	5	9
† <b>B</b>	* *		12	0	5

## Cost per maund.

			Rs.	as.	ps.
$\mathbf{A}$	• •		9	2	7
$\mathbf{B}$	• •		9	11	8
	JAWAR.	,			
	Cost per a	cre.			
A Jawar	(Rabi)		12	9	9
$\mathbf{D_o}$	(Kharif)		10	14	4
B Jawar			13	6	5
$\mathbf{D_o}$	(Kharif)		11	3	4
	Cost per ma	uno	i.		
A Jawar	(Rabi)		3	0	7
	(Kharif)			9	
B Jawar	(Rabi)		2	1	7
	(Kharif)		3	13	7

The fluctuations in any particular year as regards cost per acre, cost per maund and 50 per cent. range can be seen on pages 84 and 85.

<sup>\*</sup>A simple average

<sup>†</sup>B mean as calculated by Professor Mahalanobis.

The difference between 'A' and B' figures is due to the fact that Prof. Mahalanobis included only those holdings in his average which grew jawar in each of the three years. Such holdings numbered only 6 out of 15 holdings growing jawar in 1933-34, 13 in 1934-35 and 15 in 1935-36 under enquiry.

No. 30-B.—THE COST OF PRODUCTION OF CROPS IN HYDERABAD STATE (1983-34)

(From the report of the cost of production of crops in the principal tracts in India Vol. IX Imperial Council of Agriculture Research.)

Serial No.	Heads		Cotton Kharif	Jawar Rabi.	Jawar Kharif
	Output per acre				
	(a) Quantity	٠.	Mds. 1.29	Mds. 2.26	Mds. 2.82
	(b) Value (including bye-products)		12 5 2 Kapas	11 13 6 Grains	16 4 2 Grains
	(c) Price per maund			2 7 2	2 1 10
	Family labour wage per day				
	(a) Men		0 4 0	0 4 0	0 4 0
	(b) Women		0 2 0	0 2 0	0 2 0
	(c) Children	٠.	0 1 0	0 1 0	0 1 0
	Cost per bullock day		070	0 6 0	0 7 0
	Family labour supply.		-		
	(a) Men		Ans. 1.8	Ans. 1.8	Ans. 1.8
	(b) Women		1.7	1.5	1.7
	(c) Children	٠.	1.5	1.5	1.4
	Expenditure per acre	٠.			
1	Cost of Human labour				
	Family	٠.	1 14 10	2 13 8	1 14 9
	Hired		1 15 6	191	1 7 11
2	Cost of Bullock labour	٠.	2 11 11	8 2 11	2 11 1
3	Cost of marketing	٠.	0 2 9		0 7 9
4	Cost of seed	٠.	0 10 10	1 2 0	0 5 7
5	Cost of fertilizers	٠.	0 14 11	0 9 11	0 6 10
			}		l 

No. 30-B.—THE COST OF PRODUCTION OF CROPS IN HYDERABAD STATE (1933-84) (concld).

(From the report of the cost of production of crops in the principal tracts in India Vol. IX Imperial Council of Agriculture Research.)

Seri- al No.	. Heads		Cotton Kharif			Jawar Rabi			Jawar Kharif		
6	Implement	• .	0	6	4	0	7	5	0	6	10
7	(a) Irrigation rates	•,									
	(b) Cost of lifting waters .	.:	0	9	6						
	Total 1-7 .	.:		• •		9	10	0	7	12	9
8	General charges		0	3	3	0	6	2	0	3	4
9	Interest on working capital .	į	0	2	10	0	15	5	o	2	8
10	Cost of cultivation excluding charges	1	9	12	2	10	15	7	8	2	9
11	for land (1-9). Rent	-	4	0	9	4	3	6	3	4	11
12	Land revenue		1	11	3	1	12	11	1	10	5
13	Rental value	-	1	7	10	1	2	1	1	5	5
14	Cesses	-	0	1	11	0	2	2	0	1	10
	Total cost per acre including charges for land (1-13)		17	1	11	18	4	3	14	9	4
	Cost per Md. (excluding land charges).										
:	(i) On actual yield of holding .	-	5	7	2	1	11	10	1	13	7
	(ii) On average yield of village		5	9	3	1	12	4	1	6	5
	(iii) On average yield of district		5	6	7	1	13	9	1	3	1
	Cost per Md. (including land charges).										
	(i) On actual yield of holding .		9	1	6	2	6	7	3	14	7
	(ii) On average yield of village .	-	9	6	8	3	4	1	3	3	4
	(iii) On average yield of district .		8	13	2	8	6	4	2	14	9

214

No. 30-C.—SHOWING PARTICULARS OF THE COST OF PRODUCTION PER ACRE OF ALL CROPS ON ALL HOLDINGS FOR THREE YEARS (1988-34 to 1985-36) FOR SIX SELECTED LOCALITIES.

2								со	ST I	EF	R AC	RE								
Srl.	Items			Localities																
			N				Berar plains		East Khandesh		Surat		Dha	I.T.W.	ar	Bellary		ıry		
			Rs	. а.	p.	Rs	. а.	p.	Rs	. a.	p.	Rs	. a.	p.	Rs	. а.	р.	Rs	. a	. р.
1	Marketing		0	0	7	o	1	1	0	5	5	0	1	1	0	1	4	0	1	4
2	Seed	٠.	0	9	7	. 0	10	4	1	1	1	0	8	5	0	11	0	4	0	1
3	Manure		0	3	5	0	9	3	1	13	7	1	14	6	0	6	8	5	8	9
4	Irrigation rates	٠.	;			•			•							٠.				
5	Cost of lifting		0	0	2	0	0	1		٠.						٠.		2	2	2
6	water Land rent	•••	1	9	3	1	1	1	1	6	11	2	7	0	0	9	2	13	14	5
7	Land revenue		1	6	5	1	11	6	1	15	6	3	14	2	1	7	10	1	0	5
8	Rental value		0	15	5	3	12	1	4	13	5	6	14	8	3	1	10	13	11	8
9	Implement		! 0	6	9	0	7	7	0	13	8	1	0	4	0	12	0	1	15	5
10	, Miscellaneous	٠.	. 0	7	2	. 1	11	1	0	10	6	0	10	1	0	8	10	4.	2	10
11	Bullock labour		2	9	8	4	13	1	5	5	2	7	7	1	4	0	6	18	14	11
12	Human labour		3	8	0	5	7	8	5	15	10	8	1	8	4	0	6	19	12	7
	Total cost of production		111	12	0	20	4	10	24	5	1	32	5	1	16	11	8	85	4	8

No. 30-D.—SHOWING PARTICULARS OF THE AVERAGE COST OF PRODUCTION PER ACRE OF IMF. CROPS.

215

Srl. No.	Items	Co	narif tton inder	Rabi Cotton Raichur	Rabi Jawar Raichur	Paddy Abi Raichur	Paddy Abi Khammam	Baghat Raichur
		Rs.	a. p.	Rs. a. p.	Rs. a. p.	Rs. a. p.	Rs. a. p.	Rs. a. p.
1	Marketing	0	1 8			• •		• •
2	Seed	0	7 6					••
	Manure	0 1	10 8				••	••
4	Land rent	2	7 0					••
5	Land revenue	1	0 5			••		• •
6	Rental value	0	14 11					••
7	Implements	0	7 0				••	••
	Miscellaneous	0	4 8					••
9	Bullock labour	2	2 1					
10	Humam labour	2	15 8					••
	Total cost of production	11	5 9	10 10 0	8 12 0	16 12 0	19 0 0	37 0 0

# 31.—HARVEST PRICES IN THE NEIGHBOURING PROVINCES OF CERT PRINCIPAL CROPS 1939-1940 (Taken From Indian Trade Journal September 26th 1940.)

rl.	d: y	Provinces & Centre	Harvesting period	Grade & quality	Rate per	Average weakly prices
1	2	3	4	5	6	7
1	Rice un- husked.	vinces and Berar Gondia.	15th Dec. to end of Febru- ary.	••	Khandi of 5½ Maunds.	13 12 (
		Madras Calicut. Cocanada Cuddalore Kumba-	FebMarch May-June do FebMarch	Garuclan Samba Samba ,, White serumani	Bag of 162 fbs. ,, 170 ,, 125 ,,	4 12 7 6 6 3 4 3 0 3 3 4 3 7
		Madura Nellore	FebApril May-June	Red serumani Nellore samba Arai samba Molakolukulu	" " " ., 130 G. B. Bag 166	3 5 4 3 3 4 4 5 8 6 2 6
2	Rice husked.	C.P. &Berar Gondia. Madras: Calicut	15th Dec. to end of Feb. FebMarch	No. 24.  Cocanda No. 1.	Bag ,, Khandi of 5½ Maunds. Bag of 166 Lbs.	8 5
		Cocanada Cuddalore Kumba- konam.	May-June do FebMarch	Garudan Samba Samba White serumani	170 ,, 190 ,,	9 6 9 3 8 1 8 10
		Madura Nellore	FebApril May-June	Red serumani Nellore samba Arai samba Malakolukulu	,, 164 ,. 264 ,,	8 7 8 1 8 8 13 1
3	Wheat	C.P. & Berar Harda. Jubbulpore	17th April to 15th May. do		Mani of 11 Mds.	35 0
4	Jawar	Madras Guntur Nellore Pollachi	7th April to 15th May NovDec.		Bag of 228 fbs. ,, 98 Srs. ,, 160 fbs.	7 14 7 8 6 0
5 6	Bajra	Madras Pollachi C.P. & Berar	NovDec.		,, 140 fbs. Mani of 11 Mds.	5 1
7	Linseed	Harda. Jubbulpore	15th May. do 15th April to		Cwt. Khandi of 51 Mds.	4 13
•		Gondia. Jubbulpore Nagpure	15th May. do do		Cwt. Cwt.	9 13 8 11
8	Sesamum .	Harda. Madras	do 20th Dec. to end of Feb.	:: 1	Mani of 8½ lbs.	8 6 6 54 8
		Cocanada Kumba- konam.	June do	::	Nag of 164 lbs. ,, 188 ,,	13 12 10 14 10
	1	Vizagapatam	do	Pyra gingelly	,, 164 ,,	12 11

NO. 31.—HARVEST PRICES IN THE NEIGHBOURING PROVINCES OF CERTAIN PRINCIPAL CROPS 1939-1940

(Taken from indian trade journal 26th, Sept. (1940)—(coreld.)

Srl. No.	Commo- dity	Provinces & Centre	Harvestring period	Grade & quality	Rate per		rage cek: ·ric	ly
1	2	3	4	5	6		7	
9	Raw Sugar							
	or Gur.	Cocanada	March-May	• •	Khandi of 500 lbs.	34	13	9
		Cuddalore	do	~	₫ο	38	8	0
		Hospet	do	Superior	do	28	5	2
			_	Distillery.	do	18	4	7
	1	Pollachi	фo	• •	Pathi of 240 lbs.		14	10
		Salem	фo	• •	do 10 "		14	0
		Vixaga-	_		Mo. of 221 lds	1	3	5
10	•	patam	do	Mungari	Khandi of 250lbs		0	0
	Cotton	Madras	` ••	Juwari	, do	j152	6	5
			4	***	2	·	_	
	i i	Adoni	April-May	Farm		159	0	0
	ī	Bellary	; do	Mungari		128	12	0
	1			Hungari	do	150	4	5
			i	Mungari M.F	do	144	8	0
	;	~		Farm	do	159	9	9
	1 !	Guntur	do	Kapas and	do 500 lbs.	40	0	0
	1 :			unginned cotton.	1	1200	_	_
	1	25. 7		Lint		130	0	0
	' ;	Madura	do	Cambodia	11 of 332 lbs	40	8	0
	;	-	:	Tinvellies		35	ŏ	11
	1		;	White northern	Khandi of 520lbs.	115	0	0
	;	Nandyal	do	. Red	do	121	6	٦.
	i	Nandyai	, 40	Combadia		111	6	10
	. '		i	X /		104	4	10
	t :			1 Towns		1114	4	7
	;	Salem	May -June	1 0:		165	8	
	! .	Tirupur	Litay Suite	10	3		7	1
	į ,	rnapar	1	Wannan an ani		281	í	9
			1	Nondon		254	7	3
11	abacco	Madras	į	Nanuan	, ao	, #J	•	1
11	Buacco	Guntur	April .	. Virginia	do 500lbs	109	8	
		-anca		Local	1 3-	42		0
	1	Tirupur	do	Air cured	do 520 lbs.		8	ŏ
	1	THEPUT	1	Pit cured	Bundle of 78 lbs.			Ö
	<b>1</b> .	Vizaga-	1	,		1 0	3	U
	1	patam.	do		do 500 lbs.	137	8	0
		Lancarr.	1	:	Lo out ibs.	1.00		v

No. 32. FIXED DATES OF

-			!		DATE OF ISSUE				
Serial No.	Name of Crop		Fores ca- st num- ber	Patwari	Tahsil				
1	2		3	4	5				
1	Cotton Do		First Second	1st. Shahrawar. 1st. Aban 1st. Dai	15 th Shahrawar 15th Aban 15th. Dai				
_	Do , Do		Fourth Fifth	1st. Isfandar 1st Ardidehist	15th Isfandar 15th Ardibehist .				
2	Wheat Do Do		Second Third Fourth	1st Bahman 1st. Farwardi 1st. Ardibahist 1st. Khurdad	15th Bahaman 15th Farwardi 15th Ardibehist 15th Khurdad				
3	Do Rice Do	·· · · · · · · · · · · · · · · · · · ·		1st. Shahrawar	15th Shaharawar. 15th Aban 15th Dai 15th Isfandar				
4	Do Jawar Do Do		. Third	1st Thir 1st Shahrawar 1st Aban 1st Bahman	15th Thir 15th Shahrawar . 15th Aban 15th Bahman .				
5	Do Sugarcane Do Do		. First . Second	lst Ardibah'st lst Shahrawar lst Aban lst Isfandar	15th Ardibahist .   15th Shahrawar .   15th Aban   15th Isfandar				
6	Lisneed, rape and Do	l mustard .	. Second	lst Dai 1st Isfandar 1st Ardibahist	15th Dai 15th Isfandar 15th Ardibehist .				
7	Sesamum Do		First Second	1st Amardad 1st Mehir	15th Amardad 15th Mehir				
8	Do Groundnut Do Do		. Third . First . Second . Third	1st Dai     1st Amardad     1st Mehir     1st Bahman	15th Dai 15th Amardad 15th Mehir 15th Bahman				
9	Castor, safflower, n Do	iger & Ambad	a First Second	1st Mehir 1st Bahaman	15th Mehir 15th Bahman				
10 11 12	Bajra		Final do do	1st Shahrawar	15th Shahrwar . 15th Aban				
18	Gram	•••••	do do	1st Aban 1st Ardibahist	15th Aban 15th Ardibehist				

# CROP FORECAST.

From District	Date of issue from Office of Director of Statistics	Date of receipt in the Office of Director- General of Commercial Intelligence and Statistics	Date of publication by the Government of India				
6	7	Calcutta S	9	Serial No.			
	•			i			
			)	<del>i</del>			
20th Shah.	27th Shah. (3rd Aug.)	10th Aug	9th Meher (15th Aug.)	1			
20th Aban	27th Aban (3rd Oct.)	10th Oct	9th Azur (15th Oct.)				
20th Dai	29th Dai (3rd Dec.)	10th Dec	11th Bah. (15th Dec.)	,			
20th Isf.	1st Far. (3rd Feb.)	10th Feb	13th Far. (15th Feb.)	í			
20th Ard.	6th Khur (10th Apr.)	15th April	11th Khur. (15th April)	1			
20th Bah.	13 th Isf. (16th Jan.)	20th Jan	28th Isf. (31st Jan.)	2			
20th Far.	27th Far. (1st March)	1st March		1			
20th Ardi	26th Ard. (31st Mar).	10th April		1			
20th Khur.	6th Thir (12th May)	15th May	1				
20th Shah.	25th Amer (1st July)	1st July	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				
20th Aban	1st Azur (6th Oct.)	15th Oct		3			
20th Dai	2nd Bah. (6th Dec.)	15th Dec	16th Bah. (20th Dec.)	1			
20th Isf.	4th Far. (6th Feb.)	15th Feb		1			
20th Thir	1st Thir (6th June)	10th May	20th Amd. (n9t issued)				
20th Shah.	13th Meh. (20th Aug.)	•••	••	4			
20th Aban 20th Bah.	15th Azur (20th Oct.) 26th Bah. (30th Dec.)	• •	• •				
20th Ard.	26th Ard. (31st March)	••	• • •	İ			
20th Ard. 20th Shah.	7th Mehir (14th Aug.)	15th Aug	14th Mehir (20th Aug)	5			
20th Aban	9th Azur (14th Oct.)	15th Oct	14th Azur (20th Oct.)	١			
20th Isf.	27th Isf. (30th Jan.)	31st Jan	5th Feb.	1			
20th Dai	8th Bah. (12th Dec.)	20th Dec.	28th Bah. (1st Jan.)	6			
20th Isf.	15th Far. (17th Feb.)	1st March	11th Ard. (15th March)	1			
20th Ardi.	15th Khur. (19th April)	15th May	27th Thir (1st June)				
20th Amar.	15th Shah. (21st July)	15th Aug	26th Mehir (1st Sept.)	7			
20th Mehir	15th Aban (20th Sept.)	15th Oct	15th Azur (20th Oct.)				
20th Dai	15th Bah. (19th Dec.)	5th Jan	12th Isf. (15th Jan).	l			
20th Amar.	15th Shah. (21st July)	10th Aug	14th Mehir (20th Ag.)	8			
20th Mehir	15th Aban (20th Sept.)	10th Oct	15th Azur (20th Oct.)				
20th Bah.	15th Isf. (18th Jan.)	10th Feb	13th Far. (15th Feb.)	ì			
2pth Mehir	15th Aban (23rd Sepr.)	10th Oct	••				
20th Bah.	15th Isf. (18th Jan.)	10th Feb	18th Far. (20th Feb.)	19			
20th Shah.	25th Shah. (1st Aug.)			1			
20th Aban	20th Khur. (24th Apr.)	1st May		1			
20th Aban	20th Khur. (24th Apr.).	1st May		1			
20th Aban	20th Khur. (24th Apr.)	1st May		1			
20th Ardi.	20th Khur (24th Apr.)	lst May		11			

# LIST OF PUBLICATIONS ON SALE, ISSUED BY THE DEPARTMENT OF STATISTICS AND CENSUS, H.E.H. THE NIZAM'S GOVERNMENT.—(Conc.).

(Copies can be had from the Director of Statistics, Hyderabad-Deccan).													
	-								Rs	_		p.	<b>-</b> .
(c) 47.Ce	ensus Report	; Part I & I	I	1340 F. (	(1981)	(En	Sizen)	•	• '	•	U	U	Each
48.	Do	Part I (on	[7,]	1840 F.	(1961)	) (_U;	rdu)	•	. 1	į.		0	
49.	The	Port T& I	T	1350 F. (	(1941)	(En	<i>e</i> lish)		. :	7	•	0 (	U.C.)
(r) 50.	Village List	for 1820 F	(1911)	(Urdu) f	or 16	dist	ricts		, 1	,	0	O Ì	·
	Do	1380	71921	(English	)	do			. 4	,	0	U	
(r) 51.		J020 F	(1991)	(Urdu)	,	do			. 4		Û	O	
(r) 52.	Do	1000 1	(1021)	(English	,			•				ā	
58.	Dо	1940 F	-(1001)	(Tinder)	,	do	-				-	ŭ	
54.	Do	1840 F	(1901)	(Urdu)		do		ogual)	•	•	•	•	
55.	Dо	1350 F	· (18 <del>1</del> 1)	(English	) D. D.					•		^	ar a v
					C Ke	. 1 6	ach dist	rict.	I		_		(U.C.)
56.	Census Map	(Linguistic	e) of the	Domini	ons fo	r 184	M L. (1:	131) .	. !		-	0	
57.	77.	f No. on c	<b>&gt;1</b> 3	CEO :				•	• '			0	
58.	Marrof H.E	H. the Niz	am's Do	minions	(Eng	zlish)	)		. (	)	4	0	
			Do		(Urd	lu)			. (	)	4	0	
59.	Do J	••	Do		Eng	rlish'	Single	Fools.					
60.	and it	• •		•••	` `	an S	ize			0	2	U	
	Octue Cens	· - ·	4 al fame	/Frair	.h\ 7 Q	7 00	(1990)	_		3		Ü	
61.	Octile Cens	us Report,	IST ISSU	(English	10	01 T	70051	•		3		0	
627	· Do	•	ZIIII ISSU	ic i Dida	, 10	~ =	. ( )	•		2		ō	
68.	_ Do		3rd issu	e (Englis	n) 12	39 F	. (1900)			2 5	ŏ	ŏ	
64.	Live-stock	Census Rep	ort 4th	issue (Er	ighish	184	4 F. (18	(65)			-	_	
65.	The contract of the contract o		5th	issue (Li	renen	1104	A T (15	307		5	0	0	
	General No	te on Prov	risional	Figures	for st	ande	ard out	O ATH	f		_	_	
66.	General Iv	Dr. Harol	Menn !	Reprint	(be		• •		•	1	0	0	••
	Carops D	annal (Treb	a)						•	0	9	0	
67.		aliusi (Oru	ahi and	Telugu)	••					0	9	0	(O.S.)
68.	Do	(DIBIC)	arm amu	t icingu)			• •			0	8	0	
69.	Alphabetic	n list of R	ZALES (18	E ISSUE	· · · ·	ı iam				8	0	0	
70.	Labour Cer	isus Report	for 18	F. (19	50) 18	LISSU	TE.		•	3	0	0	(U.P.)
71.	Thà.		134	19 F. H.	4U) 21	ta res	suc	047 T	•	U	•	•	(
72.	Some Econ	omic Facts	and Fig	gures-B	lulleti	n No	. 1 or 1	94, L	•	-	0	0	
,	/1022}				• •				• •	1	v	v	
78.	Amicultura	l Statistics	and Est	imates of	Area	and	Yield				_	_	
30.	Tot icone	1885-45 F	(1926-8	5)					• •	Z	U	V	
	790 19904	Do	ob				2nd	l issue	:			1	
74.		1845-49 F							• •	2	0,	. 0	
		s of H.E.H	11000-1	man's Sil	ver T	nhile	e Exhib	oits of					
75.	Photogram	s of H.E.H	. the Mi	Cant a Dri	d and	Jan 1000	e)			80	0	0	
	the Sta	tistics Depa	rtment	Liebare	u on 1	)I ucı	٠,			1	0	0	
76.	Camara Can	L TOEN W /	10411					each			4	•	
77.	Statistical	Wall Sheet:	s (Distri	ct Statisi	acs) H	ing.	or Urdu	Cacu	••	Õ	ā	Ō	
78.	T)-		f'l'o but	9 77		w	uo			U	-	•	
79.	List of Ur	ses, Melas	and Jat	ras, etc.,	in B	EJ	i. the I	WIZEM,	B		AT.		or sale)
13.	Domini	ons 1st issu	e for 18	49 F. (19	40)				••		1240	CF Y	V. 30.0/
NOTES	.—(a) Inclu	des Cattle (	Census F	the Adm	r 1889 inistr	F. (	(1980). Report	hithe	rto	iss	ued	an	d include

<sup>(</sup>b) Replaces the II. Part of the Administration Report hitherto issued and includes
Statistical Abstract revised annually.

<sup>(</sup>c) Part II. of the Report is out of stock.
(d) Except Hyderabad City and Atraf-i-Balds.
(r) Reduced Prices.

<sup>(</sup>O.S.) Out of stock. (U.P.) Under Print (U.C.) Under Comp